

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

#### Usage guidelines


Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.


We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

#### **About Google Book Search**

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/





STONYHURST COLLEGE OBSERVATORY.

Results of Moteorological

AND

(Magnetical Observations,

# STONYHURST COLLEGE OBSERVATORY.

# RESULTS

OF

METEOROLOGICAL, MAGNETICAL,

AND

SOLAR OBSERVATIONS

BY THE


REV. W. SIDGREAVES, S.J., F.R.A.S.

1891.

#### CI ITEEPOR

PRINTED BY PARKINSON & BLACOW, TIMES OFFICE.

1892.



GEN. Wisidon


#### TABLE OF CONTENTS.

i	Page
Monthly Meteorological Tables	5
Yearly Meteorological Summary	29
Dates of Occasional Phenomena	31
Summary of Solar Observations	33
Dates of Solar Drawings, etc	84
Total Amount of Sunshine recorded on each day	<b>3</b> 5
Monthly Tables for each hour of recorded Sunshine	37
Observations of Upper Clouds (Cirrus)	88
Magnetic Report—	
1. Absolute Values of the Elements of Terrestrial Magnetism	41
2. Magnetic Disturbances	
List of Presents received	<b>4</b> 8
Appendix. Observations taken at St. Ignatius' College, Malta	55

• • GER. Wildon

#### TABLE OF CONTENTS.

j	Page
Monthly Meteorological Tables	5
Yearly Meteorological Summary	29
Dates of Occasional Phenomena	31
Summary of Solar Observations	33
Dates of Solar Drawings, etc.	34
Total Amount of Sunshine recorded on each day $\dots$	85
Monthly Tables for each hour of recorded Sunshine $\dots$	37
Observations of Upper Clouds (Cirrus)	88
Magnetic Report—	
1. Absolute Values of the Elements of Terrestrial Magnetism	41
2. Magnetic Disturbances	
List of Presents received	48
Appendix. Observations taken at St. Ignatius' College, Malta	55



# Stonyburst Observatory.

Lat.  $53^{\circ}$  50' 40'' N. Long. 9m. 52s. 68. w. Height of the Barometer above the sea, 381 ft.

#### METEOROLOGICAL REPORT.

JANUARY, 1891.

Results of Observations taken during the Month.	Mean for the last 44 Years.
Mean Reading of the Barometer29.658	29.439
Highest ,, on the 14th30.299	30.290
Lowest ,, on the 20th28.927	28.570
Range of Barometer Readings 1.372	1.720
Highest Reading of a Max. Therm. on the 29th 50.4	51.6
Lowest Reading of a Min. Therm. on the 17th 11:0	20.9
Range of Thermometer Readings 39.4	30.7
Mean of all the Highest Readings 40.7	42.3
Mean of all the Lowest Readings 28.5	32.6
Mean Daily Range	9.7
Deduced Monthly Mean (from Mean of Max.	
and Min.) 34 4	37·1
Mean Temperature from dry bulb 34 4	37.1
Adopted Mean Temperature 34.4	37·1
Mean Temperature of Evaporation 33-1	36.0
Mean Temperature of Dew Point 30.9	<b>33</b> ·8
Mean elastic force of Vapour 0 173 in	0-221in
Mean weight of Vapour in a cubic foot of air 2.1gr	2·4gr
Mean additional weight required for saturation 0 3gr	0·4gr
Mean degree of Humidity (saturation 1.00) 0.86	0.86
Mean weight of a cubic foot of air 556 8gr	544·4gr
Fall of Rain 3-137 in	4·182in
Number of days on which Rain fell 15	19.6

No. of days in the month on which the prevailing wind was	N	NE	E	SE	s	sw	w	nw
which the prevailing wind was		9	0	0	3	8	8	1
Mean Velocity in miles per hour	9.2	8.9	0	0	6.2	12·1	9.0	13.0
Total No. of miles for each Direction	430	832	0	0	447	2331	1723	313

The total number of miles registered during the month was 6076. The max. Velocity of the mind was 39 miles per hour. Direction S. on the 30th at 4 a.m.

Mean amount of Cloud (an overcast sky being indicated by 10.0) ... 7.0 In the month of January, the highest reading of the Barometer during 44 years, was on the 18th, in 1882, and was ..... 30.480 The lowest 26th, 1884.... 27·803 The highest Temperature 7th, 1887.... 59.9 The Lowest 4.6 15th, 1881.... The highest adopted mean temperature of the month 1875.... 42.5 The lowest 1881.... 29.2

The readings of the Barometer were generally high until the 20th, when a rapid fall took place, and the lower pressure lasted to the end of the month. The month was colder than usual, the mean temperature being 2°.7 below the average. The rain was less by 4th of the average, and fell mostly during the latter part of the month. Snow fell on the 4th, 5th, and 16th, but hardly enough to measure; more fell on the 19th, 21st, and 22nd, but there was no heavy fall. The 26th and 31st were the only days without frost on the ground. Fog prevailed on the 3rd, 12th, 13th, and 29th.

## FEBRUARY, 1891.

Results of Observations take	n duri	ng the	mon	th.			ean for last 14 yea				
Mean Reading of the Barome	ter .			29	997	2	9·513				
Highest ,,	286	3	0.063								
Lowest ,, on the 26th29 496 28 702											
Range of Barometer Readings	1	1 ·361									
Highest Reading of a Max. Th	erm.	on th	ne 27	th 8	6.0	1	52.0				
Lowest Reading of a Min. Therm. on the 19th 25.2 22.8											
Range of Thermometer Read	ings			{	8.08		<b>2</b> 9·2				
Mean of all the Highest Read	-				18.6	1	44.3				
Mean of all the Lowest Read	_				33.7		33.7				
Mean Daily Range	••••			1	4.9	İ	10.6				
Deduced Monthly Mean (from						1					
and Min.)					10.7	1	38.4				
Mean Temperature from dry b					9.5		38.3				
Adopted Mean Temperature.					0.1	1	38.3				
Mean Temperature of Evapor					38· <b>4</b>		36.9				
Mean Temperature of Dew Po					36·2	1	34.7				
Mean elastic force of Vapour					14 in	١,	0.193	in			
Mean weight of Vapour in a c					2.5g		2.4	gr			
Mean additional weight require					0.4g	-	0.4	-			
Mean degree of Humidity (					87	1	0.87	,			
Mean weight of a cubic foot					6.5g1						
Fall of Rain							3·434i	'n			
Number of Days on which ra					7		17.0	_			
No. of days in the month on	N	NE	E	SE	s	sw	w	NW			
which the prevailing wind was	1	9	0	0	1	3	13	1			
Mean Velocity in miles per hour	5.1	6.7	0	0	7.0	4.3	8.6	5.1			
Total No. of miles for each direction	112	1288	0	0	157	313	2696	11:			

The total number of miles registered during the month was 4679. The max. Velocity of the wind was 35 miles per hour. Direction W. by S. at 7 p.m. on the 11th.

Mean amount of Cloud (an overcast sky being indicated by 10.0) 6.6 In the month of February, the highest reading of the Barometer during 44 years, was on the 11th, in 1849, and was .... 30.452 The lowest 6th, 1867.... 28.208 The highest Temperature 8th, 1877.... 58.3 The lowest 1st, 1855.... 10.1

The highest adopted mean temperature of the month, 1869.... 44.0

The lowest 1855.... 28.6

The mean reading of the barometer is the highest on record. and the range was very small; showing that a continuously high pressure was maintained throughout the month. The rainfall was only one-fifth of the average amount, and the temperature was nearly two degrees above the average, although there were only only ten days without ground frost. Fog on the 4th and 20th.

#### MARCH, 1891.

Results of Observations taken	ı duri	ng th	е Мо	ntb.			n for last year	
Mean Reading of the Barome	eter			.29-8	866	29	· <b>4</b> 67	
Highest ,,	on	the 8	rd .	.29.9	01	30	·081	
Lowest	on	the 1	5th .	.28.7	761	28	-687	
Range of Barometer Readings				. 1.1	40	1	·394	
Highest Reading of a Max. The					<b>3</b> ·2		<b>56</b> ·8	
Lowest Reading of a Min. The	erm.	on th	e 111	h 2	0·1		22.5	
Range of Thermometer Read					3·1	}	34.3	
Mean of all the Highest Read	•				5·2		47·0	
Mean of all the Lowest Read	•				1.3		34 · 1	
Mean Daily Range	_				3 9	l	12.9	
Deduced Monthly Mean from						i		
and Min.					7·5		<b>3</b> 9·7	
Mean Temperature from Dry					8.6	ļ	39.9	
Adopted Mean Temperature.					8·1		39.8	
Mean Temperature of Evapor					5.7	1	37·9	
Mean Temperature of Dew Po					2.5	ļ	85.3	
Mean elastic force of Vapour					160 in	lo	·205i	n
Mean weight of Vapour in a					2·1g1	1 -	2.4	27
Mean additional weight require					0·6g1	1	0.5	•
Mean degree of Humidity (					·80	ł	0.85	,-
Mean weight of a cubic foot				•	0·8g1	l	46.6	78
Fall of rain					926 in	1	·154i	•
Number of Days on which rain					12		17.7	
No. of days in the month on	N	NE	E	SE	S	sw	w	NW
which the prevailing wind was	6	6	1	1	0	8	5	4
Mean Velocity in miles per hour	8.9	8.0	3.2	10.4	0	18.9	23.3	10-1
Total No. of miles for each Direction	1284	1159	76	250	0	3620	2800	970

The total number of miles registered during the month was 10159.

The max. Velocity of the wind was 39 miles per hour. Direction
W. by S, on the 4th, at 3 p.m.

Mean amount of Cloud (an overcast sky being indicated by 10·0) 8·0 In the month of March, the highest reading of the Barometer

The high barometric pressure of the last month continued till the 5th of March, and rain fell during these first days of the month. The following depression was a cold dry current, and no rain fell till the 15th, when the mercury suddenly dropped to the lowest reading of the month. The total rainfall was less than usual by one-third of the average amount

Hail fell with north westerly winds on the 2nd, 8th, 23rd, 25th, and 27th.

Snow on the 3rd, 8th, 14th, 26th, and 27th.

Thunder with hail and snow on the 26th.

Aurora Borealis on the 16th.

#### APRIL, 1891.

Results of Observations taken during the Month.  Mean for the last 44 years.												
Mean Reading of the Barometer29.566 29.477												
Highest ,,	29	962										
Lowest ,,	28	3.783										
Lowest ,, on the 30th29 · 024 28 · 783  Range of Barometer Readings 0 · 919 1 · 179												
Highest Reading of a Max. Th	erm.	on th	e 27t	h 5	6.9		65.9					
Lowest Reading of a Min. The					7·1		28.3					
Range of Thermometer Reading	ngs			. 2	9.8	1	37.6					
Mean of all the Highest Read	ings			. 5	0.5		55.8					
Mean of all the Lowest Readi	•				4 3		37.8					
Mean Daily Range	J				6·2		18.0					
Deduced Monthly Mean (from and Min		an of	Max		0.9		44.3					
Mean Temperature from dry b				. 4	2 2		44.4					
Adopted Mean Temperature.					1.6		44.4					
Mean Temperature of Evapora					8.3		41.6					
Mean Temperature of Dew Po					4 · 2	1	88.1					
Mean elastic force of Vapour.					211 in		·235i	n				
Mean weight of Vapour in a c					2·3 gr		2.7	zr				
Mean additional weight require					0·8g1	-	0.7	•				
Mean degree of Humidity (sat					·76		0.80	•				
Mean weight of a cubic foot of			•		7 0g1		5 <b>42</b> ∙0₄	z <b>r</b>				
Fall of rain					l 16 in	2	303i	n				
Number of days on which Rai	n fell	١			11		14 7					
			1 1		1	¦						
No of days in the month on which the prevailing wind was	N	NE	E	SE	s	sw	w	NW				
which the prevailing wind was	4	13	4	2	0	3	2	2				
Mean Velocity in miles per hour	79	8.7	14.8	7·1	0	3.0	15.5	5.6				
Total No. of miles for each Direction	759	2707	1414	340	0	711	745	270				
			•			. L	60	40				

The total number of miles registered during the month was 6946.

The max. Velocity of the wind was 36 miles per hour. Direction W.S.W. on the 16th, at 2 p.m.

Mean amour	nt of Cloud (an over	ast sky bein	g indicated by 10·0	) 7.6							
In the month of April, the highest reading of the Barometer											
during	44 years, was on th	ne 17th, in i	1887, and was	30·251							
The lowest	**	**	20th, 1868	28.358							
The highest	Temperature	,,	14th, 1852	<b>74</b> ·1							
The lowest	11	,,	4th, 1885	<b>21</b> ·1							
The highest adopted mean temperature of the month, 1865 48.5											
The lowest	,,	,,	1879	40.7							

The character of the weather, as illustrated by rainfall, and barometric pressure is almost the reverse of that of the last month. The pressure was low during the first seven days, and the last four days, and the rain was confined to these days of low pressure, excepting the 15th, when there was a fall of 08 inch with a high and steady barometer. The month was generally cold, with ground frost on 20 days, snow on the 2nd and 8th, and fog on the 15th.

#### MAY, 1891.

Results of Observations taken	dur	ing th	е Мо	nth.		1	n for last year				
Mean Reading of the Barome	ter			. 29	356	29	·501				
Highest ,,	29	·937									
Highest ,, on the 12th29.850 25 Lowest ,, on the 1st28.921 26											
Range of Barometer Readings				. 0.9	929	1	-007				
Highest Reading of a Max. The	erm.	on th	e 12t	h 7	<b>5</b> ·6		71-9				
Lowest Reading of a Min. The	rm.	on th	e 17t	h 2	<b>4</b> ·9		31·3				
Range of Thermometer Readi	ngs			5	0.7		<b>40·6</b>				
Mean of all the Highest Readi	ngs			. 5	<b>7</b> ·8		<b>59·6</b>				
Mean of all the Lowest Readir	_				9.9		42·1				
Mean Daily Range		• • • •	• • • •	. 1	<b>7</b> ·9		17.5				
Deduced Monthly Mean (from and Min	Me	an of	Ma		7.2		<b>4</b> 9·0				
Mean Temperature from dry h	oulb		<b></b> .	4	7.5	1	<b>4</b> 9·5				
Adopted Mean Temperature				4	7.4	ļ	49.3				
Mean Temperature of Evapor	ratio	n		4	3·6	İ	46.0				
Mean Temperature of Dew P	oint			8	9·4		<b>42·5</b>				
Mean elastic force of Vapour.				0:	241 in	0	·276i	n			
Mean weight of Vapour in a c	ubic	foot	of a	uir	2 8gr	:	2.28	gr			
Mean additional weight require	ed fo	r satı	uratio	on	1.0g1	1	0.9	g <b>r</b>			
Mean degree of Humidity (	satuı	ation	1·0	0) 0	.75	1	0.76				
Mean weight of a cubic foot	of a	ir	• • • •	58	86∙6g1	5	37∙08	gr			
Fall of Rain			• • • •	3.	09 <b>7</b> in	2	·558i	n			
Number of days on which Ra	ain f	ell	••••	••	18		15.3				
No. of days in the month on	N	NE	E	SE	s	sw	w	nw			
which the prevailing wind was	6	7	1	2	4	7	1	3			
Mean Velocity in miles per hour	6.2	9.7	10.9	10.7	12.7	10.7	8.0	10.4			
Total No. of miles for each Direction The total number of miles re				İ	1226			752			

The total number of miles registered during the month was 7283. The max. Velocity of the wind was 28 miles per hour. Direction W. by N., on the 2nd, at 1 p.m.

Mean amount of Cloud (and	vercast sky being indicated by 10.0) 7.8										
In the month of May, the highest reading of the Barometer											
during 44 years, was o	n the 22nd, in 1855, and was 30·124										
The lowest ,,	,, 28th, 1877 28.559										
The highest Temperature	,. 19th, 1864 82.5										
The lowest ,,	,, 4th, 1855 23.5										
The highest adopted mean temperature of the month, 1848 55.1											
The lowest ,,	,, 1855 <b>4</b> 5·0										

The barometer showed a changing pressure during the first half of the month, between high and low readings, and remained low from the 15th to the end of the month. A steady rise set in on the 28th, which continued through the greater part of June. The changes of temperature were considerable as shown by the great range of 10° above the average. The warmest parts of the month were from the 10th to the 14th with a high and rising barometer, and from the 27th to the 31st with a low and rising barometer. The cold period began with the 15th and lasted to the 25th; with ground frost on five days, and snow on the 16th and 17th. Hail on the 15th. Thunder on the 15th, 20th, and 23rd.

•	9					_		
Jun	E,	1891	•				•	٠.
Results of Observations taken	duri	ng th	е Мо	nth.			n for last year	
Mean Reading of the Barome	eter			.29	325	29	.539	
Highest ,,	on t	he 1:	2th.	. 29 9	977	29	·886·	
Lowest ,,	on t	he 2	9th .	.29	176	29	-034	
Range of Barometer Readings	·			.,0.8	301	0	·8 <b>52</b>	
Highest Reading of a Max. The	erm.	on th	e 19t	h 7	7·9		<b>76</b> •9	
Lowest Reading of a Min. The	erm.	on th	e 10t	h 3	<b>5</b> ·0		<b>38·9</b>	
Range of Thermometer Read	ings	• • • •		. 4	2·9		38.0	
Mean of all the Highest Read	ings			. 6	8.0		65·7	
Mean of all the Lowest Reading	_				8· <b>3</b>		47.9	
Mean Daily Range			• • • • •	. 1	9·7		17.8	
Deduced Monthly Mean (from and Mir.)					6.4		54.9	
Mean Temperature from dry	bulb			. 5	6.3	1	55.0	
Adopted Mean Temperature.					6.4	ł	55∙0	
Mean Temperature of Evapor					<b>2</b> ·3	ľ	<b>52·0</b>	
Mean Temperature of Dew P					8.5		<b>48·6</b>	
Mean elastic force of Vapour.					8 <b>4</b> 3 in	(	)·356i	n
Mean weight of Vapour in a c					3.9g1	1	3.9	gr
Mean additional weight require					1·2gr		0.9	gr
Mean degree of Humidity (					.75	i	0.79	
Mean weight of a cubic foot of	fair	• • • •	• • • • •		1-3gr	1	5 <b>42</b> ·4 <sub>{</sub>	_
Fall of rain	• • • • •	• • • •	• • • • •		<b>1</b> 79 in	1 8	3·626i	in
Number of Days on which Ra	in fe	ll	• • • •	••	12		16.2	
No. of days in the month on	N	NE	E	SE	s	sw	w	NW
which the prevailing wind was	7	9	0	1	4	7	2	0
Mean Velocity in miles per hour	8.5	12·3	0	7.9	13.5	7.2	13.4	0
Total No. of miles for each Direction	1432	2659	0	189	1297	1216	641	0

The total number of miles registered during the month was 7434
The max. Velocity of the wind was steady at 25 miles per hour, from noon to 3 p.m., on the 3rd. Direction N.E. by E. at noon, E.N.E. at 1, 2, and 3 p.m.

		•	ng indicated by 10.0	7.0
	3		g of the Barometer	00.010
during 44 ye	ears, was on th	ie löth, in	1874, and was	30.219
The lowest	,,	,,	12th, 1862	28.632
The highest Ter	nperature	"	27th, 1878	$87 \cdot 2$
The lowest	,,	,	30th, 1856	34.2
The highest adop	ted mean temp	erature of t	he month, 1858	<b>59·0</b>
The lowest	,,	,,	1856 and 1860	$52 \cdot 2$

The steady rise of the barometer, which began on the 28th of last month, continued with small variations to the 12th. The pressure remained generally high from 11th to the 24th, and was above the annual mean on all the days except the 2nd, 4th, and the last four days of the month. The rainfall was less than half the average amount.

A fine solar halo was seen on the 9th, with the colours very distinct; and another, but less coloured on the 19th; and both were followed by fine sunny weather.

Thunder on the 24th and 25th.

#### JULY, 1891.

Results of Observations taken	duri	ng th	е Мо	nth,			n for last 4 yea		
Mean Reading of the Baromet	er		• • • •	29 ·	481	29	9· <b>5</b> 01		
Highest ,,	on t	he 14	th .	29	917	29	9.876		
Lowest ,,	28	3·9 <b>93</b>							
Range of Barometer Readings				0.	921	(	0.883		
Highest Reading of a Max. The	erm.	on th	e 17	th 7	7·1		<b>78</b> ·8		
Lowest Reading of a Min. The	erm.	on tl	ne 31	st 4	4.1		42.0		
Range of Thermometer Reading	ngs			3	3.0		<b>36·8</b>		
Mean of all the Highest Readi	ngs			6	7.0		67.8		
Mean of all the Lowest Reading	ngs			5	0.3		50.7		
Mean Daily Range				1	6.7	1	17.1		
Deduced Monthly Mean (from and Min.)					<b>6</b> ·8		57.7		
Mean Temperature from dry b	ulb			5	6.9		57.8		
Adopted Mean Temperature .				5	6.9		57.8		
Mean Temperature of Evapor	ation		• • • • •	5	3.6		54.8		
Mean Temperature of Dew Po	oint			5	0.5	1	52.2		
Mean elastic force of Vapour		• • • •	• • • •	0:	368 i r	1 (	<b>39</b> 0i	n	
Mean weight of Vapour in a	ubic	foot	of a	ir ·	4·1 g	r	4.5	gr	
Mean additional weight require	d for	satu	ratio	n .	1·1 g	-	1.0	gr	
Mean degree of Humidity (sat			,		·79		0.82		
Mean weight of a cubic foot of	air	• • • •	• • • • •	. 52	8 · 1 g	r &	52 <b>7</b> ·3g	gr	
Fall of Rain		• • • •	• • • •	3:	143 ir	1 4	<b>1∙257</b> i	n	
Number of days on which Rai	n fell	••••	• • • •	••	18		18.2		
No. of days in the month of	N	NE	E	SE	8	sw	w	NV	
which the prevailing wind was	2	0	0	1	4	16	5	3	
Mean Velocity in miles per hour	6.3	0	0	9.0	8.0	9.5	13.0	9.0	
Total No. of miles for each Direction	304	0	0	216	759	3664	1561	64	

The total number of miles registered during the month was 7145. The max. Velocity of the wind was 25 miles per hour. Direction W. by S., on the 27th, at 2 p.m., and the same velocity, direction W.S.W., on the 28th, at 4 p.m.

Mean amount o	of Cloud (an over	cast sky bein	g indicated by 10 <sup>.</sup> 0	8.2						
In the month of July, the highest reading of the Barometer										
			868, and was 3	0.112						
The lowest	,,	• 1	15th, 1877 2	8.564						
The highest T	emperature	**	22nd, 1873	88.2						
The lowest	11	19	1st, 1857	36.0						
The highest add	opted mean temp	erature of th	e month,1852	<b>63</b> ·0						
The lowest	**	**	1888	54.5						
		••								

The barometer was generally unsteady throughout the month, and represented a series of short atmospheric waves. The rainfall was less by one-quarter of the average amount. Thunder on the 6th, 8th, 17th, 21st, and 30th.

### AUGUST, 1891.

Results of Observations taken	n duri	ing th	ъе Мо	nth.			n for last 4 yea	
Mean Reading of the Baromet	er		,	29	309	29	-487	
Highest ,,	on	the	7th	29 ·	668	29	·885	
Lowest ,,	on	the	26th	28	592	28	950	
Range of Barometer Readings	(	935						
Highest Reading of a Max. Th	eτm.	on th	ne 18	th 6	9.2	1	<b>77</b> ·0	
Lowest Reading of a Min. The	erm.	on th	e <b>29</b> 1	th 4	<b>0·8</b>	t I	41 · 4	
Range of Thermometer Reading	ngs			2	8.4		<b>35·6</b>	
Mean of all the Highest Read	ings			6	4 2		67·1	
Mean of all the Lowest Reading	ngs			4	9.9		50.4	
Mean Daily Range				1	4.3	1	16.7	
Deduced Monthly Mean (from								
and Min.)					5.4		57·1	
Mean Temperature from dry l					5.7	İ	57·5	
Adopted Mean Temperature					5.6		57·3	
Mean Temperature of Evapor					3.2	i	<b>54</b> ·5	
Mean Temperature of Dew Po					1.0		51.8	
Mean elastic force of Vapour					375 ir	1 -	·388i	n
Mean weight of Vapour in a c					4 ·2 gı	i	4 8	gr
Mean additional weight require					0∙8gı	1	0.9€	gr
Mean degree of Humidity (sa			,		·85	İ	0.82	
Mean weight of a cubic foot of	f air	• • • •		. 52	6.3gr	5	25∙1ફ	gr
Fall of Rain					3 <b>69</b> in	4	·922i	n
Number of days on which Rai	n fell	••••	••••	•	27		19.0	
No. of days in the month on	N	NE	E	SE	s	sw	w	NW
which the prevailing wind was	3	0	0	2	4	17	3	2
Mean Velocity in miles per hour	7.2	0	0	10.6	11.9	10.9	99	4.2
Total No. of miles for each Direction.	518	0	0	507	1118	<b>44</b> 66	713	201

The total number of miles registered during the month was 7523. The max. Velocity of the wind was 42 miles per hour. Direction S.W., on the 26th, at 6 a.m.

Mean amount of	C <mark>loud (an over</mark>	cast sky bein	gindicated by 10 0	9.0
In the month of	August, the hig	hest reading	of the Barometer	
during 44 ye	ears, was on t	he 21st, in 1	874, and was	<b>30</b> ·11 <b>4</b>
The lowest	"	"	31st, 1876	28.555
The highest Ten	perature	,,	2nd, 1868	88·O
The lowest	**	,,	13th, 1887	33· <b>4</b>
The highest adon	ted mean temp	erature of the	month 1857 & '84	61·O

1848....

52.5

The lowest

The Barometer was very unsteady throughout the month, and generally low. The rainfall was quite double the average, and is the greatest recorded fall for August. There were only four rainless days; the 6th and 16th with a comparatively high and rising barometer, the 18th with a low and falling barometer, and the 22nd with a low rising barometer. The heaviest rain was 1.8 inch on the 13th, with a comparatively high barometer. Thunder on the 2nd, 4th, 10th, 21st, 28th, and 29th.

## SEPTEMBER, 1891.

Results of Observations taken	a duri	ing th	ne Mo	nth.			in for last	
Mean Reading of the Barome	eter.			29	498	2	9·516	
Highest ,, on the 16th29-823 30-028								
Lowest ,, on the 1st28.747 28.845								
Range of Barometer Reading	s			1	076		l·183	
Highest Reading of a Max. Th	erm.	on th	ne 10	th 7	79 1	1	72.5	
Lowest Reading of a Min. Th	erm.	on t	he 21	nd 4	<b>12</b> ·2	1	36.5	
Range of Thermometer Read	ings			:	36·9		<b>36</b> 0	
Mean of all the Highest Read	dings			(	63·8		62.2	
Mean of all the Lowest Read					19-8		47-1	
Mean Daily Range					14.0		15 1	
Deduced Monthly Mean (from and Min.)	n Me	an o	Ma	x.	55-5		53.4	
Mean Temperature from dry					6·2		54.1	'
Adopted Mean Temperature.					55·9		53.8	!
Mean Temperature of Evapor					.0 3 52·1	ł	51.0	
Mean Temperature of Dew F					18·5	1	48.4	
Mean elastic force of Vapour					344 ir		0:340in	
Mean weight of Vapour in a c					3·8g1	1	4-0gr	
Mean additional weight requir					1.2gr	1	0.8gr	
Mean degree of Humidity (					6. )·77		0.82	
Mean weight of a cubic foot of					9·5gı		532·4gr	
Fall of Rain					003 ir		4:608in	
Number of days on which Ra					19	] 1	18·0	
	1					<u>.                                      </u>	100	,
No. of days in the month on which the prevailing wind was	N	NE	E	SE	s	sw	w	NW
which the providing which was	1	6	0	0	5	10	7	1
Mean Velocity in miles per hour	10.4	<b>5·2</b>	0	0	9.6	14.0	10·5	1 <b>7</b> ·3
Total No. of miles for each Direction	250	748	0	0	1157	3364	1766	415
The total number of miles re The max. Velocity of the wir S.W., on the 1st at 8 p.m.							as 770 irecti	

Meanamoun	t of Cloud (ano	vercast sky being	indicated by 10.0	7.1
In the month	n of September	, the highest rea	ading of the Bar-	
ometer o	luring 44 years,	was on the 15th	, in 1851, and was	30.274
The lowest	,,	,,	2nd, 1883	28.323
The highest	Temperature	,,	6th, 1868	85.0
The lowest	.,	,,	25th, 1885, and	
			30th, 1888	29.8
The highest	adopted mean	temperature of	the month, 1865	59.1
The lowest	- ,,	- ,,	1863	50.9
Table 1 and 10 models	""	,,		

The barometer showed a steady rise from its lowest reading on the 1st to the 11th, with the exception of a sudden dip between the 5th and 6th; and was very unsteady throughout the rest of the month. The rainfall was a little above the average, and the heaviest rains were between the 5th and 6th, and between the 19th and 20th, with sudden falls of the barometer. The mean temperature was 2° above the average and a little above the mean temperature of last month. Hail on the 2nd.

### OCTOBER, 1891.

								<del></del>
Results of Observations taken	duri	ng th	e Moi	at <b>h.</b>		1	n for last year	- 1
Mean Reading of the Baromet	ter			.29.2	270	29	· <b>4</b> 25	
Highest ,, on the 31st30 286 30 014								
Lowest ,, on the 13th28 242 28.648								
Range of Barometer Readings	s			. 2.0	)44	1	·366	İ
Highest Reading of a Max. Th	erm.	on t	he 9t	h 6	2.8		64·3	
Lowest Reading of a Min. The	erm.	on th	e 24t	h 2	9.8	:	<b>29 3</b>	- 1
Range of Thermometer Readi	ings			. 3	30	:	35∙0	!
Mean of all the Highest Read	ings			. 5	5·7		<b>54</b> ·5	ļ
Mean of all the Lowest Read	ings			. 4	1.2		<b>41</b> ·8	1
Mean Daily Range	<b>.</b> .			. 1	<b>4</b> ·5		12.7	į
Deduced Monthly Mean (from	n Me	an of	Ma					
and Min	• • • •	••••	• • • • •	-	7.5	1	47·2	
Mean Temperature from dry b					7.7		<b>47·8</b>	
Adopted Mean Temperature					7.6	ł	<b>47</b> ·6	
Mean Temperature of Evapor				•	5.1	1	<b>45</b> 3	
Mean Temperature of Dew P					2.4	1	42.9	
Mean elastic force of Vapour				. 0:	270 in	0	276i	n
Mean weight of Vapour in a	cubic	foot	of a	ir	3 1gr	1	2.9€	ζr
Mean additional weight require	ed fo	r satu	ıratio	n	0 7gt	-	0.6₹	gr
Mean degree of Humidity (	satur	ation	1.00	0 (0	.83		0.84	
Mean weight of a cubic foot o	f air			58	34.6g1	5	40·4g	gr
Fall of Rain	• • • •			. 3.	9 <b>0</b> 0 in	5	·014i	n
Number of days on which Ra	ain f	ell	••••	••	20		21.9	
No. of days in the month on which the prevailing wind was	N	NE	E	SE	s	sw	w	NW
which the prevailing wind was	1	6	1	2	9	9	3	0
Mean Velocity in miles per hour	3.9	8.2	11·1	17:7	17.2	11:3	11-1	0
Total No. of miles for each Direction	93	1187	286	851	3711	2450	796	0
The total number of miles re The max. Velocity of the w S.S.E. on the 18th at 5 p.m.								

Mean amount of Cloud (an overcast sky being indicated by 10.0 9.0 In the month of November, the highest reading of the Barometer

The high barometric pressure reached at the end of last month, was maintained through the first week, with small variations not falling below 30 inches. But the decline began on the 5th, and the mercury stood at 29.0 at 9 a.m. on the 9th, having fallen one inch in two days. It then halted for over 30 hours, with a gentle rise before the storm of the 11th. The following table shows the atmospheric disturbance before and during the gale.

	Barome	ter Wind	
Nov. 9	9 p.m. 28.92	light S.W. steady	
,, 10	9 a.m. 29.06	11 11	
,,	11 a.m. 29·11	,, backir	ng at 3 p.m.
.,	4 p.m. 29.06	" S. backii	ıg
**	9 p.m. 28 90	" E.S.E. baci	king
,,	11 p.m.	fresh g E.	
"	1 p.m.	steady half g	ale from E. till 6 a.m.
,, 11	9 a.m. 28.05	falling E. backing	ig at 11 a.m.
,,	1 p.m. 27.94	light N.E. backir	ıg
,,	2 p.m.	galeW.N.W.slowly	y backing
,, 12	9 a.m. 28.91	breeze S.S.W. 11	a.m. calm
The	gale opened s	uddenly and synch	ronously with the

The gale opened suddenly and synchronously with the beginning of a very rapid rise of the barometer, and held on, slowly falling and slowly backing to a S.W. fresh breeze at 2 a.m of the 12th.

#### DECEMBER, 1891.

Results of Observations taken			Mean for the last 44 years.						
Mean Reading of the Barome	ter			. 29.4	131	29	.458		
Highest "	on	the	21st.	.30-2	218	30	30.071		
Lowest ,,	387	28	.599						
Range of Barometer Readings 1.851									
Highest Reading of a Max. Th	erm.	on t	he 3r	d 5	<b>7</b> ·0		53·0		
Lowest Reading of a Min. The	rm. c	n th	e 24t	h 1	<b>4</b> ·0		20.2		
Range of Thermometer Readi	ngs			. 4	3.0		<b>32·8</b>		
Mean of all the Highest Read	dings			. 4	<b>4</b> ·5		<b>42</b> ·9		
Mean of all the Lowest Read	ings			. 3	1.8		3 <b>2</b> ·9		
Mean Daily Range				. 1	2.7		10 0		
Deduced Monthly Mean (from and Min.)					8.2		<b>37</b> ·9		
Mean Temperature from dry	bulb			. 8	8 2		38.6		
Adopted Mean Temperature.				. 3	8.2	İ	38.3		
Mean Temperature of Evapor	ation	٠		. 3	6.9		36.7		
Mean Temperature of Dew P	oint			. 3	5.1	İ	<b>34</b> ·9		
Mean elastic force of Vapour				. 0:5	240 in	( C	0 <b>·2</b> 05in		
Mean weight of Vapour in a c	ubic	foot	of a	ir	2·4g1	:	2.48	gr	
Mean additional weight require	ed for	r satı	ıratio	n	0·4g1	•	0.48	gr	
Mean degree of Humidity (	satur	ation	1.00	) (	.89	1	0.87	7	
Mean weight of a cubic foot	of ai	r		. 54	7∙9 gı	:\ E	540 6gr		
Fall of Rain				8·	<b>712</b> ir	1 8	5·299in		
Number of days on which R	ain f	ell	••••	•	20		9.2		
No. of days in the month on which the prevailing wind was	N	NE	E	SE	s	sw	w	NW	
which the prevailing wind was	4	1	1	0	5	10	7	1	
Mean Velocity in miles per hour	2.6	2.3	16.0	0	14.2	15:0	14.7	0.8	
Total No. of miles for each Direction.	267	55	873	0	1701	<b>360</b> 2	2562	8	

The total number of miles registered during the month was 8568. The max. Velocity of the wind was 46 miles per hour. Direction W. at midnight on the 11th. Calm on the 24th and 25th.

Mean amount of Cloud (an overcast sky being indicated by $10\cdot 0$										
In the month of D	In the month of December, the highest reading of the Bar-									
ometer during	44 years, wa	s on the 22nd	in 1849, and was	<b>30</b> ·378						
The lowest	,,	**	8th, 1886	<b>27</b> ·350						
The highest Temp	erature	**	9th, 1876	<b>58·1</b>						
The lowest	,,	**	24th, 1860	6.7						
The highest adopt	ed mean te	mperature of	the month, 1857	44.6						
The lowest	**	••	1878	30.3						

The barometer was very unsteady between 6th and 14th, changing half an inch daily. An extra depression began on the 9th, accompanied with rough and wet weather. It reached the lowest reading of the month at 9 p.m. of the 11th, and the wind freshened to a gale, which registered its maximum velocity of 48 miles per hour between 1 and 2 a.m., while the mercury was making its most rapid rise. A sudden shift of the wind during the breeze of the 9th and 10th from S.W. to N.W. was coincident with a rise of the barometer of 0.06 inch in about 6 minutes at 4-20 a.m. The rainfall was great, and was over half-an-inch on the 5th, 9th, 12th, 13th, 15th, 28th and 30th.

# Summary of Observations FOR 1891.

	Mean for the last 44 years
Mean Reading of the Barometer29.513	29.487
Highest ,, on January 14th30·299	30.279
Lowest ,, on November 11th27.938	28-261
Range of Barometer Readings 2.361	2.018
Highest Reading of a Max. Therm. on Sep. 10th 79·1	81.4
Lowest Reading of a Min. Therm. on Jan. 17th 11:0	15.6
Range of Thermometer Readings 68 1	65.8
Mean of all the Highest Readings 54.4	54.7
Mean of all the Lowest Readings 39.6	40.7
Mean Daily Range 14.8	14.0
Deduced yearly Mean (from Mean of Max & Min) 46.0	46.8
Mean Temperature of dry bulb 46.2	46.7
Adopted Mean Temperature 46:1	46.8
Mean Temperature of Evaporation 43.6	44.5
Mean Temperature of Dew Point 40.6	42.2
Mean elastic force of Vapour 0.264 in	0·273in
Mean weight of Vapour in a cubit foot of air 3.0gr	3.3gr
Mean additional weight required for saturation 0.7gr	0.7gr
Mean degree of Humidity (saturation 1.00) 0.82	0.84
Mean weight of a cubit foot of air539 9grs	539 6grs
Total fall of rain in the Year48.506 in	47·154in
Number of days per Month on which Rain fell 16.4	18·1
The Maximum monthly mean height of the Barometer varieties, 1891, and was	29·997 vas 28·984
The Minimum ,, ,, in 1866, and was	,

The greatest monthly January, 1884, an	-	_						in 2.	100
m 1									
,,,			, ,	•					วบอ
The highest reading of				•		•	•		400
on January 18th	•								
			Dece	mber	8tn,	1886,	and w		
Extreme range			• • • • •		••••	•••••	· • • • • • • • • • • • • • • • • • • •		130
The highest temperatu	ire v	vas o	n July		•				8.2
The lowest ,,		,		•	•		1881		1.6
The highest adopted m	ean	temp	eratu:	re of		-	-		2.4
The lowest , ,,		•				•	, 1855		3.6
The highest adopted	me	an t	emper	ature	of	a year	, 1868	4	9.1
The lowest ,,		,	,	,,		,,	1879		4.1
The greatest monthly in a cubic foot of	mea air	n we	ight o	f va <sub>l</sub>	pour,	} July	y, 1852		5·1
The least ,,		,,		,	Feb	ruary	, 1855	:	1.4
The greatest fall of rais	n in	a mo	onth, v	as in	Octo	ber, 1	870, ai	nd	1
was								13.43	7in
The least "		,,		,,		March	, 1852	0.0	)47
The greatest number which rain fell in				} Jul	ly, <b>1</b> 8	61, D	ec. 18	<b>38</b>	31
The least ,,		,,		,,	1	March	, 1852	•••	3
No. of days in the year		N	NE	E	SE	s	sw	w	NW
which the prevailing w	ind	42	73	11	12	45	102	59	19
was			İ						
Mean Velocity in miles	per	6.7	7.7	13.3	11.4	12·2	11.7	11.7	8·1
Total No. of miles each Direction		6719	13454	3501	3287	13185	28556	16548	<b>37</b> 02

The total No. of miles registered during the year was 88.952. The max. Velocity of the wind was 51 miles per hour; direction S.S.E., at 5 p.m., on October 13th.

DATES OF OCCASIONAL PHENOMENA.	I Per	4, 21, 22 2, 8, 23, 26, 27 15 2 14, 17 9, 26 11, 29, 81
	Snow	4, 5, 16, 19, 21, 22 3, 8, 14, 15, 26, 27 2, 8, 28, 26, 27 2, 8 16, 17 16 17 2 14, 17 2 14, 17 2 14, 17 2 14, 17 2 14, 17 2 14, 17 2 11, 12 11, 29, 81
	Hoar Frost	6 18, 19, 26—27 30, 31 17 17 28, 29 22, 29 16, 19, 20, 24
	Frost	1—26, 27—31 1—8, 9, 12, 13, 15—30 3, 7—24, 26, 27, 29—31 1, 2, 7, 8, 11—15, 17—30 16—21, 22 11 24, 25, 27, 29—31 10, 14, 18, 22—30 8, 12, 15—29
	1891.	January February March April May June July August September October November December

·	Solar Halo	ç	n n	
DATES OF OCCASIONAL PHENOMENA.	Lunar Halo		28 15 13, 14, 17 14	
	Lightning	76	2 2 17 27 27	oer 17th. 16th. er 21st.
	Thunder	26 15, 20, 23	6, 8, 17, 21 4, 10, 21, 23, 29 12, 14 27	A Lunar Rainbow was seen at 7-0 p.m. on November 17th Aurora Borealis was seen at 10-30 p.m. on March 16th.  , , 8-30 p.m. on November 21st.
	Fog	8, 12, 13, 29 4, 20 15	24, 26, 27 15, 23, 24, 25	
DATE	Heavy Bain	24	6, 21 2, 8, 13, 24, 25, 27 5, 19 14, 18 5,9,12,13,15,28,30	
	1891.	January February March April May	8	

# SUMMARY OF SOLAR OBSERVATIONS. Number of days of Observation in Each Month.

•	Spot spectra observed.	<b>69</b> to	œ
	Chromosphere partially measured.	1 1	69
acu mounn:	Entire Chromosphere Measured,	110 118048PP 8	88
Servation in E	Other Drawings and Notes.	က က ထ ဆ ⊶	53
NUMBER OF CAYS OF COSCIVATION IN LACE MORE	Number of Sun Drawings, 104 inches to diameter.		125
Tadimort	Amount of Sunshine expressed in hours.	51.1 73.7 92.7 101.4 1159.8 1189.0 128.5 111.4 18.5	1187·3
	Recorded Sunshine.	16 22 22 24 24 24 25 26 27 26 27	277
	1891	lanuary February March May June July Septemb'r October Novemb'r Decemb'r	Totals

DATES OF SOLAR DRAWINGS, OF NOTES, OF OBSERVATIONS OF CHROMOSPHERE, AND OF SPOT SPECTRA. The figures express, in hundredths of a day, the Greenwich Civil time at which the drawing was made.

January.	January. February.	March.	April.	May.	June	July.	August.	Septem.	October.	Novem.
	.50,c	 		+4.		-39				
.42				.40	.66		٠ <u>٠</u>	.88,c		
				-39°c	3	·43,c		.41,c,s	.45	
.40										
					-39	.50		s		
				.20				·42, c,s	.34	
				.41	o'99.	·78			.45	
		· <b>4</b> 0			·41,c	-48		.48	.42	
			.26	.52	.34°c	11.	o	·40,c		.32
				.51	·44,c		92.	.45		
	.59			·48,c	-68°C			.38	.3 <b>2</b> ,c	.29
o				·37,c		.72		·43,c		
				.40	-74	.65		·74	·34	
	·49,c				177			·6 <del>4</del>		
				.38	89.	.72			.34°c	
20.	9			-		၁ ၁	66.		9	
ee.	2,00			##	9	8	8,2,66		9 2	Ġ
-	90.		"		94.				70.0	9 99
09.	.62		#		2,03. 		99.		.42.c	.47
:		920							34	
	09.	,	.36		.44	.72		.33,s	ļ	09.
						ßс.		20	ں ت	90.
	2,10		.36				.53	3 88 3 88	2	8
90.	v		·44		92.	.64°C			3,08.	
			ပ				. <u>7</u> 2	.40,c,s	35,0	_
		.73			76.	•	6		200	•

. 1	17		0.9	0	9.0	11.8	7.9	0	10.5	2.0	0	3.1	1.8	1.4
DAY.	16		0	1.0	0	5.0	6.9	9.5	2.7	2.1	0	4.6	0	<b>7</b> ·0
	15		90	7.1	0	4.1	5.8	4.9	3.5	5.3	4.9	1.4	0	0
EACH	14		2.0	0	0	4.6	2.9	8.7	6.9	0	5.3	2.5	0	3.0
	13		4.0	1.0	5.4	4.0	9.5	3.5	9.9	3.7	9.1	0.1	0	0
N O	21		0	5.1	6.2	2.5	7.3 14.0	12.5	0.1	5 0	10.0	4.1	2.5	0
ED	==		0	9.0	1.1	4.3	7 .3	15.0	0	0	7.2	2.0	0	2.0
RECORDED	10		0	0	1.3	2.2	2.7	13.0	2.2	9.9	11.1	0	0.5	0
CO1	6		0	2.0	6.1	4.4	0	7.5	9.6	1.2	6.2	4.4	9.0	6.0
RE	- oo	Ī	0	0	4.0	0	9.0	8.2	8 .č	0.1	6.0	6.9	0	1.4
	7	İ	5.5	0	2.2	3.7	4.6	0.5	1.5	2.0	10.1	5.1	0	0
NII	9	İ,	8.8	0	0	0	<b>8·4</b>	7.3	4.5	20.0	68	0	0	1.6
NSF	20	İ	5.4	e:0	0	0.1	0	2.1	8.0	8.0	6.0	1.6	0	0
SUNSHINE	4	<u> </u>	9.0	0	0	0	13.3	0.1	13.0	4.1	2.9	6.1	0.1	1:1
OF	အ	İ	0	0	0.4	2.2	Ξ	0 9	11.3	5.0	8.5	3.0	0	0
	63		1.5	0	4.5	0	6.6	0	6.5	9.3	9.9	4.6	1:1	1:1
N	-		0	9.9	0	4.2	0.5	13.1	4.6	0	3.5	0	0.5	0
TOTAL AMOUNT	Момтн.		January	February	March	April	Мау	June	July	August	September	October	November	December

28         24         25         26         27         28         29         30         31         Monthly Total.           0         0         2.5         0         3.3         0         0         2.4         4.6         51.1           6.8         3.9         7.1         6.5         6.7         2.0         0         0         78.7           11.6         3.9         7.1         6.5         6.7         2.0         0         78.7           11.6         3.0         0.7         4.0         1.7         6.9         0         0         78.7           6.9         3.0         0.7         4.0         1.7         6.9         0         0         101.4           6.9         3.0         0.7         4.0         1.7         6.9         0         0         101.4           6.9         3.0         0.7         4.0         1.7         6.9         0         101.4         101.4           6.9         3.0         0.0         6.8         8.4         8.9         10.0         159.9         149.9           4.4         2.0         4.6         2.8         0         6.2         0
0         2.5         0         3.3         0         0         2.4         4.6           3.9         7.1         6.5         6.7         2.0         0         0         0           1.7         3.2         4.0         5.3         2.9         6.8         5.8         5.1           3.0         0.7         4.0         1.7         6.9         0         0.6         0           3.2         0.9         2.0         0.5         8.4         8.9         10.0           5.0         4.6         2.8         0         6.8         6.5         0           5.0         4.9         8.4         9.2         6.6         5.2         1.2           1.0         0         2.0         0         6.7         2.9         6.8         0           2.1         3.2         4.2         5.7         6.5         6.8         0         0           2.1         3.2         4.2         5.7         7.7         7.8         8.0         6.2
3.9         7.1         6.5         6.7         2.0         0         0         0           1.7         3.2         4.0         6.3         2.9         6.8         5.8         5.1           3.0         0.7         4.0         1.7         6.9         0         0.6         6.1           3.2         0.9         0.         2.0         0.5         8.4         8.9         10.0           5.0         4.6         2.8         0         6.8         6.5         0           5.0         4.9         8.4         9.2         6.6         5.2         1.2         1.2           1.0         0         2.0         0         5.7         2.9         5.8         0           2.1         3.2         4.2         5.7         6.5         6.8         0           2.1         3.2         4.2         5.7         6.8         0         6.2           2.3         4.2         5.7         6.5         8.0         6.2         0           2.3         5.5         2.5         7.9         7.7         7.8         8.0         6.2
1.7         3.2         4.0         5.3         2.9         6.8         5.8         5.1           3.0         0.7         4.0         1.7         6.9         0         0.6         5.1           3.2         0.9         0         2.0         0.5         8.4         8.9         10.0           5.0         4.9         8.4         9.2         6.6         5.2         1.2         1.2           1.0         0         2.0         0         5.7         2.9         5.8         0           2.1         8.2         6.7         2.9         6.6         5.9         6.9         0           2.1         8.2         6.7         6.5         0.6         8.0         0           2.1         8.2         6.7         6.6         8.0         0         0           2.1         8.2         6.7         7.7         7.8         8.0         6.2
3.0         0.7         4.0         1.7         6.9         0         0.6         0         <
3-2         0.9         0         2.0         0.5         8.4         8.9         10.0           5-5         0.5         4.6         2.8         0         6.8         6.5         0           5-0         4.9         8.4         9.2         6.6         5.2         1.2         1.2           1-0         0         2.0         0         5.7         2.9         5.8         0           2-1         3.2         4.2         5.7         6.5         0         8.0         0           7-3         5.5         2.5         7.9         7.7         7.8         8.0         6.2
5.6     0.5     4.6     2.8     0     6.3     6.6     6.0     0       5.0     4.9     8.4     9.2     6.6     5.2     1.2     1.2       1.0     0     2.0     0     6.7     2.9     5.8     0       2.1     8.2     4.2     5.7     6.5     0.6     8.0     0       7.3     5.5     2.5     7.9     7.7     7.8     8.0     6.2
5-0     4-9     8-4     9-2     6-6     5-2     1-2     1-2       1-0     0     2-0     0     5-7     2-9     5-8     0       2-1     3-2     4-2     5-7     6-5     0-6     3-0     0       7-3     5-5     7-9     7-7     7-8     3-0     6-2
1.0     0     2.0     0     6.7     2.9     6.8     0       2.1     3.2     4.2     6.7     6.6     0.6     8.0     0       7.3     5.5     2.6     7.9     7.7     7.8     8.0     6.2
2·1     3·2     4·2     5·7     6·5     0·6     3·0     0       7·3     5·5     2·5     7·9     7·7     7·8     3·0     6·2
7.8 5.5 2.5 7.9 7.7 7.8 3.0 6.2
0.7 0 0.5 0.2 0 0 4.0 0 0 18.5
0.4 0 0 0 2.5 1.5 0 0 0.6 28.4

(ii)														
SUNSHINE	6-8	0	0	0	0	0	0	0	0	0	0	0	0	0
ISH	7-8	0	0	0	0	1:1	4.8	5.0	0	0	0	0	0	6.2
NDS	6-7	0	0	0	1.8	<b>₹</b> .9	12.6	10.3	1.7	0	0	0	0	32.8
	9-9	0	0	1.2	4.6	7.5	13.5	12.9 10.3	0.2	<b>6</b>	0	0	0	49.8
RECORDED	4-6	0	0.5	3.2	8.5	11.9		13.9	9.6	12.2	5.5 2.5	0	0	76.3
OR	3.4	2.0	4.0	6.3	2.9		11.1 14.1 14.6 15.5 15.8	12.6 15.0 13.9	6.6	12.9	8.7	9.0	•	
EC	2-3	6.9	4.∠	9.0	7.3	12.9 13.5	14.6	12.6	2.9	12.2	12.3	4.0	1.4	107.4 121.0 131.4 129.4 124.8 105.8 93.1
F R	1-2	8.2	10.5	6.2	5.4	15.1	14 1	12.5	9.8		17.3	2.5	5.4	124 ·8
R o	12-1	9.8	12.0	11.2	6.1	14.4	11.1	12.7 12.5	4.8	16.4	16-9 18-8 17-2	4.2	5.4	129.4
HOUR or	9-10 10-11 11-12 12-1	101	12.0 12.0	13.5	7.3	12.9 14.8 14.4 15.1		12.7	11	13.9 16.4 14.2	16.9	5.9	6.9	131 -4
	10-11	8-8	11.7	12.8	12.2	12.9	12.8 12.1 13.2	10.1	8.2	11.9 12.7	12.5 14.7	1.6	9.6	121 ·0
CH	9-10	7.4	9.01	11.7	12.6	13.2	12.3	8.9	2.2	11.9	12.5	0.5	2.0	107.4
EACH	6-8	0.7	5.1	9.6	14.1	10.0 13.0 13.2		9.5	2.9	6.01	9.2	0	•	88.1
FOR	7.8	0	0.5	9.9	10.1		12.9 12.1	8.2	2.0	7.2	9.0	0	•	80.3
SS	2-9	0	0	1.5	4.6	9.5	13.2	6.5	8.8	1:1	•	•	•	39.9
TABLES	9-9	0	0	0	0.7	3.9	0.6	4.3	<b>4</b> :0	•	•	•	0	18.3
LAE	4-5	0	0	0	0	0.3	2.2	0.3	0	0	0	0	0	83.33
MONTHLY 1	Local apparent time.	January:	February	March	April	Мау	June	July	August	September	October	November	December	Total

### OBSERVATIONS OF UPPER CLOUDS (CIRRUS).

Date.			Cloud.		Wind.		Direction
1891.		G. M. T.	Direction.	V'locity (0—6).	Direction.	Force. (0—12).	of Lower Clouds.
January "	2 2	Noon. 1 p.m.	N.E. N.N.E.	2 1	N.E. N.E.	1	N.E. N.E.
Feb.	12 12 15 26	Noon. 2 p.m. 9-30 a.m. 9 a.m.	W.N.W. N W. S.S.E. W.S.W.	1 2 1 1	S.E. by E. W. N.W. N.E. by N.	0 1 1 1	W. by N. W. N.W.
March	9 9 25 28	11 a m. Noon. 9 a.m. Noon.	E.N.E. N.E. S.W. N.W.	3 2 3 1	N.E. by E. E.N.E. W. by S. N.W.by N.	2 3 5 2	N. by E. N.E. S. W. N. by W.
April	13 15 16 16 16 17 17 28 28 28	9-15 a.m. 5-15 p.m. 2 p.m. 4-20 p.m. 5-25 p.m. 3 p.m. 5 p.m. 1-30 p.m. 4-15 p.m. 5 p.m.	E. by S. N. by W. W.S.W. W.N.W. N.W. N.W. N.W. N.W. N.W	1 2 3 2 3 2 1 3 2 2	E. W. by S. W. S. W. by S. W. by S. W. by S. W. by N. W. by S. W. by S. W. by S. W. by S.	1 3 7 5 5 3 8 4 4	W. W. W. N.W. N. W.
May ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	11 12 12 12 13 13 30 30 31	5 p.m. 2-15 p.m. 5-30 p.m. 7-30 p.m. 8 a.m. 11 a.m. 9-20 a.m. 10 a.m. Noon. 2 p.m. 4 p.m.	N.N.E. W. by S. W.N.W. W.S.W. S.W. by S S. by W. E.N.E. N.E.	1 1 2 2 2 1 1 1 2 1	N.E. W.S.W. S.W. by W S.W. by S S.S.W. S. S. S. by W. E. S.E.	3 2 2 1 2 3 1 1 2 3 4	N.E. N.E. S.W. N.W. S. by W. S.W.byS. S.S.W. E.
June "" "" "" "" "" "" "" "" "" "" "" "" ""	1 1 3 3 6 8 8	9 a.m. 11 a.m. Noon. 2-45 p.m. 4 p.m. 8 a.m. 4 p.m. 5 p.m.	S. by E. S. N.E. N.E. E. by S. W. N.N.E. N.N.E.	1 1 2 2 2 2 2 2 2 1	N.E. by N E.N.E. E.N.E. E.N.E. N E. by E N.E. by N N.E. by E E.N.E.	3 4 5 4 . 3	E. by N. E.N.E. N.E.

### OBSERVATIONS OF UPPER CLOUDS (Continued).

Date			Cloud	L	Wind	1.	Direction
1891	L.	G.M.T.	Direction.	V'locity (0—6)	Direction.	Fo ree (0—12)	of Lower Clouds
June	9	11-30 a.m.	N.E.	1	N.E.	1	N.N.E.
٠,,	11	Noon.	N. by E.	1	S.	1	İ
,,	11	3 p m.	W. by N	1	S. W. by W.	2	!
,,	16	3-30 p.m.	W.	2	S.W. by W.		W. by N
,,	21	Noon.	N.N.E.	2	N.E. by E.		1
,,	21	1 p.m.	N.N.E.	2	N.E. by E.	1	į
,,	<b>26</b>	11-30 a.m.	S.	ī	S.E. by S.	2	S.
July	3	2 p.m.	S.S.W.	1	S.W.	2	S.W.
,,	10	5-30 p m.	W. by S.	1	S.W.	2	W.
,,	10	7 p.m.	W.S.W.	1	S.S.E.	2	j W.
,,	14	7 p.m.	E.N.E.	1	N.E. by N.	3	N.E.
,,	14	8 p.m.	N.E.	1	N.N.E.	1	İ
,,	23	6 p.m.	W. by N.	2	W. by S.	3	w.
,,	24	Noon.	W.N.W.	3	S.W. by W.	4	W.
,,	27	11 a.m.	S.W.	i	W.	3	W.N.W
,,	27	12-30 a.m.	W.S.W.	ĩ	w.	4	W.N.W
"	27	4-30 p.m.	W. by S.	ī	W. by S	١ 4	N.W.
,,	27	5 p.m.	S.W.	i	W.	4	N.W.
Augus	t 6	3 p.m.	N.N.W.	1	w.s.w.	3	w.
,,	6	4 p.m.	N.	2	W.S.W.	3	W. by N
,,	6	5-30 p.m.	N.E.	2	W.S.W.	3	W.
,,	13	9 a.m.	S.W. by W.	1	W.	3	W.
,,	19	9 a.m.	S. by W.	1	S.S.E.	3	S.
,,	22	8 p.m.	Ń.	2	N. by E.	1	E.
,,	26	Noon.	S.W.	3	S.W byW.	4	SW by V
"	26	2 p.m.	S.W.		S.W. by W.	3	W.S.W.
"	26	4-30 p.m.	S.W.	2	S.W.	2	S.W.
"	30	10 a.m.	W.	2	S.S.E.	1	S.S.W.
Sept.	3	9-30 a.m.	S.W.	1	S. S. W	1	S.W.by
-,,	3	Noon.	S.S.W.	1	S.	2	S.W.
,,	3	4 p.m.	S.S.W.	2	S.E.	1	
,,	7	4 p.m.	W.S.W.	2	W.S.W.	1	
,,	7	5 p.m.	W.S.W.	1	W. by S.	0	
"	9	10 a.m.	8. by W.	ĩ	S. by E.	2	
,,	9	2 p.m.	S.S.W.	2	S. by E.	3	S.S.W.
"	11	9 a.m.	N.N.E.	1	N.N.E.	0	
Octob	ет 4	10 a.m.	w.s.w.	1	S. by W.	3	S.W.
19	4	11 a.m.	W.S.W.	2	S.S.W.	3	S.S.W.
"	8	7-30 a.m.	S.W.	1	S.W.	0	
,,	. 8	2 p.m.	S.W.	2	S. by W.	3	S. by W.
••	_	- F		-	,	}	•

### OBSTIVATIONS OF UPPER CLOUDS (Continued).

1.1

Date			Cloud	ı <b>.</b>	Wine	1.	Direction
189	ı	G.M.T.	Direction.	V'locity (0—6)	Direction.	Force. (0—12).	of Lower Clouds.
Octobe	er 9 19	9 a.m. 3 p.m.	S.W. by S. W. by S.	2 3	S.W. W. by S.	3 2	S.W. S.W.
Nov.	21 29	Noon. 10-5 a.m.	W. S.	2 2	N. W.S.W.	1 1	N. by W. SW by W
Dec.	14 28	Noon. 2 p.m.	N.N.W. N. by W.	3 4	W. by N. S.W. by W.	2 1	NW by W W.S. W.

# MONTHLY MAGNETICAL OBSERVA. ONS TAKEN AT THE

### COLLEGE OBSERVATORY, STONYHURST, 1891.

THE Horizontal, Vertical, and Total Forces are calculated to English measure; one foot, one second of mean solar time, and one grain being assumed as the units of space, of time, and of mass.

The Vertical and Total Forces are obtained from the absolute measures of the Horizontal Force and of the Dip

In the observations of Deflection and Vibration, taken each month for absolute measure of Horizontal Force, the same magnet has always been employed.

The moment of inertia of the magnet with its stirrup, for different degrees of temperature, and the co-efficients in the corrections required for the effects of temperature and of terrestrial magnetic induction on the magnetic moment of the magnet, were determined at the Kew Observatory by the late Mr. Welsh.

The moment of inertia of the magnet with its stirrup, using the grain and foot as the units of mass and of linear measure is 5-27303. Its rate of increase for increase of temperature is 0-00073 for every 10° of Fahr.

The weight of the magnet with its stirrup is approximately 825 grains, and the length of the magnet is nearly 3.94 inches. The moment of inertia was determined, independently of the weight and dimensions, by the method of vibration, with and without a known increase of the moment of inertia.

The temperature corrections have always been obtained from the formula  $q(t^o-35^\circ)+q'(t^o-35^\circ)^2$ , where  $t^o$  is the observed temperature and 35° Fahr. the adopted standard temperature. The values of the co-efficients q and q' are respectively 0·0001128 and 0·000000436.

The induction co-efficient  $\mu$  is 0.000244.

The correction for error of graduation of the Deflection bar at 1.0 foot is + 0.00004 ft, at 1.3 + 0.000064 ft.

The observed times of vibration are entered in the Table without corrections.

The time of one vibration has been obtained each month from the mean of twelve determinations of the time of 200 vibrations.

The angles of deflection are each the mean of two sets or readings.

In deducing from these observations the ratio and product of the magnetic moment m of the magnet, and the earth's horizontal magnetic intensity X, the induction and temperature corrections have always been applied, and the observed time of vibration has been corrected for the effect of torsion of the suspending thread; but no correction has been required for the rate of the chronometer, or for the arc of vibration, the former having been always under 1.5s and the latter never over 50'.

The average deflection of the magnet caused by a twist of the torsion circle through 90°, has been about 15' 5 of arc.

In the calculations of the ratio $\stackrel{\longleftarrow}{-}$ , the third and subsequent X

The value of the constant P was found to be 0.00564.

The Declination observations have been taken once a week.

# OBSERVATIONS OF VIBRATIONS AND DEFLECTION FOR ABSOLUTE MEASURE OF MAGNETIC FORCE.

Month.	G. M. T. (Civil Day).	Temper- ature.	Time of one vibration.	G. M. T.	Tem- pera- ture.	De at	flecti 1·0	ion ft.
January February March	D. H. M. 15th 12 35 26th 10 47 28th 18 41	° 39·0 47·5 48·0	5·85600	D. H. M. 15th 13 27 26th 11 55 ,, 12 17 27th 14 17 ,, 14 30	50·5 50·9 45·0	12 5 12		48 30 43
April May June	28th 10 30	49·0 49·5 64·0	5·90890	23rd 11 42 ,, 11 56 28th 11 42 ,, 11 53 11th 14 36	51 0 57 0 58 0	5 12 5	43 33 43	36 20 11
July	10th 10 6	66·0 63·5		,, 14 50 15th 12 14 ,, 12 21 10th 11 22 ,, 11 46	68·0 68·0	12 5 12	40 32	0 50 2
Septemb's October Novemb's	15th 10 44	50·1 39·9			52·0 57·0	5 5	32 38 38	11 54
Decemb's		37.9		17th 11 54		İ		

DIP OBSERV	'ATIONS.
------------	----------

# MAGNETIC INTENSITY.

Month	G. M. T. (Civil Day)	Dip	X.orHori- zontal Force	Y. OR VERTICAL FORCE	Total Force
	р. н. м.	0 , "			
January	15th 12 35	69 4 56	8.7055	9-6947	10.3787
February	28th 15 89	69 <b>6 2</b> 5	3 7043	9.7043	10.8878
March	27th 10 50	69 10 84	3.7017	9.7327	10.4129
April	21st	68 56 49	3.6972	9.6050	10.2919
May	29th 17 20	69 4 48	3-6759	9.6162	10 2950
June			3.7226		
July	17th 10 49	69 10 9	3.6860	9.6880	10.3656
August	28th 16 4	69 17 30	3 6977	9.7814	10.4571
September	24th 12 45	69 14 18	3.7017	9.7645	10.4427
October	16th 11 0	68 59 12	3-6990	9.6295	10.3156
November	14th 12 0	69 23 49	3.7481	9.9699	10.6513
December	18th 10 30	69 10 43	3.7075	9.7490	10.4292
Means		69 9 1	3 7039	9.7214	10.4025

### DECLINATION OBSERVATIONS.

			G.M.T.	WEST DE	CLINATION
Monti	a.		(Civil Day).	Observation	Monthly Mean
				0 , 4	0 / 4
<b>T</b>		1	D. H. M.	19 10 24	
January	••	••	5th 9 80	19 10 24	
		Ì	18th 9 15	19 15 14	
		İ	20th 9 13	-0 -0	19 15 49
** 1			26th 9 17	19 11 24 18 53 14	19 15 49
February	• •	••	3rd 9 14	-0 00	
		ļ	16th 9 12	19 15 29	
			23rd 8 57	19 12 9	10 0 1
			24th 8 46	19 6 4	19 6 44
March	••	••	2nd 8 54	19 7 34	
			9th 8 53	19 0 9	
			16th 9 1	19 3 34	
		-	24th 9 5	19 6 34	
		- 1	31st 9 12	18 46 59	19 0 58
April	• •	••	6th 9 12	19 0 24	
			13th 8 53	18 46 44	
			21st 8 53	19 2 44	
			27th 9 3	19 9 4	18 59 44
May	••	••	4th 8 58	19 2 19	
			11th 9 14	18 59 49	
		- 1	18th 9 7	19 5 29	
		1	26th 8 54	18 59 9	19 1 42

### DECLINATION OBSERVATIONS (Continued).

		G.M.T.	WEST DE	CLINATION		
Month.		(Civil Day).	Observation	Monthly Mean		
		р. н.м.	0 1 "	0 1 #		
June		1st 9 3	19 2 59			
•	j	8th 8 58	18 59 24			
		16th 9 2	19 8 19			
		23rd 8 57	18 44 39			
		30th 9 2	19 4 9	18 59 54		
July		7th 9 9	19 5 29			
		14th 9 11	19 2 19			
		27th10 35	18 57 54	19 1 54		
August		10th 9 18	18 58 24			
		17th 9 3	18 49 24			
		24th 8 54	19 2 19	18 56 42		
September		1st 9 30	18 53 16			
		28th 9 3	18 56 49	18 55 <b>3</b>		
October		5th 9 3	18 55 29			
		19th 9 3	18 50 59			
		26th 9 2	19 3 14	18 56 34		
November	••	2nd 9 32	18 59 49			
		9th 9 7	19 0 54			
		16th 9 45	19 2 29			
		23rd 9 12	18 57 34			
		30th 9 3	18 52 39	18 58 41		
December	••	7th 9 12	18 41 59			
		14th 9 2	19 16 59			
		21st 9 17	19 0 49			
	_	28th 9 10	18 55 24	18 58 48		
Yearly Mean				19 1 3		

### DATES OF MAGNETIC DISTURBANCES.

The disturbances are divided into three classes, small, moderate, and greater; these are indicated by the initial letters of the classes, and the letter c denotes calm. The days are reckoned astronomically, from noon to noon record was partly or wholly lost, according as it stands, with or without an initial letter.

Mon	тн.	Jan.	Feb.	March	April	May	June	July	August	Sep.	Oct.	Nov.	Dec.
Day	1	c*	s	С	m	s	С	s	s	m	m	s	С
	2 3 4	C	С	m	m	S	S	S	m	m	m	S	S
	3	C	C	m	S	S	S	m	m	m	s	S	C
	4	С	c*	m	S	m	S	С	s	S	S	S	s*
	5 6 7 8 9	S	s*	g	S	S	m	S	С	S	S	S	S
	6	С	m	S	S	m	S	m	С	S	S	S	m
i	7	C	S	S	m	m	S	S	S	C	S	C	m
	8	C	m	m	g m	m	S	C	S	m	m	C	s m
	10	S	m	S	S	S	c	C	S	g	s	s	m
	11	s	m	c	m	S	s	C	S	g	S	S	m
	12	s	m	m	g	S	c	c	S	l č	m	s	m
	13	s	m	S	m	m	s	s	m	m	s	s	m
'	14	s	m	m	s	g	m	s	m	m	s	m	m
•	14 15	s	s	m	c	g	s	c	s	s	c	m	m
l	16	m	s	m	s	g	s	m	m	m	С	m	s
!	17	m	m	m	m	m	s	s	С	c	C	s*	С
1	18	m	s	s	m	S	s	c	С	S	m	s	С
ĺ	19 20	m	s	s	С	m	m	m	m	С	m	m*	m
	20	s	S	s	m	s	S	s	s	m	m	m	m
	21	s	S	s	m	S	s	С	m	m	s	m*	m
i	22	s	s	С	m	S	s	C	С	m	S	*	m
	23	s	s	m	S	S	S	С	S	m	m	s	С
1	24	s	m	m	S	С	S	m	S	S	g	S	С
	25	s	S	S	s	С	S	S	S	S	m	m	С
1	26	S	S	S	S	S	S	S	S	m	m	m	С
ı	27 28	S	С	S	8	m	S	s s*	C	m	m	m	S
1	28 29	m	S	С	m	m	С		m	g	m	m	S
1	30	C		m	S	m	C	S	m s	m	m	S	m
	31	C			5	S	٠	C	m	111	S	3	m c
i	- 01			g									
( s	_	16	14	11	14	16	20	14	15	7	13	16	7
<u>       </u>	n -	- 5	9	12	12	10	3	5	10	15	14	10	15
Totals.	-	- 0	0	2	2	3	0	0	0	4	1	0	0
E C	-	- 10	5	6	2	2	7	12	6	4	3	3	9

### PRESENTS RECEIVED.

On the difference produced in Mean Temperature derived from daily Max. and Min. readings, as depending on the time, &c., which the thermometers are read, by W. Ellis, F.R.A.S. from On the decimal variation of the mag- netic elements as depending on method of tabulation, by the	Royal Observatory.
same	,,
General	Registrar General.
Washington Astronomical and Meteor-	Registial General.
ological Observations from 1846	
to 1882	Meteorological Office.
Meteorological Observations at stations	
of second order, 1887	,,
Hourly Means of four observations	
under Meteorological Council,	
1887	,,
Quarterly Weather Reports, 1880 (new	
series)	19
Monthly Weather Reports, 1891	,,
Weekly ,, ,, 1891 . Daily ,, ,, 1891 .	***
Meteorological Record, by William	,,
Marriott	
Cyclone Tracks of the South Indian	**
Ocean	,,
Daily Weather Charts to illustrate the	••
tracks of two Cyclones in the	
Arabian Sea	**
Meteorological Charts of the South	
Indian Ocean	**
Magnetical Observations at Nowaja	
Semlja (Part I).	**
Instructions for taking Meteorological	
Observations, by Sir H. James Monthly Notices of the Royal Astro-	, , ,
nomical Society, 1891	Royal Astr. Soc.
	222, 22 2222. 200.

Report of the Royal Observatory of	
Edinburgh	Royal Obs. of Edinburgh.
Edinburgh Circulars	**
Catalogue of the Crawford Library of	
the Royal Observatory of Edin-	
burgh	91
Cloud Photography, by LieutGen. Strachey, R.E.F.R.S. and G.	
	Varra Ohaamustamu
M. Whipple, Esq	Kew Observatory.
Appendix to report of 1890	,,
Tests and Certificates	"
Report of the Astronomer of the	"
Marine Committee of the	
Mersey Docks and Harbour	
Board, 1875—78	Committee.
Publications of West Hendon House	
Obs., Sunderland, by J. W.	
Backhouse, F.R.A.S.	Author.
Presidential address, Brit. Ass., by	
William Huggins, Esq., F.R.S.,	
etc., etc.	**
Meteoritic Hypothesis by Norman	"
Lockyer	Rev. A. L. Cortie, S.J.
Barometer Oscillations during the	<b>,</b>
Storms	G. J. Symons, F.R.S.
British Rainfall	,,
Monthly Meteorological Magazine .	,,
On the relation between the Magnetic	,,
permeability of Rocks and	
Regional Magnetic Disturbances	
by A. W. Rücker, M.A., F.R.S.	Author.
Report of Rousdon Observatory	Observatory.
Results of Meteorological Observa-	35 4 OM: 7 11
tions, 1890, at Juggarow .	Met. Office, India.
Report on the Meteorology of India in	
1889 by John Eliot, M.A.  Magnetical and Meteorological Obser-	,,
vations, Bombay 1888-89	
Cyclone Memoirs, Part III. and IV.	**
Indian Meteorological Memoirs, Vol.	"
IV., Part VII.	
Brief Sketch of the Meteorology of the	"
Bombay Presidency 1890-91 .	
Monthly Weather Review	"
Registers of Original Observations I891	",
Madras Circle Observations 1868-69-70	<i>;</i> ;
Report on the Administration of the	"
Met. Dept. of India	19
Monthly Record of Melbourne	
Óbservatory 1890-91	Observato <del>ry</del>
_	•

Met. Observations at Adelaide Observatory and other places during 1881-83 by Chas. Todd.  Observations taken at Magnetical and Meteorological Observatory at Batavia, Vol. XII., 1889  Hourly Readings of the Draper Wind Instrument  Monthly Weather Review 1890-91	Observatory  " New York Met. Obs. Canadian Met. Service
Report for the year 1887	U.S. Naval Department
Pilot Charts of the North Atlantic Ocean	,,
Report of U.S. Naval Obs. 1890	"
Magnetical Observations of U.S. Naval	. "
Obs. 1888-90	**
Washington Observations during 1886 Washington Magnetical Observations	••
during 1886, Appendix I	*1
Summaries of International Observa-	•
tions	U S. War Department Smithsonian Institute
Smithsonian Report	Smithsonian Institute
Transactions of New York Academy of Sciences	A 1 ( Cai
Transactions of Meriden Scientific	Academy of Sciences
Association	Association
The Photochronograph and its applica-	1133001411011
tion to Star Transits	Georgetown College Obs.
Total Solar Eclipse, Dec., 1889	Lick Observatory
Proceedings of Rochester Academy of	
Sciences, vol. I. Toronto General Meteorological Regis-	Academy of Sciences
ter,, 1890	Observatory
New York Meteorological Observations	
Report of the Meteorological Bureau Publications of the Leander McCor-	Bureau
Publications of the Leander McCor-	
mick Observatory	Observatory
Publications of the Cincinnatti Obs Observations made at the Hong Kong	,,
Observations made at the 110ng Rong Observatory,1890,by W. Doberck	.,
Bulletin Mensuel de l'Observatoire	,,
Météorologique de l'Université	
d'Upsal .	L'Observatoire
Bulletin Mensuel de l'Observatoire de Zi-ka-wei	
Bollettino Mensuale dell'oss. Centrale	,,
del R. Coll. Carlo Alberto in	
Moncalieri	Osservatorio
Observaciones Magneticas y Meteoro-	
logicas del R. Coll. de Belen en	
la Habana	Observatorio

Anuario del Observatorio Astrónomico	
Nacional de Tacubaya, año	
IXXI., 1891-92	Observatorio
Anuario del Observatorio de La Plata.	Observatorio
1890-91	
Boletin Mensual, Obs. Met. y Magn.	**
Central de México	
	**
Resúmen de las Observaciones Meteoro-	
logicas Col. Cat. del Sagrado	
Corazon de Jesus en Puebla	,,
Obs. Met. Colegio de San Juan Nepomu-	
ceno, Saltillo Coahnila México	**
Observaciones Verificadas, 1890, Ob-	
servatorio Meteorologico de	
Manila	**
Memorias de la Sociedad Cientifica	
"Antonio Alzate"	La Sociedad
Report of the Board of Visitors to the	
Observatory, Victoria	The Observatory
British Journal of Photography	The Editor
The Observatory	
Anales del Instituto y Observatorio de	**
Marina de San Fernando, 1890	Observatorio
Anales de la Oficina Meteorologica	Obsci vatorio
Argentina, Tomo VII.	
Approx of the Director of the	**
Annual Report of the Director of the	
Astronomical Observatory of	The Observation
Harvard College, 1890 ,	The Observatory
Henry Draper Memorial.—Fourth	
Annual Report (Star Spectra)	**
Ergerbnisse der Meteorologischen Beo-	
bachtungen im Jahre, 1888,	
Herausgegeben von dem König-	
lich Preussischen Meteorologi-	
schen Institut durch Wilhelm	
von Bezold. Direktor, Berlin .	Das Institut
Ergebnisse der Meteorologischen Beo-	
bachtungen in Jahre, 1889. Von	
Demselben	**
Ergebnisse der Meteorologischen Beo-	**
bachtungen in Jahre, 1890 Von	
Demselben	
Ergebnisse der Meteorologischen Beo-	**
backing on in Jahra 1901 Van	
bachtungen in Jahre, 1891. Von	
Demselben	,,
Abhandlungen des Königlich Preussi-	
schen Meteorologischen Insti-	
tuts. Herausgegeben durch	
Wilhelm von Bezold, Direktor.	
Band I.; No. 1-3. Berlin, 1890.	,,
	•
•	

Ein Beitrag zur Geschichte der Meteorologie und zur Kulturgeschichte.
Von Prof. Dr. G. Hellmann,
Mitglied des Königl. Meteor.
Instituts, zu Berlin.

Bericht über die Thätigkeit im Königl. sächsischen Meteorologischen Institut für das Jahr, 1890. Von

Demselben, Chemnitz Jahrbücher der K. K. Central-Anstalt für Meteorologie und Erdmagnetismus. Jahrgang, 1889, Wien

Meteorologische Beobachtungen angestellt am Haynald-Observatorium zu Kalocsa in den Jahren 1886-1888. Von Julius Fényi, S. J.

Beobachtungen der Russischen Polarstation auf Nowaja Semlja. I. Theil. Magnetische Beobachtungen bearbeitet von K. Andrejeff. Herausgegeben unter Redaction von R. Lenz, 1891

Annalen des Physikalischen Central-Observatoriums. Herausgegeben von H. Wild, Mitglied der Kaiserlichen Akademie der Wissenschaften und Direktor des Physikalischen Central-Observatoriums. Jahrgang, 1890. Theil I. St. Petersburg. Supplement zu den Zonenbeobachtun-

Supplement zu den Zonenbeobachtungen in Christiania. Herausgegeben von H. Geelmuyden, Professor, Direktor der Sternwarte. Christiania. 1891.

Magnetische Beobachtungen und stündliche Temperaturbeo-bachtungen im terminjahre.
August, 1882—August, 1883.
Angestellt auf der Universitätssternwarte in Christiania.
Herausgegeben von Demselben
Publicazioni della Specola Vaticana

Publicazioni della Specola Vaticana. Fasciolo I. Roma, 1891. Die Gesellschaft Urania

Das Institut

Die Anstalt

Der Verfasser.

Die Station

Das Observatorium

Die Sternwarte

Osservatorio

Metallische Eruption Beobachtet am 2 Mai, 1891, von J. Fenyi, S.J. (Estratto dalle Memorie della Società degli Spettroscopisti Italiani, Vol. XX., 1891 Astronomische Mittheilungen, von Dr. R. Wolf Annuaire de l'Observatoire Municipal de Monsouris pour 1891 Annuaire de la Société Météorologique de France . Bulletin des Publications Nouvelles dela Librairie Gauthier Villars et Fils Observations Météorologiques, par le R. P. E. Colin, S. J. Vol. II., 1890 Magnétiques pendant Observations L'Année 1888-89. Par M. Th. Moureaux . Histoire de L'Astronomie à Toulouse. Par M. G. Bigourdan
Vitesse Enorme d'une Protubérance Solaire, Observée le 17 Juin, 1891. Par M. J. Fényi, S.J. Protubérances Observées sur le Disque Solaire. Par M. J. Fényi, S.J.

Il Autore

Der Verfasser


L'Observatoire

La Société

Libraires
Obs. Royal, Madagascar

"

L'Auteur



### APPENDIX.

## **RESULTS**

OF

### METEOROLOGICAL OBSERVATIONS

TAKEN AT

ST. IGNATIUS' COLLEGE, MALTA,

BY THE

REV. J. SCOLES, S.J.

1891.

# ST. IGNATIUS' COLLEGE,

Lat. 35° 55′ N. Long. 14° 29′ E. Barometer Readings reduced to 32° F. at sea level.

### METEOROLOGICAL REPORT.

1891.

### JANUARY.

Results of Observations taken during the Month.	Mean for the last 5 Years.
Mean Reading of the Barometerinches30 035	80 051
Highest ,, on the 31st ,, 30.456	30· <b>4</b> 15
Lowest ,, on the 22nd ,, 29.620	29.538
Range of Barometer Readings , 0.836	0.877
Highest Reading of a Max. Therm. on the 8th 63.0	63.9
Lowest Reading of a Min. Therm. on the 20th 37.8	41.6
Range of Thermometer Readings 25.2	22.3
Greatest range in 24 hours on the 25th 19.0	18.4
Mean of all the Highest Readings 56.5	58· <b>4</b>
Mean of all the Lowest Readings 46.0	<b>47</b> ·8
Mean Daily Range 10-5	10∙6
Mean Temperature (deduced from Max & Min.) 50 5	<b>52</b> ⋅ <b>5</b>
Mean Temperature (deduced from Dry Bulb) 500	<b>52·1</b>
Adopted Mean Temperature 50 3	52.3
Mean Temperature of Evaporation 45.4	48.1
Mean Temperature of Dew Point 41.8	44.9
Mean elastic force of Vapourinches 0 265	0.298
Mean weight of Vapour in a cub. ft. of air grains 3.0	8.4
Mean additional weight required for saturation, 0.9	0.9
Mean degree of Humidity 78	80
Mean weight of a cubic foot of airgrains 548 3	542.9
Fall of Raininches 4.519	3.329
Number of days on which Rain fell 17	12
Mean amount of Clouds (an overcast sky=10) 6.0	4.6
Total number of miles of Wind indicated 9730	8336
Mean Velocity of Wind per hourmiles 13.1	11.2

### FEBRUARY.

Results of Observations taken during the Month.	Mean for the last 5 years.
Mean Reading of the Barometer inches30:185	80.064
Highest ,, on the 24th ., 30.482	80.834
Lowest ,, on the 14th ,, 29.753	29.690
Range of Barometer Readings, 0.729	0.644
Highest Reading of a Max. Therm. on the 27th 61.5	67.0
Lowest Reading of a Min. Therm. on the 20th 37.7	42.0
Range of Thermometer Readings 23.8	25.0
Greatest Range in 24 hours on the 27th 20.4	18.8
Mean of all the Highest Readings 56.0	60.7
Mean of all the Lowest Readings 44.5	49.0
Mean Daily Range 11.5	11.7
Mean Temperature (deduced from Max. & Min). 49.2	53.9
Mean Temperature (deduced from Dry Bulb) 49.8	54.0
Adopted Mean Temperature 49.5	54.0
Mean Temperature of Evaporation 45.0	50.0
Mean Temperature of Dew Point 41.6	47.3
Mean elastic force of Vapourinches 0.263	0.327
Mean weight of Vapour in a cub. ft. of air grains 3.0	3.7
Mean additional weight required for saturation,, 0.8	0.8
Mean degree of Humidity 79	83
Mean weight of a cubic foot of airgrains 548.3	541.1
Fall of Raininches 3.799	1.483
Number of days on which Rain fell 12	9
Mean amount of Cloud (an overcast sky=10) 5.7	4.0
Total number of miles of Wind indicated 7030	6893
Mean Velocity of Wind per hour miles 10.5	10.1

### MARCH.

Results of Observations taken during the Month.	Mean for the last 5 years.
Mean Reading of the Barometer inches30 036	30.008
Highest ,, on the 6th ,, 30.400	30.404
Lowest ,, on the 13th ,, 29.648	29.513
Range of Barometer Readings ,, 0 752	0.891
Highest Reading of a Max. Therm. on the 11th 71.1	74.6
Lowest Reading of a Min. Therm. on the 4th 39.8	44.2
Range of Thermometer Readings 31.3	30.4
Greatest Range in 24 hours on the 11th 24.6	23.4
Mean of all the Highest Readings 62.4	63.6
Mean of all the Lowest Readings 49.0	51.2
Mean Daily Range	12.4
Mean Temperature (deduced from Max. & Min.) 550	56.6
Mean Temperature (deduced from Dry Bulb) 53.8	56.0
Adopted Mean Temperature 54.4	56.3
Mean Temperature of Evaporation 50.0	52.5
Mean Temperature of Dew Point 46.6	49.4
Mean elastic force of Vapour inches 0.318	0.854
Mean weight of Vapour in a cub. ft. of air grains 3.5	4.0
Mean additional weight required for saturation ,, 1.1	1.0
Mean degree of Humidity 77	79
Mean weight of a cubic foot of airgrains 539.8	536 · 7
Fall of Raininches 0.173	0.692
Number of days on which Rain fell 4	6
Mean amount of Cloud (an overcast sky=10) 4.6	4.2
Total number of miles of Wind indicated 6670	7886
Mean Velocity of Wind per hourmiles 9.0	10.6

### APRIL.

Results of Observations taken during the Month.	Mean for the last 5 years.
Mean Reading of the Barometerinches29 934	29.980
Highest ,, on the 18th ,, 80·196	80.246
Lowest ,, on the 28th ,, 29 605	29.460
Range of Barometer Readings, 0.591	0.786
Highest Reading of a Max. Therm. on the 9th 84.5	75.1
Lowest Reading of a Min. Therm. on the 23rd 49.0	47.9
Range of Thermometer Readings 35.5	27.2
Greatest Range in 24 hours on the 8th 30.0	20.9
Mean of all the Highest Readings 67-0	67 .5
Mean of all the Lowest Readings 53.7	54.2
Mean Daily Range	18.8
Mean Temperature deduced from Max. & Min.) 59.4	59.8
Mean Temperature (deduced from Dry Bulb.) 58.4	59.8
Adopted Mean Temperature 58.9	59.8
Mean Temperature of Evaporation 54.5	55.9
Mean Temperature of Dew Point 51.0	52.8
Mean elastic force of Vapour inches 0.374	0.393
Mean weight of Vapour in a cub. ft. of air grains 4.2	4.4
Mean additional weight required for saturation, 1.3	1.4
Mean degree of Humidity 77	77
Mean weight of a cubic foot of air grains 532.6	530.6
Fall of Raininches 1.180	0.606
Number of days on which Rain fell 11	5
Mean amount of Cloud (an overcast sky=10) 4.7	4.0
Total number of miles of Wind indicated 8830	7869
Mean Velocity of Wind per hourmiles 12.8	10.9

### MAY.

Results of Observations taken during the Month.	Mean for the last 5 years.
Mean Reading of the Barometerinches29.906	30.033
Highest ,, on the 20th ,, 30 195	30.197
Lowest ,, on the 11th ,, 29.371	29.651
Range of Barometer Readings , 0.824	0.546
Highest Reading of a Max. Therm. on the 5th 76.6	84.0
Lowest Reading of a Min. Therm. on the 20th 50.4	51.1
Range of Thermometer Readings 26.2	32 9
Greatest Range in 24 hours on the 5th 21.1	25.2
Mean of all the Highest Readings 705	73.3
Mean of all the Lowest Readings 57.1	<b>5</b> 8·3
Mean Daily Range 13 4	15.0
Mean Temperature (deduced from Max. & Min.) 62.8	64.4
Mean Temperature (deduced from Dry Bulb) 61.6	64 5
Adopted Mean Temperature 62 2	64.5
Mean Temperature of Evaporation 58.2	60.3
Mean Temperature of Dew Point 54.8	56.3
Mean elastic force of Vapourinches 0 430	0.456
Mean weight of Vapour in a cub. ft. of air grains 4.8	4.9
Mean additional weight required for saturation, 1.5	1.9
Mean degree of Humidity	73
Mean weight of a cubic foot of airgrains 527.9	527 · <b>2</b>
Fall of raininches 0.255	0.273
Number of Days on which rain fell 4	3
Mean amount of Cloud (an overcast sky=10) 4.3	2.8
Total number of miles of Wind indicated 7770	6996
Mean Velocity of Wind per hourmiles 10.4	9.4

### JUNE.

Results of Observations taken during the Month.	Mean for the last 5 years.
Mean Reading of the Barometerinches30 033	29.998
Highest ,, on the 15th ,, 30·195	30.179
Lowest ,, on the 6th ,, 29.879	29.799
Range of Barometer Readings ,, 0.316	0.380
Highest Reading of a Max. Therm. on the 7th 99.6	88.2
Lowest Reading of a Min. Therm. on the 2nd 58:3	59.3
Range of Thermometer Readings 41.3	28.9
Greatest Range in 24 hours on the 6th 35.9	23.2
Mean of all the Highest Readings 83.0	79.2
Mean of all the Lowest Readings 64.5	64 4
Mean Daily Range 18.5	14.8
Mean Temperature (deduced from Max. & Min.) 73.5	71.1
Mean Temperature (deduced from Dry Bulb) 71.1	70.6
Adopted Mean Temperature 72-3	70.9
Mean Temperature of Evaporation 64.8	65 6
Mean Temperature of Dew Point 59.6	61-6
Mean elastic force of Vapourinches 0.511	0.548
Mean weight of Vapour in a cub. ft. of air grains 5.6	5 9
Mean additional weight required for saturation ,, 2.8	2.3
Mean degree of Humidity 66	72
Mean weight of a cubic foot of airgrains 520.0	520.0
Fall of Raininches 0.020	0.140
Number of days on which Rain fell 1	2
Mean amount of Cloud (an overcast sky=10) 2.7	2.2
Total number of miles of Wind indicated 5195	6549
Mean Velocity of Wind per hour miles 7.2	9.1

### JULY.

Results of Observations taken during the Month.		Mean for the last 5 years.
Mean Reading of the Barometerinches36	.003	30.025
Highest ,, on the 19th ,, 80	072	80.177
Lowest ,, on the 11th ,, 29	852	29.876
Range of Barometer Readings, 0	· <b>22</b> 0	0.801
Highest Reading of a Max. Therm. on the 10th	97.2	96 · 1
Lowest Reading of a Min. Therm. on the 28th	65 2	6 <b>4</b> ·9
Range of Thermometer Readings	<b>32</b> ·0	31.2
Greatest Range in 24 hours on the 10th	25.8	25.8
Mean of all the Highest Readings	88.0	86∙5
Mean of all the Lowest Readings	70 0	69-6
Mean Daily Range	18·0	16.9
Mean Temperature (deduced from Max. & Min.)	78·5	77 <i>·</i> 5
Mean Temperature (deduced from Dry Bulb.)	76·9	77·0
Adopted Mean Temperature	77:7	77·8
Mean Temperature of Evaporation	70·5	70.3
Mean Temperature of Dew Point	65·7	65· <b>4</b>
Mean elastic force of Vapour inches 0	633	0.627
Mean weight of Vapour in a cub. ft. of air grains	6.8	6.7
Mean additional weight required for saturation,,	3.3	8.4
Mean degree of Humidity	67	67
Mean weight of a cubic foot of air grains 5	13.1	514.1
Fall of Raininches		••
Number of days on which Rain fell	••	••
Mean amount of Cloud (an overcast sky=10)	0.2	0.5
Total number of miles of Wind indicated	5425	5212
Mean Velocity of Wind per hourmiles	7.8	7.0

### AUGUST.

Results of Observations taken during the Month.	Mean for the last 5 years
Mean Reading of the Barometerinches30 019	29.994
Highest ,, on the 28th ,, 30·124	30.142
Lowest ,, on the 6th ,, 29.897	29.862
Range of Barometer Readings " 0.227	0.280
Highest Reading of a Max. Therm. on the 7th 97.8	95.5
Lowest Reading of a Min. Therm. on the 23rd 67.8	66.7
Range of Thermometer Readings 30.0	28.8
Greatest Range in 24 hours on the 19th 27.2	25.1
Mean of all the Highest Readings 88.5	87·1
Mean of all the Lowest Readings 71.1	71.7
Mean Daily Range	15.4
Mean Temperature (deduced from Max. & Min.) 79.0	78.5
Mean Temperature (deduced from Dry Bulb.) 78.4	78.8
Adopted Mean Temperature 78.7	78.7
Mean Temperature of Evaporation 72.1	71.8
Mean Temperature of Dew Point 67.5	67.0
Mean elastic force of Vapourinches 0.673	0.662
Mean weight of Vapour in a cub. ft. of air grains 7.2	7.1
Mean additional weight required for saturation, 3.3	3.5
Mean degree of Humidity 69	68
Mean weight of a cubic foot of air grains 511.8	511.7
Fall of rain	0.192
Number of days on which Rain fell	1
Mean amount of Cloud (an overcast sky=10) 1.5	1.3
Total number of miles of Wind indicated 5215	5631
Mean Velocity of Wind per hourmiles 7.0	7.6

### SEPTEMBER.

Results of Observations taken during the Month.	Mean for the last 5 years.
Mean Reading of the Barometer inches30-101	30.052
Highest ,, on the 14th ,, 30.270	30.248
Lowest ,, on the 21st ,, 29.994	29.825
Range of Barometer Readings " 0.276	0.423
Highest Reading of a Max. Therm. on the 8th 96.6	92.3
Lowest Reading of a Min. Therm. on the 27th 63.9	63.7
Range of Thermometer Readings 32.7	28.6
Greatest Range in 24 hours on the 8th 22.4	22.7
Mean of all the Highest Readings 84.4	82.9
Mean of all the Lowest Readings 70.4	68.8
Mean Daily Range 14.0	14.1
Mean Temperature (deduced from Max. & Min. 76.4	75.1
Mean Temperature (deduced from dry bulb) 75.2	75.3
Adopted Mean Temperature 75.8	75.2
Mean Temperature of Evaporation 69.5	69.2
Mean Temperature of Dew Point 65.3	64.8
Mean elastic force of Vapour inches 0.624	0.615
Mean weight of Vapour in a cub. ft. of air grains 6.7	6.7
Mean additional weight required for saturation, 2.8	2.8
Mean degree of Humidity 71	70
Mean weight of a cubic foot of airgrains 516.7	516.3
Fall of Rain inches 0.650	1.134
Number of days on which Rain fell 4	5
Mean amount of Cloud (an overcast sky=10 2.6	2.8
Total number of miles of Wind indicated 5290	6001
Mean Velocity of Wind per hourmiles 7.3	8.3

### OCTOBER.

Results of Observations taken during the Month.	Mean for the last 5 years.
Mean Reading of the Barometerinches29.977	80.048
Highest ,, on the 18th ,, 30·135	30.292
Lowest ,, on the 28th ,, 29.710	29.700
Range of Barometer Readings, 0.425	0.592
Highest Reading of a Max. Therm. on the 6th 88.4	87.8
Lowest Reading of a Min. Therm. on the 24th 57.5	55.8
Range of Thermometer Readings 30.9	32.0
Greatest Range in 24 hours on the 3rd 21.4	19.5
Mean of all the Highest Readings 77.5	75∙5
Mean of all the Lowest Readings 65.4	64·1
Mean Daily Range 12-1	11)·4
Mean Temperature (deduced from Max. & Mir.) 70.6	68.9
Mean Temperature (deduced from Dry Bulb) 69.0	68 4
Adopted Mean Temperature 69-8	68·7
Mean Temperature of Evaporation 65.5	63.8
Mean Temperature of Dew Point 62.8	60·1
Mean elastic force of Vapourinches 0 572	0.521
Mean weight of Vapour in a cub. ft. of air grains 6.2	5.7
Mean additional weight required for saturation,, 1.5	1.9
Mean degree of Humidity 81	76
Mean weight of a cubic foot of airgrains 521.4	523·5
Fall of raininches 1.850	3.323
Number of Days on which Rain fell 10	8
Mean amount of Cloud (an overcast sky=10) 3.8	4.4
Total number of miles of Wind indicated 6817	6843
Mean Velocity of Wind per hourmiles 9.2	9.2

### NOVEMBER.

Results of Observations taken during the month.	Mean for th last 5 years.
Mean Reading of the Barometer inches30 050	30.052
Highest ,, on the 19th ,, 30 313	30.276
Lowest ,, on the 6th ,, 29.818	29.675
Range of Barometer Readings " 0.495	0.601
Highest Reading of a Max. Therm. on the 14th 74.8	74.6
Lowest Reading of a Min. Therm. on the 2nd 49.3	49 8
Range of Thermometer Readings 25.5	24.8
Greatest Range in 24 hours on the 13th 19.1	17.9
Mean of all the Highest Readings 70-2	67.8
Mean of all the Lowest Readings 58.2	57.0
Mean Daily Range 12.0	10.8
Mean Temperature (deduced from Max. & Min.) 62-2	61.5
Mean Temperature (deduced from dry bulb) 63.0	61.0
Adopted Mean Temperature 62-6	61.3
Mean Temperature of Evaporation 59·1	57.0
Mean Temperature of Dew Point 57·1	53.9
Mean elastic force of Vapour inches 0.467	0.416
Mean weight of Vapour in a cub. ft. of air grains 5.1	4.7
Mean additional weight required for saturation ,, 1.0	1.3
Mean degree of Humidity 86	79
Mean weight of a cubic foot of air grains 530.7	532.1
Fall of Rain inches 1:360	4.130
Number of Days on which rain fell 7	11
Mean amount of cloud (an overcast sky=10) 4.8	4.9
Total number of miles of wind indicated 5450	6786
Mean velocity of wind per hour miles 7.6	9.4

### DECEMBER.

Results of Observations taken during the Month.	Mean for the last 44 years.
Mean Reading of the Barometerinches30·185	30.054
Highest ,, on the 25th ,, 80.506	30.383
Lowest ,, on the 18th ,, 29.792	29.572
Range of Barometer Readings ,, 0.714	0.811
Highest Reading of a Max. Therm. on the 1st 69.1	67.9
Lowest Reading of a Min. Therm. on the 21st 40.3	43.7
Range of Thermometer Readings 28.8	24.2
Greatest Range in 24 hours on the 21st 15.5	17.0
Mean of all the Highest Readings 62.6	61.6
Mean of all the Lowest Readings 53.8	51.8
Mean Daily Range 8.8	9.8
Mean Temperature (deduced from Max. & Min.) 57.8	56.1
Mean Temperature (deduced from Dry Bulb) 57.5	55.4
Adopted Mean Temperature 57.4	55.7
Mean Temperature of Evaporation 53.1	51.6
Mean Temperature of Dew Point 49.9	48.4
Mean elastic force of Vapourinches 0.360	0.341
Mean weight of Vapour in a cub. ft. of air grains 4.0	8.8
Mean additional weight required for saturation , 1.1	1.0
Mean degree of Humidity 78	79
Mean weight of a cubic foot of air grains 539.0	539.1
Fall of Raininches 3.404	3.264
Number of days on which Rain fell 11	13
Mean amount of Cloud (an overcast sky=10) 5.6	5.0
Total number of miles of Wind indicated 9226	8608
Mean Velocity of Wind per hourmiles 12.4	11.6

# Summary of Observations FOR 1891.

Results of Observations taken during the Year.	Mean for the last 5 years
Mean Reading of the Barometer inches30.039	30.031
Highest ,, on December 25th ,, 30.506	30.520
Lowest ,, on May 11th ,, 29.871	29.363
Range of Barometer Readings ,, 1.135	1.157
Highest Reading of Max. Therm. on June 7th 99.6	98.0
Lowest Reading of Min. Therm. on Feb. 20th 37.7	41-1
Range of Thermometer Readings 61.9	<b>56</b> ·9
Greatest Range in 24 hours on the 6th June 35.9	27.6
Mean of all the Highest Readings 72.2	<b>72·4</b>
Mean of all the Lowest Readings 58.6	59.2
Mean Daily Range 136	13·2
Mean Temperature (deduced from Max & Min) 64.6	<b>64</b> ·9
Mean Temperature (deduced from dry bulb) 63.7	<b>64</b> · <b>6</b>
Adopted Mean Temperature 64.2	64.8
Mean Temperature of Evaporation 59.0	<b>59</b> ·8
Mean Temperature of Dew Point 55.3	<b>56·1</b>
Mean elastic force of Vapour inches 0.437	0.451
Mean weight of Vapour in a cub. ft. of air grains 5.0	5·1
Mean additional weight required for saturation,, 1.8	1.8
Mean degree of Humidity 76	75
Mean weight of a cubic foot of air grains 529:1	<b>527</b> ·8
Total fall of rain in the Yearinches17.210	17.620
Number of days per Month on which Rain fell 81	72
Mean amount of cloud (an overcast sky=10) 8.9	3.4
Total number of miles of wind indicated 82648	83144
Mean velocity of wind per hourmiles 9.4	9.5
The maximum monthly mean height of the Barometer wa	s in

The maximum monthly mean height of the Barometer was in November, 1889, and was ......inches 30-249

The minimum ,, in January, 1886, and was ,, 29-844

The maximum yearly mean height of the Barometer was in
1884, and was inches 80.057
The minimum ,, ,, in 1885, and was ,, 30.009
The greatest monthly range of the Barometer was in
January, 1886, and was , 1.201
The least ,, ,, in August, 1883, and was, 0.188
The highest reading of the Barometer, during 5 years, was
on January 26th, 1887, and was, 30.627
The lowest ,, ,, on the 17th January, 1886, and was ,, 29.155
Extreme range, 1.472
The highest temperature was on July 20th, 1889, and was ,, 104.1
The lowest ,, ,, February 20th, 1891 ,, 37.7
The highest mean temperature of a month was in August,
1885, and was
The lowest ,, ,, February, 1891, and was 49.5
The greatest monthly mean weight of vapour in a cubic foot
of air was in August, 1885, and wasgrains 7.9
The least ,, January and February, 1891, and was ,, 3.0
The highest observed Dew-point was on the 30th August,
1885, and was
The lowest ,, ,, 19th January, 1891, and was 28.6
The greatest fall of rain in a month, was in December, 1889, and
was inches 8.952
The greatest number of days on which rain fell in one month
was in January, 1889days 24
The highest temperature registered in sunshine was on
the 20th July, 1889, and was 158.8
The lowest temperature registered on ground was on
the 25th January, 1891, and was
The highest observed sea temperature was on the 5th August,
1887, and was 85.0
The lowest ,, ,, 23rd January, 1891, and was 56.0
The smallest mean amount of cloud observed in one month
was in August, 1890, and was 0.0
The greatest ,, ,, in December, 1888, and was 6.4

On Ground, the lowest reading was 50.0° on the 2nd.

The Sea has risen from 66.5° to 75.5°.

Lightning was seen on the 18th.

Temperature in Screen above 90° on 5 days. In Sunshine above 150° on 5 days.

### JULY.

The Dew-point ranged between  $52\cdot5^{\circ}$  on the 4th and  $72\cdot3^{\circ}$  on the 31st.

In Sunshine, the highest reading was 151.6 on the 10th.

On Ground, the lowest reading was 59.5° on the 28th.

The Sea has risen from 80.0° to 82.2°.

### AUGUST.

The Dew-point ranged between  $74\cdot3^{\circ}$  on the 5th and  $56\cdot6^{\circ}$  on the 17th.

In Sunshine, the highest reading was 150.6° on the 5th.

On Ground, the lowest reading was 59.5 on the 11th.

The Sea has fallen from 825° to 810.

Lightning was seen on the 23rd.

#### SEPTEMBER.

The Dew-point ranged between  $72\cdot6$  on the 16th and  $53\cdot4$  on the 24th.

In Sunshine, the highest reading was 148.6° on the 8th.

On Ground, the lowest reading was 57.0° on the 27th.

The Sea has fallen from 81.0° to 76.0°.

Thunderstorms passed on the 19th and 20th.

Lightning was seen on the 6th, 18th, 21st, and 28th.

#### OCTOBER.

The Dew-point ranged between 71.8° on the 6th &47.5° on the 31st In Sunshine, the highest reading was 144.0° on the 3rd.

On Ground, the lowest reading was 51.2 on the 24th.

The Sea has fallen from 76.3° to 71.0°.

Thunderstorms passed on the 6th, 13th, 22nd, 26th, and 28th.

Lightning was seen on the 3rd, 4th, 5th, 7th, 8th, 9th, 10th, & 27th.

Total Rainfall since last June 2.500 inches.

the average of 5 years, 4.659 inches.

### NOVEMBER.

The Dew-point ranged between 44.5° on the 1st, & 66.2 on the 6th. In Sunshine, the highest reading was 130.0° on the 16th. On Ground, the lowest reading was 45.5° on the 3rd. The Sea has failen from 71.0° to 67.8°.

Thunderstorms passed on the 3rd and 10th.

Lightning was seen on the 1st, 6th, 7th, and 8th.

Total Rainfall since last June 3.860 inches.

the average of 5 years, 8.769 inches.

## DECEMBER.

The Dew-point ranged between 59.0° on the 1st & 85.8° on the 19th In Sunshine, the highest reading was 116.8° on the 9th. On Ground, the lowest reading was 33.8° on the 21st. The Sea has fallen from 67.3° to 61.5°. Lightning was seen on the 1st. Hail fell on the 19th.

Total Rainfall since last June 7.264 inches. the average of 5 years, 12.033 inches.

#### NOTES FOR THE YEAR.

Dewpoint ranged between  $28.6\,^{\circ}$  on the 19th January, and  $74.3\,^{\circ}$  on the 5th August.

In Sunshine, the highest reading was 155.7° on the 8th June. On Ground, the lowest reading was 82.5° on the 25th January. The Sea has varied from 56.0° in January to 82.5° in August. Thunderstorms passed on 13 days.


Lightning was seen on 20 days.

Hail fell on 14 days.

Snow fell on the hills once in January. Standing water froze during the same month.

J. Scoles, S.J.


St. Ignatius' College.



JUN = 1922

Results of Abeteorological


Magnetical Observations.



# STONYHURST COLLEGE OBSERVATORY, LANCASHIRE.

# With FATHER SIDGREAVES' COMPLIMENTS.







# STONYHURST COLLEGE OBSERVATORY.

# **RESULTS**

OF

METEOROLOGICAL, MAGNETICAL,

AND

SOLAR OBSERVATIONS

BY THE

REV. W. SIDGREAVES, S.J., F.R.A.S.

1892.

CLITHEROE:

PRINTED BY PARKINSON AND BLACOW, TIMES OFFICE,

1893.



# TABLE OF CONTENTS.

Introduction	••	••	••	••	••	5
Monthly Meteorological Tables	••	••	••	••	••	10
Yearly Meteorological Summary	••	••	••	••		34
Dates of Occasional Phenomena	••	••	••	••	••	<b>3</b> 6
Summary of Solar Observations	••	••	••	••		38
Dates of Solar Drawings, etc.	••	••	••	••	••	39
Total Amount of Sunshine record	led on	each d	ay	••		<b>4</b> 0
Monthly Tables for each hour of	record	ed Sun	shine	••	••	42
Observations of Upper Clouds (C	Cirrus)	••	••	••	••	44
Magnetic Report—						
1. Absolute Values of the Elem	ents of	Terres	strial M	[agneti	sm	46
2. Magnetic Disturbances	••	••	••	••	••	52
List of Presents received	••	••	••			53
Appendix. Observations taken a	ıt St. Iį	gnatius	' Colle	ge, Ma	lta	61

• . •

## INTRODUCTION.

The meteorological work of the observatory has been carried on under the immediate direction of Mr. Ronchetti, assisted by Mr. Burns. All the instruments are in good condition; and the self recorders, both photographic and mechanical, continue to give full satisfaction. The only exception to perfection is the anemograph: The helix-pencil of this instrument is somewhat worn, and its tracing is not so good as it used to be; but the imperfection is hardly at all detrimental to the records. Duplicates have been made of all the curves, and one set has been sent regularly to the meteorological office together with the monthly report. A weekly report is also sent to the same office, and a monthly report to the Registrar General.

Of the magnetical instruments, those in use for the absolute measures are all in good condition; and the absolute measures of force have been made regularly every month, by the system of vibrations and deflections. The horizontal direction has been observed every week, nearly always on the Monday at 4 p.m. The

differential self-recorders have been continuously at work, with the few exceptions needed for adjustments and cleaning. At the end of January an attempt was made to adjust the suspension threads of the horizontal force magnet to give the value '0005 C.G.S. unit of force to one centimetre of the curve-ordinate: as agreed to at the International Polar Congress.

This operation was found to be greatly facilitated by the telescopes and scales attached to the instruments for eye-observations. value of one division of the scale in millimetres of the curve-ordinate having been previously determined, the equivalent number of scale divisions for 0005 C.G S. unit of force per centimetre was computed from a single set of deflections, without the need of waiting for a photographic impression upon the sensitive paper. The separation of the threads was then adjusted to give the required scale-deflection, by successive small changes and repeated deflections. One double deflection, obtained by reversing the deflector in its stirrup, was enough for testing the effect, and could be completed within a minute of time; but several trials were needed, before a satisfactory result was obtained. At this date the adjustments were left for the value 00047, as it was thought that a nearer approximation was unnecessary. But the magnetic disturbances of February and March showed, by a comparison of the curves with those of the Kew Observatory, that the balance was too delicate; and a closer approximation had to be attempted. This was effected on March 17th; and the value then obtained was .00050.

ASTROPHYSICAL.—Some additions have been made to the working gear of the large grating spectrometer, in order to bring the spectra of solar spots and prominences within the reach of the camera and of the observer. A concave lens has been mounted

opposite the slit to enlarge the solar image given by a 4 inch lens. This arrangement has been found to work very well. The spotimages can be seen distinctly on the face of the slit, and an accurate focus can be obtained by a sliding movement of the concave enlarger, without shifting the objective. The working gear of the heliostat has also been improved. The driving wheel has been separated from the axle of the clock by a set of differential wheels, in order to employ a slow-motion-rod upon the wheel without affecting the clock. The two motions of the reflector are now under the control of the observer, who can easily retain the spot-image upon the slit, independently of the accurate running of the clock, and eye observations of the spectrum of a spot or prominence can be made without difficulty. But for the photographic plate, greater accuracy is needed in the working of the heliostat than for the eye; a shift of the image from one part of the slit to another is no inconvenience to the eye, but it is fatal to the photographic impression. To protect the plate from this mishap, a small telescope is placed to view the spot spectrum by one of the lower orders of spectra while the camera is taking the picture from a higher order. The spots-pectrum-band is adjusted to the cross-lines of the eye piece and is watched by the observer during the exposure. If the spot band disappears or wanders from the cross-lines, the light is shut off from the camera until the readjustment is made. In this way a few photographs of spot spectra have been obtained in the green vellow region. But the favourable opportunities have been few: the spots have not been wanting so much as the calm clear days; a little wind is enough to agitate the reflector of the home-made heliostat too much for the sensitive plate. It is hoped that, with the more favourable condition of the summer side of the year, success will be more easy.

The eight inch equatorial telescope has been employed as usual upon the solar spots and the chromosphere in the day time, and upon steller spectra at night. Complete drawings of the spots and faculae on the sun's surface have been made on 153 days; and on 64 days the chromosphere has been measured, together with the prominences, all round the limb. The total number of photographs obtained of stellar spectra, since the completion of the instrumental adjustments in October 1891, is 160. These are of the brighter stars, including some of the 3rd and 4th magnitudes. But many of them are repetitions of the same star; only 40 separate stars appear on the list. This small show of results is mainly owing to the dearth of fine nights, bright enough for the purpose, together with the long exposure needed to make up for the small optical power in use; and not a little to the circumstances under which the observatory is necessarily worked, which make it impossible to take the full advantage of the morning side of a clear night.

These lists will nearly close the record of work with the eight inch equatorial objective. The new glass, of 15 inches, to the memory of the late Father Perry, is expected to be ready before the end of February. We hope to obtain some interesting comparisons between the spectra already photographed, and the same when given by the greater dispersion that may be employed upon the better light from the greater objective.

The most valuable plates of the collection are two of the spectrum of the new star in Auriga, for which we are so much indebted to Dr. Huggins, whose timely telegraphic message put us in readiness for the exceptionally clear night of the 3rd of February, when the star was at its brightest. An account of these photographs, of the

instrument employed, and of the experiments connected with it is given in the August No. of "Astronomy and Astrophysics." A preliminary discussion of the spectrum together with a map and catalogue of the lines was presented to the Royal Astronomical Society in May, and will appear in the next volume of the Society's memoirs. Further discussions relating to the offered explanations of the origin of the star have been sent to the "Observatory (October,1892), to the journal of the British Astronomical Association (Vol. iii., No. 1) and to "Astronomy and Astrophysics" (December, 1892).

WALTER SIDGREAVES, S J.

# Stonyhurst Observatory.

Lat. 53 50 40" N. Long. 9m. 52s. 68 w. Height of the Barometer above the sea, 381ft.

# METEOROLOGICAL REPORT.

# JANUARY, 1892.

Results of Observations taken during the Month.	Mean for the last 45 years.
Mean Reading of the Barometer29.384	29.438
Highest ,, on the 25th 30 055	30.285
Lowest ,, on the 7th28.786	28.575
Range of Barometer Readings 1.269	1.710
Highest Reading of a Max. Therm. on the 29th 49.0	51.5
Lowest Reading of a Min. Therm. on the 8th 17.2	20 8
Range of Thermometer Readings 31.8	30.7
Mean of all the Highest Readings 40.2	42.2
Mean of all the Lowest Readings 30.1	32.5
Mean Daily Range 10-1	9.7
Deduced Monthly Mean (from Mean of Max.	
and Min.) 35.0	37·1
Mean Temperature from Dry Bulb 35.3	37·1
Adopted Mean Temperature 35.2	87.1
Mean Temperature of Evaporation 33.9	36.0
Mean Temperature of Dew Point 32-1	33.8
Mean elastic force of Vapour 0.180 is	0.220 in
Mean weight of Vapour in a cub. ft. of air 2.1g	r 2·4gr
Mean additional weight required for saturation 0.3g	r 0.4gr
Mean degree of Humidity (saturation 1.00) 0.87	0.86
Mean weight of a cubic foot of air 550.8g	r 544.5gr
Fall of Rain 4·230i	n 4·183in
Number of days on which Rain fell 21	19.6

JANUARY, 1892.								
No. of days in the month on which the prevailing wind was	N	NE	E	SE	s	sw	w	иw
	2	5	3	0	8	3	12	3
Mean Velocity in miles per hour	2.5	5.8	9.6	0	2.6	17:0	12·6	13.3
Total No. of miles for each Direction	121	699	688	0	189	1223	3624	958

The total number of miles registered during the month was 7502.

The max. Velocity of the wind was 38 miles per hour. Direction W. by S. on the 29th at 11 a.m.

Mean amount of Cloud (an overcast sky being indicated by 10.0) 6.8

Mean amount of Cloud (an overcast sky being indicated by 10.0) 6.8 In the month of January, the highest reading of the Bar-

 ometer during 45 years was on the 18th in 1882, and was 30 480

 The lowest """, """, 26th, 1884.... 27 803

 The highest Temperature "", 7th, 1887.... 59 9

 The lowest "", 15th, 1881.... 4 6

 The highest adopted mean temperature of the month, 1875
 42 5

 The lowest "", 1881.... 1881.... 29 2

The barometer readings were generally low during the month, without any very low readings. There were ten rainless days, and these were equally divided between the days of higher and lower barometric pressure. Snow fell on the 6th, 7th, 8th, 10th, 14th, and 19th. Hail on the 3rd. Lightning on the 6th. Aurora Borealis on the 4th. Ground frost on 23 days.

# FEBRUARY, 1892.

Results of Observations taken during the month.	Mean for the last 45 years.		
Mean Reading of the Barometer	29.510		
Highest , on the 18th80:169	80.066		
Lowest on the 2nd28-505	28 698		
Range of Barometer Readings 1 664	1:868		
Highest Reading of a Max. Therm on the 11th 51-2	52 0		
Lowest Reading of a Min. Therm. on the 18th 8:1	22 4		
Range of Thermometer Readings 43:1	29 6		
Mean of all the Highest Readings 48-6	448		
Mean of all the Lowest Readings	88 6		
Mean Daily Range	107		
Deduced Monthly Mean (from Mean of Max.			
and Min ) 87.0	88.8		
Mean Temperature from dry bulb	38.8		
Adopted Mean Temperature	88.8		
Mean Temperature of Evaporation 85 6	86.9		
Mean Temperature of Dew Point	34 7		
Moan elastic force of Vapour 0·191ii	0·192in		
Mean weight of Vapour in a cubic ft. of air 2-2 gr	2.4gr		
Mean additional weight required for saturation 0.4g	r 0.4gr		
Moan degree of Humidity (saturation 1.00) 0.86	0 87		
Mean weight of a cubic foot of air 547 7g	r 548-8gr		
Fall of Rain 8 474 is			
Number of days on which Rain fell 15	16.9		
No, of days in the month on N NR R NR N	HW W NW		
which the prevailing wind was 2 9 4 0 0	4 0 1		
	"   "   1		
	1 i 1 l		
Mean Velocity in miles per hour 4 2 6 8 11:1 0 0	15 7 14 1 10 2		
Total No. of miles for each   202 1859 1068   0   0	1015 3042 290		
The total number of miles registered during the mon The max. Velocity of the wind was 88 miles per hou E at 1 a.m. on the 21st.	th was 6971. r. Direction		

# FEBRUARY, 1892.

Mean amount of	Cloud (an over	cast sky beli	ng indicated by 10 0	78
In the month o	f February, the	highest r	eading of the Bar- h, in 1849, and was	90 459
	uk anyomra, was	on the mi	I, III I 1749, MINI WAS	110 7112
The lowest	**		6th, 1867	28 208
The highest Ter	nperature	**	8th, 1877	58.8
The lowest	,,		18th, 1892	8.1
The highest adop	oted mean temp	erature of th	emonth, 1869	94:4
The lowest	**	**	1855	28.6

The mean barometric pressure was low. There were 14 rainless days, and of these nine were accompanied with low readings of the harometer. A heavy snow fall occurred on the 17th, giving 6½ inches in four hours. It was followed by excessive cold on the 18th, the thermometer falling to 80-Fahr. the lowest recorded temperture in February during 45 years. Snow also on the 16th. Ground frost on 17 days,

#### MARCH, 1892. Mean for the Result of Observations taken during the Month. last 45 years 29.470 Mean Reading of the Barometer ...........29 613 Highest on the 30th ..30.229 30.084 on the 10th ..28.717 28.687 Lowest Range of Barometer Readings ...... 1.512 1.397 Highest Reading of a Max. Therm. on the 22nd 60.3 56.9 22.3 Lowest Reading of a Min. Therm. on the 11th 126 34.6 Range of Thermometer Readings ...... 47.7 46.9 Mean of all the Highest Readings ..... 45.4 34.0 Mean of all the Lowest Readings ...... 27.9 12.9 Mean Daily Range ..... 17.5 Deducted Monthly Mean from Mean of Max. 35.6 89-6 Mean Temperature from Dry Bulb..... 398 35.7 39.7 Adopted Mean Temperature..... 35.6 37.8 Mean Temperature of Evaporation..... 33.7 35.2 Mean Temperature of Dew Point ...... 30.9 0.204 in Mean elastic force of Vapour ...... 0.173in 2.4gr Mean weight of Vapour in a cub. ft. of air..... 2.0gr Mean additional weight required for saturation... 0.5gr 0.4gr Mean degree of Humidity (saturation 1.00).. 0.82 0.85 Mean weight of a cubic foot of air ..... 554.7gr 546 · 7gr 3.108in Fall of Rain ..... 1.044in Number of days on which Rain fell..... 8 17.5 NE E SE s sw w NW No. of days in the month on which the prevailing wind was Б 5 1 2 2 7 5 8.6 12.5 11.7 5.8 Mean Velocity in miles per hour 5.6 10.8 7.8

The total number of miles registered during the month was 5725. The max. Velocity of the wind was 39 miles per hour. Direction N, on the 10th, at 6 p.m.

Total No. of miles for each Direction 538 1299 1028 300

560 277

787 936

# MARCH, 1892.

Mean amount of C	Cloud (an overo	ast sky being	indicated by 10·0)	6.0
In the month of	March, the hi	ghest reading	of the Barome-	
ter during 4	5 years, was o	n the 6th, in	1852, and was	<b>3</b> 0· <b>40</b> 1
The lowest	,,	,,	31st, 1860	<b>2</b> 8·199
The highest Ten	nperature	,,	25th, 1871	68·0
The lowest	,,	,,	6th, 1886	11.5
The highest adop	ted mean temp	erature of the	month, 1871	44 0
The lowest	,,	,,	1855 and 1892	35·6

The barometer readings, mean, highest, and lowest. are all well above the averages, and the month was generally fine, dry, and cold. There were 23 days without rain, and on all of these the barometric pressure was consistently high. The mean temperature is considerably below the average, and equals the lowest mean reading for March previously recorded, viz. in 1855. Snow fell on the 8th, 9th, 12th, 14th, 15th, 27th, 28th. Hail on the 28th. Hoar frost on the 26th. Lunar halo on the 9th. Ground frost on 27 days.

APR	IL,	189	2.					
Results of Observations take	n dur	ing th	е Мо	nth.			an for last year	
Mean Reading of the Baromet	er			. 29	596	2	9.480	)
Highest ,,	on t	he 1s	t	.30	094	2	9.965	•
Lowest ,,	on t	he 27	th	29 ·	032	2	8.789	•
Range of Barometer Readings				1.	062	ł	1.176	5
Highest Reading of a Max. Th	erm.	on t	he 31	rd 7	0.1	1	<b>6</b> 6·0	)
Lowest Reading of a Min. Th	erm.	on th	e 13t	h 2	0∙8	1	28.1	
Range of Thermometer Reading	ngs			4	9.3	1	37.9	)
Mean of all the Highest Read	ings			5	50	l	55.8	3
Mean of all the Lowest Reading	ngs			3	3.7	1	37.7	,
Mean Daily Range				2	1.3	l	18-1	L
Deduced Monthly Mean (from	n Me	an of	Ma	x.		1		
and Min	<b></b> .			4	2.8	l	44.8	3
Mean Temperature from Dry	Bulb		<b></b> .	. 4	3.2	ł	44.4	
Adopted Mean Temperature.					3.0	44.4		Ŀ
Mean Temperature of Evapor	ation	ı		. 3	9.4	ł	41.6	3
Mean Temperature of Dew Po					5.1		38.0	)
Mean elastic force of Vapour.				0.	<b>204</b> in	0 <b>·2</b> 35in		in
Mean weight of Vapour in a	cub.	ft. o	f air.		2·4gr	·	2.7	'gr
Mean additional weight requir	ed fo	r satı	ıratio	on	0·8gr	0.7gr		gr
Mean degree of Humidity (sat	urati	on 1·(	00)	0	.74	0.80		)
Mean weight of a cubic foot	of a	ir		54	6 0gr	542·1gr		gr
Fall of Rain				2	07 <b>4</b> in	1	2.298	Bin
Number of days on which Rai	n fel	١	• • • •	••	11		<b>14</b> ·6	;
No. of days in the month on	N	NE	E	SE	s	sw	w	NW
which the prevailing wind was	5	14	0	0	0	1	8	2
Mean Velocity in miles per hour	8.2	6.8	0	0	0	7:0	11.8	12.0
Total No. of miles for each Direction	986	2277	0	0	0	173	2265	571

The total number of miles registered during the month was 6272. The max Velocity of the wind was 38 miles per hour. Direction N.N.E., on the 28th, at 3 a.m.

# APRIL, 1892.

Mean amount of Cloud (an overcast sky being indicated by  $10\cdot0$ )  $4\cdot2$  In the month of April, the highest reading of the Barometer

during	45 years, was on the	17th, in	1887, and was	30.251			
The lowest	"	,,	20th, 1868	28.358			
The highest	Temperature	,,	14th, 1852	<b>74</b> ·1			
The lowest	**	,,	13th, 1892	20.8			
The highest adopted mean temperature of the month, 1865							
The lowest	,,	,,	1879	40.7			

Readings of the barometer above the mean still continued, with but seven exceptions, during this month, and the weather was generally fine. The 19 rainless days were accompanied with high readings of the barometer on 13, and with low readings on 6 days. The range of the thermometer readings was 11-4 above the mean, and 20-8, the lowest recorded reading for this month during 45 years was marked on the 13th. Snow fell on the 12th, 13th, 14th, and 18th. Auroræ were seen on the 25th, 26th, and 29th. Lunar Halo on the 4th. Lightning on the 17th. Hail on the 26th and 28th. Ground frost on 17 days.

M A	λY,	189	2						
Results of Observations taken during the Month.							an fo last 5 yes	;	
Mean Reading of the Barometer29-541								2	
Highest ,,	OI	ı the	12th	30	046		29.93	9	
Lowest ,,	or	the	16th	29	129	١,	28.93	3	
Range of Barometer Reading	ζs			0	917		1.00	6	
Highest Reading of a Max. Th	erm.	on t	he 31	st	<b>76</b> ·8		72	0	
Lowest Reading of a Min. T					30·4	1	31	2	
Range of Thermometer Read	lings				46 4		40	8	
Mean of all the Highest Read	lings			(	61.1		59.	6	
Mean of all the Lowest Read	_				<b>1</b> 2 9		42.	1	
Mean Daily Range					18 2		17	5	
Deduced Monthly Mean (fro						Ì	-•		
and Min.				1	50.3		49-6	)	
Mean Temperature from Dry	Bul	b		(	50.7	1	49.	-	
Adopted Mean Temperature.					50.5		49.5		
Mean Temperature of Evapor					<b>47</b> ·1		46.1		
Mean Temperature of Dew I					13 5	İ	42.5		
Mean elastic force of Vapour	·			0	283 ir		0.276		
Mean weight of Vapour in a cu	b.ft.	of air			3.3g	1	0 2.0		
Mean additional weight requir					0.9g	1	. 0-		
Mean degree of Humidity (sat	urati	on 1	00	(	).78		0.76		
Mean weight of a cubic foot	of air	r		58	36 421				
Fall of Rain					689ir	1	1 2-, 26-		
Number of days on which Ra	in fe	11	• • • • •	•	18		15.3		
No. of days in the month on						_			
which the prevailing wind was	N 7	NE 4	E 0	SE O	s 3	s w	w	NW	
	<u> </u>					14	3	0	
Mean Velocity in miles per hour	7.6	12·0	0	0	14.0	11-4	<b>7</b> ·8	0	
Total No. of miles for each Direction.	1285	1163	0	0	1016	3844	561	0	
The total number of miles re The max. Velocity of the wir S.W. on the 16th at noon.	gister ad wa	red dus 40	uring miles	the per	mon hour	h wa Di	s 786 recti	9. on	

# MAY, 1892.

	t of Cloud (an over			
In the mont	h of May, the hig	hest reading	of the Baromete	T.
during 4	5 years, was on th	e <b>22</b> nd, in 18	55, and was	<b>3</b> 0·12 <b>4</b>
The lowest	**	•,	28th, 1877	<b>2</b> 8·559
The highest	Temperature	**	19th, 1864	82.5
The lowest	***	**	4th, 1855	<b>23</b> ·5
The highest a	dopted mean temp	erature of the	month,1848	55.1
The lowest			1955	45.0

The mean reading of the barometer was still above the average and the first third of the month was characterised by fine days and cloudless nights. A generally steady rise of the mercury was succeeded on the 12th by an equally steady fall, and wet weather prevailed, the rain-fall, which occurred on 18 days, exceeding the mean for this month by 3 inches, Readings of the barometer above the mean, with two exceptions, and generally high, corresponded to the 13 rainless days. The adopted mean temperature was 1·2 above the average, and the range was 5·6 in excess of the same. Thunderstorms occurred on the 25th and the 31st, the the latter storm being accompanied at 3 p.m. with hail and heavy rain, three-tenths of an inch falling in 5 minutes. Rainbow on the 29th. Auroræ on the 5th and 6th. Ground frost on 7 days.

Highest

Lowest

#### JUNE, 1892. Mean for the Results of Observations taken during the Month. 45 years. Mean Reading of the Barometer .........29.552 29.539 on the 8th....29.997 29.889 on the 2nd....29.053 29.035 Range of Barometer Readings..... 0.944 0.854 Highest Reading of a Max. Therm. on the 9th 81.0 77:0 Lowest Reading of a Min. Therm. on the 17th 34.1 38.8 Range of Thermometer Readings ...... 46.9 38.2 Mean of all the Highest Readings ...... 64.2 65.6 Mean of all the Lowest Readings ...... 45.6 47.9 Mean Daily Range ..... 186 17.7 Deduced Monthly Mean (from Mean of Max. and Min..... 53 1 54 9 Mean Temperature from dry bulb ...... 53.9 55.0 Adopted Mean Temperature..... 53 5 55.0 Mean Temperature of Evaporation ...... 49.4 51.9 Mean Temperature of Dew Point..... 45.3 48.5 Mean elastic force of Vapour..... 0.302 in 0.355in

3.4gr

1∙2gr

0.74

19

3.9gr

0.9gr

0.79

542-2gr

3.649 in

16.3

No. of days in the month on which the prevailing wind was	N	NE	E	SE	s	sw	w	ΝW	
which the providing while was		4	1	1	0	12	8	1	l
Mean Velocity in miles per hour	5.8	6.1	3.2	4.2	0	11.0	9.6	6.0	
Total No. of miles for each Direction	419	604	77	100	0	3177	1840	141	

Mean weight of Vapour in a cub. ft. of air.....

Mean additional weight required for saturation

Mean degree of Humidity (saturation 1.00..

Number of Days on which rain fell ......

Mean weight of a cubic foot of air..... 533-4gr

Fall of Rain ......4.671 in

The total number of miles registered during the month was 6358 The max. Velocity of the wind was 40 miles per hour; direction S.E. on the 2nd at 8 a.m.

# JUNE, 1892.

Mean amoun	t of Cloud (an overc	ast sky bein	gindicated by 10·0) 6·6
In the month	h of June the highe	est reading	of the Barometer
during 4	5 years, was on the	e 15th, in 1	874, and was 30.219
The lowest	,,	,,	12th, 1862 28.632
The highest	Temperature	••	27th, 1878 87·2
The lowest	19	,,	17th, 1892 34·1
The highest	adopted mean temp	erature of	the month, 1858 59·0
The lowest			1856 and 1860 52.2

The mean, highest, and lowest, readings of the barometer were again above the averages, but withrain on 19 days. The month was generally cloudy. The 11 rainless days were accompanied with readings above or below the mean in the proportion of 8 to 3. The adopted mean temperature fell below the average, and the range was 1·3 above. The lowest thermometer reading for June as yet recorded, occurred on the 17th and was 34·1. The rainfall slightly exceeded the average. Thunderstorms with hail on the 17th and 19th. Lightning on the 10th and 17th. Solar Halos on the 15th and 22nd. Rainbow on the 20th, and ground frost on the 18th.

T	U	Ľ	Υ,	1892.

Mean Reading of the Barometer  Highest ,, on the 24th Lowest ,, on the 7th Range of Barometer Readings  Highest Reading of a Max. Therm. on	1	.29	972	45	n for last year	3.			
Highest ,, on the 24th Lowest ,, on the 7th Range of Barometer Readings	1 1	. 29.9	972	1 "	9.504	L			
Highest ,, on the 24th Lowest ,, on the 7th Range of Barometer Readings	1 1	. 29.9	972						
Lowest ,, on the 7th Range of Barometer Readings	1			1 2	29.878				
Range of Barometer Readings			·						
3		. 10	002	Ì	0.885	5			
			4.3		78.7				
Lowest Reading of a Min. Therm. on the	he 171		0.2		42.0				
Range of Thermometer Readings			4.1	ĺ	36.7	7			
Mean of all the Highest Readings			5.0	Ì	67.7	7			
Mean of all the Lowest Readings			8.4		50.€	5			
Mean Daily Range			6-6		17:1	L			
Deduced Monthly Mean (from Mean o			•						
and Min.)			6.7	57.7					
Mean Temperature from dry bulb			5.4		57· <b>7</b>				
Adopted Mean Temperature			6.0		57· <b>7</b>				
Mean Temperature of Evaporation			2.4	54.7					
Mean Temperature of Dew Point			9.0	52·1					
Mean elastic force of Vapour		_	350in		0·389in				
Mean weight of Vapour in a cub. ft. of air	r		3·9gr	4.5gr					
Mean additional weight required for sat			1.1gr	1.0gr					
Mean degree of Humidity (saturation 1.00) 0.77						0.82			
Mean weight of a cubic foot of air 531 5gr						527 · 4gr			
Fall of Rain			856in						
Number of days on which Rain fell 10 18:0									
No. of days in the month of N NE	E	SE	8	sw	w	NW			
which the prevailing wind was 1 12	3	0	0	8	7	0			
Mean Velocity in miles per hour 10.3 6.3	10.9	0	0	15.1	8.9	0			
Total No. of miles for each Direction 247 182	6 782	0	0	2891	1495	0			

The total number of miles registered during the month was 7241. The max. Velocity of the wind was 44 miles per hour. Direction W.S.W. on the 8th at noon.

# JULY, 1892.

Mean amount of Cloud (an overcast sky being indicated by 10·0) 7·8 In the month of July, the highest reading of the Barometer

 during 45 years, was on the 24th, in 1868, and was....
 30 112

 The lowest
 ","
 ","
 15th, 1877....
 28 564

 The highest Temperature
 ","
 22nd, 1873....
 88 2

 The lowest
 ","
 1st, 1857....
 36 0

 The highest adopted mean temperature of the month, 1852
 63 0

 The lowest
 ","
 1888....
 54 5

Although the rainless days were 23 in number, yet the weather was generally gloomy and overcast until the 20th, when fine days were the rule. The mean height of the barometer still kept above the average, this being the fifth month in succession for which the same fact has to be noted. Of the rainless days, 9 in the first half of the month were accompanied with readings below the mean. The adopted mean temperature still remained below with a range above the average. The rainfall fell short of the mean by 2½ inches. Thunderstorm on the 3rd. Solar halos on the 4th and 18th, the latter being followed by one rainy day with a fall in the barometer, to be succeeded by a steady rise, and a spell of fine weather.

# AUGUST. 1892.

Ι,	1892	٠.							
durir	g the	Mor	nth.			last			
•	. <b></b> .		. 29 · 4	46	29	486			
Highest ,, on the 10th ,, 29.846							29.884		
on th	ne 30t	h ,,	28.8	84	28	9 <b>4</b> 8			
		. ,,	0.9	62	(	)·9 <b>3</b> 6			
m. c	n the	23r	d 78	3.0		<b>77</b> ·0			
m. c	n the	10t	h 36	3∙0		41.3			
gs			. 42	2∙0		35.7			
gs			. 66	3· <b>4</b>		67.1			
gs			. 49	<b>9·4</b>		50.4			
				7∙0		16.7			
tion of the contraction of the c	Ory B	ulb) ratio	. 50 . 50 . 4 . 0.8 on . 0	6·8 6·5 3·8 9·4 3·8gi 0·9gi •73 8· <b>0</b> gi		57 4 57 2 54 6 51 7 0 387 4 9 0 82 525 9 4 978	in Bgr Bgr		
N	NE	E	SE	s	sw	w	NW		
							_		
0 	4	0	2	5	9	10	1		
0	7.2	0	3.7	9.9	11.6	9.2	14:(		
0	694	0	179	1191	2515	2200	336		
	during the contraction of the co	during the on the 10th on the 30th on the 30th on the gs	during the Monda	during the Month.	during the Month.	during the Month.	during the Month.		

The total number of miles registered during the month was 7115. The max. Velocity of the wind was 34 miles per hour. Direction S.W., on the 15th, at 3 a.m.

### **AUGUST**, 1892.

Mean amount of	Cloud (an over	cast sky bein	g indicated by 10.0	6.8
In the month of August, the highest reading of the Barometer				
during 45 y	ears, was on th	ne 21st, in 18	374, and was	30-114
The lowest	,,	٠,	31st, 1876	28.555
The highest Ter	nperature	,,	2nd, 1868	88 0
The lowest	,,	,	13th, 1887	33.4
The highest adop	oted mean temp	erature of the	month,1857 & '84	61.0
The lowest			1848	52 5

The more than average barometric pressures which had prevailed for five months, were now succeeded by pressures below the mean. The rainfall was correspondingly greater than the normal by nearly three inches. The mean temperature was for a third time in succession below the average. Of the 17 rainless days, five were accompanied with barometric readings below the mean. Lightning on the 13th and 29th. Thunderstorms on the 24th and 30th. Solar halos on the 7th, 10th, 23rd and 26th. Fog on the 8th. A fine display of aurora was witnessed on the 12th, between 9-20 and 10-p.m. G.M.T. Many fine bright streamers were seen extending from N. to S.W., one in the latter quarter of the heavens being remarkably brilliant. Ground frost on the 10th.

SEPTEMBER, 1892.									
Results of Observations taken during the Month.						Mean for the last 45 Years.			
Mean Reading of the Barometer29 473							<b>29</b> ·515		
<del>-</del>		e 5th				30 025			
Lowest ,, on the 30th 28.940							8-847	,	
Range of Barometer Readings				. 0.9	32	1.178			
Highest Reading of a Max. The	rm. c	n the	e 11tl	h 78	32	72.5			
Lowest Reading of a Min. The	rm. c	n the	29tl	h 38	3.4		36.6		
Range of Thermometer Readi	ngs .	,		. 34	<b>ŀ</b> 8 │		35.9		
Mean of all the Highest Read	ings			. 61	L·0		<b>62</b> · <b>2</b>		
Mean of all the Lowest Read	ings			. 48	5.9		47.0		
Mean Daily Range				. 1	5.1		15.2		
Deduced Monthly Mean (from	ı Me	an of	Max	٤.					
and Min.)				. 5	2 2	53 4			
Mean Temperature from Dry E	Bulb			. 5	2.4	<b>54</b> ·0			
Adopted Mean Temperature				. 5	2.3	53.7			
Mean Temperature of Evapora	ation			. 49	9.0	51.0			
Mean Temperature of Dew Po	int	•••••	•••••	4	5·6	48·3			
Mean elastic force of Vap	our			. 0:	307in	0·339in		in	
Mean weight of Vapour in a cub	o. ft. c	of air.		••	3·5gr	4.0gr		gr	
Mean additional weight require	d for	satu	ratio	n	1 Ogr	0.8gr		gr	
Mean degree of Humidity (saturation 1.00) 0.79						0.82			
Mean weight of a cubic foot of air 533 7gr						532 ·4gr			
Fall of rain 5 369ir						4.625in			
Number of Days on which rain fell 21						18·1			
No. of days in the month on which the prevailing wind was	N	NE	E	SE	s	sw	w	NW	
which the prevailing wind was	1	3	0	0	10	9	4	8	
Mean Velocity in miles per hour	8.8	10.8	0	0	11.5	12.6	12.4	60	
Total No. of miles for each Direction.	91	777	0	0	2766	2727	1193	432	

The total number of miles registered during the month was 7986. The max. Velocity of the wind was 30 miles per hour. Direction S.W. by W., on the 2nd, at 4 a.m.

### SEPTEMBER, 1892.

Mean amount	of Cloud (ano	vercast sky being	indicated by 10.0	8.0
In the month ometer of	n of September luring 45 years	r, the highest re , was on the 15th	ading of the Bar- , in 1851, and was	30-274
The lowest	,,	***	2nd, 1883	28.323
The highest	Temperature	"	6th, 1868	85.0
The lowest	,,	,,	25th, 1885, and	
			30th, 1888	29 8
The highest	adopted mean	temperature of	the month, 1865	59.1
The lowest	,,	,,	1863	50.9

A wet month with only 9 days on which rain did not fall, although the amount of fall was not much above the average. Of these 9 days, 2 were accompanied with low barometric pressures. The mean pressure for the month was below the average, as also the adopted mean temperatures. Thunderstorm on the 2nd, and distant thunder was heard on the 12th and 30th. Hail on the 2nd and 30th. Rainbow on the 3rd. A double lunar rainbow with the colours fairly distinct, at 10-20 p.m. on the 7th, Aurora Borealis with coloured streamers, from 8-0 to 11-0 p.m. on the 21st Ground frost on the 30th.

= ferroment many be much was fille. is and as a miss per mar director

### OCTOBER, 1892.

- slean amount of (	Cloud (an overo	•	-		
during 45 ye	ears, was on th	ne 5th, in	1884, and	was	30.306
The lowest	,,	,,		1862	
The highest Ten	nperature	,,	9th,	1869	72.8
The lowest	- ,,	,,	24th,	1892	22.8
The highest adop	ted mean temp	erature of	the month	,1861 & '76	51.6
The lowest	,,	,,		1880	43.1

Another month, the third in succession, in which the mean barometer pressure was lower than the average. The mean temperature too, now for the fifth time in succession, was below the normal. The lowest reading of the thermometer so far recorded for October occurred on the 24th, and was 22.8. Of the eleven rainless days, two were synchronous with days of pressure below the mean. Lightning on the 3rd. Rainbow on the 3rd. Aurorae on the 17th and 22nd. The latter appeared as a semi-circular arch in the N., with a long narrow streamer of extraordinary brightness, radiating from it in the N.W. by N. Lunar halo from 6-0 to 11-0 p.m. G.M.T. on the 30th. Ground frost on 17 days.

NOVEMBER

Mean Temperature of Dew Point ......

Mean weight of Vapour in a cub. ft. of air ....

Mean additional weight required for saturation

Mean degree of Humidity (saturation 1.00)...

Number of days on which Rain fell .....

Mean elastic force of Vapour ..... 0.259 in

Mean weight of a cubic foot of air...... 545 8gr

Fall of Rain ...... 3 730in

NOVEMBER, 1092.	
Results of Observations taken during the Month.	Mean for the last 45 years.
Mean Reading of the Barometer29.567	29:311
Highest on the 22nd30 003	80 050
Lowest ,, on the 14th29.008	28·567
Range of Barometer Readings 0.995	1.483
Highest Reading of a Max. Therm. on 4th & 5th 567	55·6
Lowest Reading of a Min. Therm. on the 17th 25.0	25.2
Range of Thermometer Readings 31.7	<b>30·4</b>
Mean of all the Highest Readings 48.4	<b>4</b> 6·9
Mean of all the Lowest Readings 36.6	36· <b>2</b>
Mean Daily Range	10.7
Deduced Monthly Mean (from Mean of Max.	
and Min 42·1	41.2
Mean Temperature from dry bulb) 42.7	41.5
Adopted Mean Temperature 42.4	41.4
Mean Temperature of Evaporation 414	39 1

40.2

2.9gr

0.3gr

0.86

37.8

0.228in

0.87

544 ·9gr

4.291in

19.6

2 6gr

0.4gr

1899

•								
No. of days in the month on	N	NE	E	SE	s	sw	w	NW
which the prevailing wind was	3	2	7	1	7	1	8	1
Mean Velocity in miles per hour	2.7	19	5 6	4.9	10.7	11.5	12-1	2.3
Total No. of miles for each Direction	197	91	944	117	1806	277	2314	54

The total number of miles registered during the month was 5799. The max. Velocity of the wind was 47 miles per hour. Direction S.S.E. on the 14th, at 9 p.m.

#### NOVEMBER, 1892.

Mean amount of Cloud (an overcast sky being indicated by 10.0 In the month of November, the highest reading of the Barometer during 45 years, was on the 12th in 1857, and was.....30 350 The lowest 11th, 1891 27.938 The highest Temperature 6th. 1872 61.9 The lowest 17th, 1861.... 19.1 The highest adopted mean temperature of the month, 1881.... 47.0 The lowest 1851.... 36.7

In this month the mean barometer pressure recovered itself, and rose more than two-tenths above the average. There were, however, very few cloudless days, and the sky was generally dull and overcast. The rainfall was about half-an-inch less than the average, but the number of days on which rain fell about the average. Of the ten rainless days, nine were accompanied by a high barometer. Lunar halo on the 1st. Thick fog on the 7th. Hoar frost on the 18th. Hail showers on the 30th. Ground frost on 14 days.

DECEN	ИBE	R,	189	2.				
Results of Observations take	n duri	ng the	Mon	th.			ean fo las 45 yes	t
Mean Reading of the Barome	eter			29	<b>522</b>	;	29·46	0
Highest ,, ,,	or	the	27th	29	899	:	30·06	8
Lowest ,, ,,	on	the	12th	28	816	:	2 <b>8·6</b> 0	4
Range of Barometer Reading	s			1	083	1	1.46	4
Highest Reading of a Max. Th	erm.	on tl	ne 18	th 4	9.8	1	52	9
Lowest Reading of a Min. Th	erm.	on th	ne 251	h 1	4.3	1	20	0
Range of Thermometer Rea	ding	s		8	5.5		32	9
Mean of all the Highest Read	ings			9	9.7		42	9
Mean of all the Lowest Readin	ıgs			2	7.2		32	7
Mean Daily Range	-				2.5	i	10	2
Deduced Monthly Mean (fro						1		
and Min.)					3.5		37	8
Mean Temperature from Dr	y Bı	ulb)		3	4.5	1	38.	5
Adopted Mean Temperature.					4.0		38	2
Mean Temperature of Evapor					2.4		36.	6
Mean Temperature of Dew I					9.6		34	8
Mean elastic force of Vapour					164 in		0.20	4 in
Mean weight of Vapour in a					1·9gr	1	2.	4gr
Mean additional weight requir					0·4gr	1	0	4gr
Mean degree of Humidity					-83		0.8	_
Mean weight of a cubic foot of					4·7gr		538	7gr
Fall of rain					894in		5.26	8in
Number of Days on which Ra	in fel	11	• • • •		17		9 ;	3
No of days in the month on	N	NE	E	SE	s	sw	w	NW
which the prevailing wind was	8	0	7	1	1	0	4	9
Mean Velocity in miles per hour	5.8	0	4·4	4.0	4.4	0	8.9	10.2
Total No. of miles for each Direction	1123	0	741	97	106	0	859	2273

The total No. of miles registered during the month was 5199. The max. Velocity of the wind was 34 miles per hour; direction W.S.W., at 5 p.m., on the 17th. The Record for Friday, 23rd, was accidentally lost.

#### DECEMBER, 1892.

Mean amount of Cloud (an overcast sky being indicated by 10·0 6·5

In the month of December, the highest reading of the Barometer during 45 years, was on the 22nd in 1849, and was 30·378

The lowest ,, ,, 8th, 1886...27·350

The highest Temperature ,, 9th, 1876... 58·1

The lowest ,, ,, 24th, 1860... 6·7

The highest adopted mean temperature of the month, 1857... 44·6

The lowest ,, ,, 30·3

The atmospheric pressure was remarkable for its oscillating condition; no fewer than 15 small depressions having passed over the station. The highest, lowest, and mean readings were all over the average. Of the 14 rainless days only one occurred with the barometer reading below the average, while two of the heaviest rain falls occurred on days of higher barometric pressure.

The mean temperature was very low, owing to the severe frost of the latter half of the month, which was fine, dry, and free from snow. Snow fell on the 4th, 5th, and 8th. Fog prevailed on the 8th, 15th, 16th, 21st and 22nd. Ground frost on 25 days.

Lunar halos on the 28th and 30th.

# Summary of Observations FOR 1892.

	Mean for the last 45 years.
Mean Reading of the Barometer29:494	29.488
Highest ,, on March 30th 30.229	30.279
Lowest ,, on February 2nd28.505	28.266
Range of Barometer Readings 1.724	2.013
Highest Reading of a Max. Therm. on June 9th 81.0	81.4
Lowest Reading of a Min. Therm. on Feb.18th 8.1	15.4
Range of Thermometer Readings 72.9	66.0
Mean of all the Highest Readings 53.6	54.7
Mean of all the Lowest Readings 37.9	40.6
Mean Daily Range	14.1
Deduced yearly Mean (from Mean of Max.	1
and Min.)	46.7
Mean Temperature of dry bulb 45.2	46.7
Adopted Mean Temperature 45.0	46 7
Mean Temperature of Evaporation 42 5	44-4
Mean Temperature of Dew Point 39.4	42.1
Mean elastic force of Vapour 0-249 in	0.272 in
Mean weight of Vapour in a cubic foot of air 2.8gs	3.3gr
Mean additional weight required for saturation 0.7g	,
Mean degree of Humidity (saturation 1.00) 0.80	0.84
Mean weight of a cubic foot of air 533 5gr	539 ·3gr
Total fall of rain in the Year48.697 in	
Number of Days per Month on which Rain fell 16.5	18.0
The Maximum monthly mean height of the Baromete	r was
in February, 1891, and was	29.997
The Minimum ,, ,, in December, 1868, and v	was 28.984
The Maximum yearly mean height of the Barometer v	vas in
1887, and was	29.582
The Minimum ,, ,, in 1866, and was	29.389

### SUMMARY, 1892.

The greatest monthly ra	nge	of t	he I	Baron	neter	was i	in	
January, 1884, and	l was				• • • • •		2.4	.09
The least ,, ,,	in Ju	ly, 18	<b>52</b> , :	and v	was .		0·5	05
The highest reading of the	Bar	omete	r, du	ring ·	45 yea	ars, wa	as	
on January 18th, 18	82, aı	nd was	s				30-4	80
The lowest ,, ,,	on	Decer	nber	8th,	1886,	and w	as 27·8	50
Extreme range							8·1	.30
The highest temperature	was	on Ju	ly 15	th, 1	368, aı	nd was	88	3.2
The lowest ,,	,,		Jan	uary	15th,	1881	4	1.6
The highest adopted mean	temp	eratu	e of	a mo	nth, J	uly, 18	68 62	2.4
The lowest ,,	,,			Feb	ruary	, 1855	28	8·6
The highest adopted mea	an te	mpera	ture	of a	year	, 1868	49	9.1
The lowest ,,	,,	_	,,		,,	1879	4	4·1
The greatest monthly mea								5·1gr
The least ", ",		,,		Fel	ruary	, 1855	:	1·4gr
The greatest fall of rain in a	a mor	ıth. w	as in	Octo	ber, 1	870, aı	nd	
was							13.4	187 in
The least ,, ,,		,,				ı, 1852		)47 in
The greatest number of da rain fell in one mon	ys or th	whic	հ} Jւ	ıly, 1	861, I	Dec. 18	68	81
The least ", ",		,,				h, 185		3
	1	i -	-			Γ		
No. of days in the year on		NE	E	SE	S	sw	w	NW
which the prevailing wind	39	69	30	8	31	65	92	31
							ļ	
Mean Velocity in miles per	5.9	7.2	7.4	5.9	10.3	12.2	10·1	9.6
Total No. of miles for each Direction	5569	11988	5323	1133	7634	19019	22361	7111
1								

The total No. of miles registered during the year was 80·138.

The Max. Velocity of the wind was 50 miles per hour; direction S.S.W., at Noon, on October 29th. The record of wind for Friday, December 23rd, was accidentally lost.

	Hail	7, 19 3 28 28 28 26—28	88 <b>6</b> 9	
ENOMENA	Snow.	6, 7, 8, 10, 14, 17, 19 16, 17, 8, 9, 12, 14, 16, 27, 28 12, 13, 14, 18	4, 5,	
SIONAL PH	Hoar Frost.	26	2, 26—81	
DATES OF OCCASIONAL PHENOMENA.	Frost.	1—18, 19—23, 24—27 2—5, 9, 12—26, 28 1—17, 19—24, 26—81 1—4, 11—20, 26—30, 1—8, 5—8, 9, 21, 28,	$\begin{array}{c} 10 \\ 80 \\ 10 \\ 1 \\ \hline \end{array}$ $17 \\ 2 \\ 17 \\ 10 \\ 17 \\ 17 \\ 17 \\ 10 \\ 17 \\ 10 \\ 17 \\ 10 \\ 10$	
	1892.	January February March April May June Inly	August September October November December	

	Solar Halo.	15, 22 4, 18 7, 10, 23, 26	
MENA.	Lunar Halo,	10, 11 9 4 1 28, 30	th 25, 26, 29. 5, 6. 12. 21. 7, 22.
PHENC	Lightning.	6 17 25, 31 10, 17, 19 13, 24, 29, 30 3	Aurora Borealis, Jan 4th ", April 25, 26, 29. ", May 5, 6. ", Aug. 12. ", Nept. 21. ", Oct. 17, 22.
DATES OF OCCASIONAL PHENOMENA.	Thunder.	25, 31 17, 19 8 8 24, 30 2, 12, 30	
S OF O	Fog.	8 8, 15, 16, 21, 22	Solar Rainbows were seen, May 29th. " June 20th. ", Oct. 3rd. Lunar Rainbow was seen, Sept. 7th.
DATE	Heavy Rain	27, 28 7 13, 18, 19, 27, 31 4, 10, 28 19 7, 12, 23, 26, 29, 30 1, 6, 27, 29 8, 14, 27 8, 18, 18	Solar Rainbows
	1892.	January February March April May June July August September October November	

OBSERVATIONS.
SOLAR
OF
SUMMARY

Number of days of Observation in Each Month.

Spot spectra observed.		
Chromosphere partially measured.	1 1 1 2	ъĢ
Entire Chromosphere Measured.	997489788489	64
Other Drawings and Notes.		
Number of Sun Drawings, 104 inches to diameter.	10 11 12 13 14 15 16 17 17 17 17 17 17 17 17 17 17 17 17 17	153
Amount of Sunshine expressed in hours.	44.4 69.7 145.9 202.1 171.9 206.8 155.0 1129.4 111.6 34.4	1418·2
Becorded Sunshine.	14 28 28 28 27 28 25 26 14	272
1892	January February March May June June September October November December	Totals

The figures express, in hundredths of a day, the Greenwich Civil time at which the drawing was made c denotes chromosphere, s spot spectra.

1892.	January	February	March	April	May	June	July	August	Sept.	October	Nov.	Dec.
	41.c		-47	88.0	4.3	14.	84				.61	
_			:	.48	<b>:</b>	:			.89	.45	89	.38,℃
	-40	·46,c		· <del>4</del> 1		.6 <b>4</b> ,c	ပ					
_	·41,c		.39	98.	.42.c		39,0	889	ပ	09.		<b>.</b>
			.41.c		.71.c		.73,c				689	<b>‡</b>
	·44,c				36.	-71	.84					
			22	89		o,09.	•			.34	00	.51
				· <del>4</del> 6		50,c	.65,c		·34,c			
	408.55,c		<del>.</del>	84.	. <del>8</del> 8,c	·42,c		.40		.34		·43,c
	68			·38,c	.3ŏ,c	·34,c		·44,c	.53°C	‡		
	ပ	· <del>4</del> 1	·48,c	·46,c	·43,c		.85,c					
		.20°c	68	.41	.46,c	o					68.	.61.c
		·44,c	· <del>1</del> 1						•	.43		.41,c
				.40	<b>4</b> 8	.85						
					09-		.72	.67				
	.41	44	.32						-44	.36		
		89.		.47	.72				8		· <del>4</del> 1	
		.39'ec	. <b>4</b> 8,c				.71			.35°c	.47	
			·42,c	.42,c								
		99.	99					o				
			.41			-42.c	·48,c					
_		-47	·41.c	·67,c	88		.58,℃	_	.20	.85,c	9	<b>87</b> .
		.38°c	·37,c			.72		_		45		
	7		.43	86		-47,c	46,c		.40	09.		-44,c
	၁,66			35			34			.42,c	8	
		42		<b>1</b> 38		_			88	.46,c		.50°c
			3		;		8	-				.43,c
			သ (နှင့်	6	<u>+</u>	<b>•</b>	<u> </u>	29.	<b>8</b>		- 8	<u>‡</u>
			2,76	R C	;	26					ပ (၁)	
3 6			٠. م	ŝ	<b>1</b> ‡.	.72,c			438	-40	.87,c	

Υ.	17	0	<b>••</b>	0 2	6.6	6.	13.2	1.2	2.5	9.0	6.5	9.9	•
DAY.	16	9.0	0.9	3.2	7.1	8.0	•	0	8.0	20	2.5	8.0	•
H	15	0	0	0	6.9	4.7	<b>2</b> 9	0	8.7	0	0	0	0
ЕАСН	14	0	0	4.7	4.3	4.2	13.3	0	9.4	4.5	0	0	0
1	13	0	9.9	6.9	9.9	0	5 :3	3.1	9.0	4.6	6.4	0	5.3
NO O	12	•	5.5	8.1	9.0	6 01	11.9	4.2	3 7	0	es œ	0	1.8
ED	11	5.3	4.5	8 57	11.5	13.9 10 9	0	9.5	0	0	6.5	0	0
RECORDED	10	3.0	9.0	1.3	12.0	13.3	8.2	2.0	7.5	7.0	8.9	0	ပ
00;	6	3.1	0	9	11 3	9-01	14.6	1.4	8.1	0	5.0	0.5	0
RE	8	9.0	3 0	3.9	11.1	3.4	13.0	12.4	0	10.9	8.0	0	. 0
田	7	1.1	0	0	4.6	4.7	8:1	8.4	3.1		3.8	1:1	3 4
NIF	9	3.6	0.1	0	0	12.2	10.9	4.0	9. 2	0	0	0	2.3
NSI	3	0	4 4	4.3	0	9	အ တ	4.5	2.2	3.5	0.5	5.3	5.0
SUNSHINE	4	9.9	0	7.5	8.3	12.8	2.9	10.5	13.8	0.9	0.9	0	8.4
OF	ന	3.1	0.2	0	9.5	•	11.7	4.0	6.5	9.0	0-3	4.9	0
	67	4.0	3.0	1.4	3 9	3.1	ဆ	6.0	0	6.9	6.9	1.4	1.6
AMOUNT	-	, r.c. 60	5.0	3.0	9.6	13.0	11.3	8-0	4.7	0	3.0	9.9	•
MO													
[A													
17	Month.										•	•	-
TA	Ŭ	, ,	ary -	-	•	'	'	•	,	aber	;	ıber	ber
TOTAL		January	February	March	April	May	June	July	August	September	October	November	December

						4.							
DAY.	Monthly Per centage Total. each month.	17.1	24.2	89.8	48.7	35.7	41.9	91.0	58.9	30.5	33.8	13:1	13.7
EACH	Monthly Total.	44.4	2-69	145.9	202·1	171-9	8.902	155.0	129.4	1140	111.5	34.4	33.1
NO	31	1.9	0	11.0	0	4.8	0	<b>4</b> ·0	0	0	0.0	0	С
	30	0	0	10.8	12.9	3.0	11.8	1.8	. c	<b>2</b> .8	6.1	<b>4</b> . <b>4</b>	0
ΈĽ	20	. 0	9.0	11.5	0.9	3.5	89 80	6.9	8.9	1.2	0	4.5	0
KE	28	0	1.6	9.6	5.0	9.9	1.1	9.8	0	8.8	0	0	0 7
RECORDED	27	0	9 0	0	2.1	2.2	2.1	7.5	1.3	<b>7</b> .0	0	0	ဗ
	98	•	9.7	8.0	ေလ	60	6.0	0	9.9	9.9	8.7	<b>7</b> • • • • • • • • • • • • • • • • • • •	0
HINE (Continued)	25	4.0	5.4	0	11.4	9.7	<b>4.</b> 0	12.2	3.4	7.5	2.9	0.4	3.5
HII	24	9. 9.	0	<b>4</b> . ∞	10.3	<b>1</b> .0	7.8	12.5	£:3	9.5	4.6	0	0.1
SUNSHINE (Continued	83	0	<b>6.4</b>	20	1.0	0.1	6.5	6.5	5.4	9.0	8.4	0	6.0
$s_0$	55	0	1.9	0.6	8.8	0	6 5	8 7	2.7	5.5	8.9	8.0	8.0
OF	21	0	0	3.0	0.3	8.6	9.5	9.8	9.	1.4	2.0	0	0
Ţ	20	0	2.2	9.5	8.0	3.4	3.5	0.9	9.11	0	1.4	0	0
N D	19	0	0	9.4	9.5	0.6	5.4	8.0	1.1	2.0	3.4	0	0
AMOUNT	81	0	6.8	5.1	5.1	0.5	4.3	5.3	0	9.0	2.6	1.7	0
		-	•	•	•				,				
TOTAL	Month.	January -	February -	March .	April -	May -	]une -	July	August -	September	October .	November -	December -

MONTHLY TA	TA		TABLES	Ϋ́.	FOR EACH	EA	CH		HOUR	~	JF L	OF RECORDED	S.			20	T.	SCNSHINE.
Local apparent time. 4-5 5-6 6-7 7-8	4-5 5-6 6-7 7-8	8-7 7-9	7.8			6-8	9-10	10-11	9-10 10-11 11-12 12-1 1-2	12-1	1-2	2-3	3.4	4-5	2-6	2-9	7-8	6-8
0 0 0 0	0 0 0	0	0	<del>-</del>	ļ٥	0.5	2.0	9-2	0.6	0·8	0.9	<u>5</u> .0	0	0	С	0	0	0
8.0 0 0 0	8.0 0 0	8.0 0	8.0			5.2	2.5	0.6	11.0	11.6	12.3	6.8	6.5	3.0	0	0	0	0
0 0 1.3 7.4 1	1.3 7.4	1.3 7.4	7.4			11.4	16.4	16.8	17.8 17.3		16.4	14.4	13.1	10.0	3.6	0	0	0
0 1.9 9.6 15.6 1	1.9 9.6 15.6	9.6 15.6	9.91			19.9	19•9	20.4	18.6	16.0	17.6	19.0	16.1	13.4	10.6	3.2	0	0
0.7 4.7 11.7 12.8 1	4.7 11.7 12.8	11.7 12.8	12.8	12.8		11:1	11.0	12.0	15.9	13.7	15.8	14.7	15.5	13.1	6.6	7:1	2.5	0
2.3 9.5 10.7 11.8 11	9.5 10.7 11.8	10.7	10.7		=	11.9	13.2	15.0	16.5	16.3	16 7	15.0	158	16 0	8 91	13.4	64	0
- 0.2 2.4 6.7 9.1 8	2.4 6.7 9.1	6.7 9.1	6.7 9.1		٠.	8.6	9.6	10.3	12.9	11.7	13.0 14.0	14.0	14.9	15.2	13.0	9.9	2.5	0
0 2.3 6.1 7.8 10	2.3 6.1 7.8	6.1 7.8	7.8		=	10.7	13.0	13.5 12.8	12.8	12.9	11.8	10.4	10.4	2.2	9 9	4.3	9.9	0
- 0 0 2.6 6.1	0 2.6 6.1	2.6 6.1	6.1			0.6	10.4	12.1	12.2	13.8	13.1	11.6	10.7	6.8	4.3	0.5	0	0
- 0 0 0 1.7	0 0 1.7	0 1.7	1.7			8.4	13.7	9.91	15.8	16.2	14.6	12.5	8.6	2.5	0	0	0	0
0 0 0 0	0	0		0		0.3	2.1	6.1	6.9	2.9	8.9	4.2	1.3	0	0	0	0	0
0 0 0 0	0 0 0	0 0	0			0.5	3.0	7.6	8.7	9.2	3.5	5.2	0	0	0	0	0	0
8.2 20.8 48.7 72.6 9	20.8 48.7 72.6	48.7 72.6	48.7 72.6		; <b>G</b> a	95.4	125.3	148.6	125.3 148.6 157.5 150 8 147.5 132.2 114.1 88.3	1508	147.5	132.2	114·1		8.89	38.0	11.6	0
								-		-	•							

		٠.	
			·
			,
			,

### OBSERVATIONS OF UPPER CLOUDS (CIRRUS).

Date.			Cloud		Wind		Direction
1892.		G. M.T.	Direction.	V'locity (0-6).	Disection.	Force. (0—12).	of Lower Clouds.
January	, 4	4 p.m.	N.N.W.	1	N.W.	1	
"	8	8-30 a.m.	S.E.	i	W.N.W.	1	S.S.W.
"	9	1-20 p.m.	N.E.	1	N.E. by N.	2	N.W.
91	9	2.15 p.m.	N.	1	N.	1	N.W.
	10	9-0 a.m.	S.	1	N.E. by N.	0	N.E.
	18	9-0 a.m	W. by S.	1	E. by N.	1	E.
11	24	2-30 p.m.	N.N.W.	1	Ŵ.	3	N.W.
Feb.	11	1-30 p.m.			W. by N.	3	W. by N.
.,	15	4-30 p.m.	E.N.E.	1	E. by N.	4	E.
,,	24	9-10 a.m.	S.E.	2	N.E. by N.	1	E.S.E.
March	11	9-30 a.m.	N. by E.	2	S.E.	0	N.
,,	31	3-30 p.m.	N.N.E.	2	W. by S.	2	
April	1	8-0 a.m.	E.N.E.	1	N.W. by N.	0	
,,	30	7-0 p.m.	S.	2	w.	1	
May	11	10-0 a.m.	w.s.w.	1	N.E.	1	
June	1	7-0 p.m.	N.E.	2	s.w.	1	
٠,,	18	7-0 p.m.	N.W.	2	' W	2	W.
,,	27	8-0 p.m.	W.	3	W.S.W,	2	S.W.
**	30	8-0 p.m.	W.	2	W.S.W.	0	W.
July	1	12-30 p.m.	N.W.	2	W. by S.	4	w.
٠,,	1	3-30 p.m.	S.W.	. 1	W.	2	W. by S.
,,	5	5-0 p.m.	S.W.	8	W.S. W.	4	W.S.W.
,,	11	7-0 p.m.	S.E.	1	E. by. N	3	S.E.
,,	18	5-30 p.m.	N.	1	<b>W</b> .	2	N.W.
,,	25	7-15 a.m.	N.E.	1	N.E. by N.		
**	30	6-15 p.m.	E.	2	W. by N.	1	N.W.
August	10	5-45 p.m.	N.	2	W. by S.	1	N.W.
Sept.	10	3-0 p.m.	N.W.	2	W. by N.	2	N.W.
-,,	17	6-0 p.m.	N.W.	2	S.W.	1	N.W.
,,	18	8-30 a.m.	S.W.	1	S.W. by W.	2	N.W.
,,	<b>25</b>	3-0 p.m.	N.E.	2	S.W.	5	S.W.
			<u> </u>	<u></u>	l	<u> </u>	

### OBSERVATIONS OF UPPER CLOUDS (Continued).

Date			Cloud	l.	Wind	L.	Direction
1892		G.M.T.	Direction.	V'locity (0—6)	Direction.	Force (0—12)	of Lower Clouds.
Octobe	7 7 12 17	2-20 p.m. 4-5 p.m. 8-0 a.m. 9-0 a.m	N.E. N.E. N.E. N.	1 2 1 1	W. by S. W.S.W. N.E. by N. N.	2 1 0	S.W. S.W. N.E. N.W.
), ), ),	19 20 21 22	2-0 p.m. 4-30 p.m. 9-10 a.m 10-7 a.m.	N.E. S.W. N.W.	2  1 1	W. by N. W. N.W. by N. N.W. by N.	1 3 1 1 4	S. W. W. W. W.
Nov.  	1 2 9 16 18	10-0 a.m. 9-30 a.m. 9-20 a.m. 3-0 p.m. 9-45 a m.	E. N. W. W. N. W.	 2 2 1 2	N E. by N. E. S.W. N.W.byW. N.N.E.	1 1 1 1	S. E. S. E. S. S. E.
Dec	2 6 11 12 12 13 13 24 24	9-15 a.m. 10-45 a.m. 9-30 a.m. Noon. 2-50 p.m. 9-10 a.m. 2-0 p.m. 9-10 a.m. 11-0 a.m.	N. N.W. N. N. W. N.W. S.W. N.W.	1 2 1 1 2 2 2 1 2 2	N.W. by N. N.W. by W. W. W.N.W. W.N.W. N.W. V.N.W. E. by S. E. by S.	1 2 3 3 1 1 0	W. N.W. N.W.
" "	24 25 28 30	12-0 a.m. 10-0 a.m. 9-0 a m. 9-5 a.m.	N.W. N.W. N. N.W.	2 1 1 1	E. by S. E. E.N.E. S.S.E.	1 1 0 0	N.W.

### Monthly Magnetical Observations taken at the

College Observatory, Stonyhurst, 1892.

THE Horizontal, Vertical, and Total Forces are calculated to English measure; one foot, one second of mean solar time, and one grain being assumed as the units of space, of time, and of mass.

The Vertical and Total Forces are obtained from the absolute measures of the Horizontal Force, and of the Dip.

In the observations of Deflection and Vibration, taken each month for absolute measure of Horizontal Force, the same magnet has always been employed.

The moment of inertia of the magnet with its stirrup, for different degrees of temperature, and the co-efficients in the corrections required for the effects of temperature and of terrestrial magnetic induction on the magnetic moment of the magnet, were determined at the Kew Observatory by the late Mr. Welsh.

The moment of inertia of the magnet with its stirrup, using the grain and foot as the units of mass and of linear measure is 5.27303. Its rate of increase for increase of temperature is 0.00073 for every  $10^{\circ}$  of Fahr.

The weight of the magnet with its stirrup is approximately 825 grains, and the length of the magnet is nearly 3.94 inches. The moment of inertia was determined, independently of the weight and dimensions, by the method of vibration, with and without a known increase of the moment of inertia.

The temperature corrections have always been obtained from the formula  $q(t^o-35^o+q'(t^o-35^o)^2)$ , where  $t^o$  is the observed temperature and 35° Fahr. the adopted standard temperature. The values of the co-efficient q and q' are respectively 0.0001128 and 0.000000436.

The induction co-efficient  $\mu$  is 0.000244.

The correction for error of graduation of the Deflection bar at 10 foot is  $\pm$  0.00004 ft, at 1.3  $\pm$  0.000064 ft.

The observed times of vibration are entered in the Table without corrections.

The time of one vibration has been obtained each month from the mean of twelve determinations of the time of 200 vibrations.

The angles of deflection are each the mean of two sets or readings.

In deducing from these observations the ratio and product of the magnetic moment m of the magnet, and the earth's horizontal magnetic intensity X, the induction and temperature corrections have always been applied, and the observed time of vibration has been corrected for the effect of torsion of the suspending thread; but no correction has been required for the rate of the chronometer, or for the arc of vibration, the former having been always under 1.5s and the latter never over 50°.

The average deflection of the magnet caused by a twist of the torsion circle through 90°, has been about 9.3 of arc.

In the calculations of the ratio—, the third and subsequent X

terms of the series 1 
$$+\frac{P}{r^2}+\frac{Q}{r^4}$$
 &c., have always been omitted.

The value of the constant P was found to be 0 00433.

The Declination observations have been taken once a week

### OBSERVATIONS OF DECLINATION AND DIP.

Month	G.M.T.	WEST DE	CLINATION	G.M.T.	Dip.
	CIVIL DAY	Observation.	Monthly Mean.	CIVIL DAY.	
	D. H. M.	0 1 "	0 1 4	D. H. M.	0 1 "
	4 16 8	18 36 39	)		
Jan.	11 16 8	18 37 4	18 43 0	15 15 15	69 1 0
,	19 16 8	19 0 54			į
	25 16 8	18 37 24	<i>)</i>		
	3 16 13	18 39 9	1		
Feb.	8 16 13	18 37 54	18 43 18	15 15 10	69 2 46
	15 16 8	18 59 9	10 10 10		
	22 16 8 2 16 8	18 36 59 18 50 4	)		
	7 16 8	18 38 54	1)		
March	14 16 8	18 55 34	<b>!</b>		
	21 16 10	18 57 24	18 51 11	14 12 23	69 8 5
	28 16 8	18 53 59	)		
	4 16 10	18 43 4	1		
	11 16 17	18 33 39	1		
April	18 16 13	18 59 14	18 46 10	15 16 <b>2</b> 3	69 1 47
	25 16 8	18 48 44	)	,	
	2 16 8	18 36 44			
	9 16 13	18 52 59	}		
May	16 16 8	18 49 49	18 50 37	22 17 32	69 7 37
•	23 16 13	18 54 39	10000		
	30 16 8	18 58 54	)		
	6 16 8	18 46 4	)		
T	13 16 10	18 45 14	18 50 18	15 18 8	68 58 8
June	20 16 15	18 58 14	18 50 18	10 10 0	00 00 0
	27 16 33	18 51 39	)		

### OBSERVATIONS OF DECLINATION AND DIP.

(Continued.)

Монтн.	G.M.T.	West D	ECLINATION	G.M.T.	Dip.
	CIVIL DAY	Observation.	Monthly Mean	CIVIL DAY.	
	D. H. M. 4 16 13	0 , 4	0 1 4	D. H. M.	0 1 4
July	12 16 13 18 16 16 25 16 15	18 55 24 18 56 14 18 56 49	18 55 48	15 16 8	69 19 9
August	1 16 8 9 16 23 16 15 42	18 58 34 18 55 59 18 30 49	18 51 24	17 18 85	69 6 43
	22 16 8 30 16 8 5 16 12	18 57 34 18 54 4 18 53 29			
Sept.	14 16 15 19 16 18 26 16 8 4 16 8	18 57 14 18 59 49 18 52 24 18 54 24	18 55 44	15 11 35	69 7 22
Oct.	10 16 18 17 16 10 24 16 13	18 26 14 18 52 59 18 44 34	18 44 33	17 12 7	69 5 10
Nov.	1 14 13 9 16 30 14 16 8 21 16 8 28 16 18	18 35 34 18 20 44 18 33 19 18 53 19 18 52 34	18 39 6	18 10 28	69 12 30
Dec.	4 16 13 12 16 13 19 16 8 27 16 8	18 40 19 18 44 29 18 56 29 18 52 29	18 48 27	22 15 15	69 4 84
Yearly Mean			18 48 18		69 6 14

# DBSERVATIONS OF VIBRATIONS AND DEFLECTION FOR ABSOLUTE MEASURE OF MAGNETIC FORCE.

Month.	G. M. T. (Civil Day).	Тетр.	Time of one vibration.	G. M. T.	Temp.	Observed Deflection at 1-0 ft. at 1-3 ft.
	р. н. м.	٥		D. H. M.	0	0 , "
Jan.	15 10 0	47.9	5.9570	$15  \begin{cases} 11 & 35 \\ 12 & 20 \end{cases}$	39·3 40 0	12 11 21 5 31 36
Feb.	15 9 14	37 · 4	5-9575	15 \{\begin{array}{c c} 10 & 25 \\ 11 & 15 \end{array}	40·1 40·1	12 14 12 5 33 19
Mar.	14 9 38	29.5	5.9614	14 {10 46 11 15	39·8 38·8	12 13 12 5 82 17
Apr.	<b>15 11 4</b> 9	39.9	5.9601	15 {14 46 15 10	50·2 47·5	12 13 13 5 33 53
Мау	21 11 8	53.3	5 • 9656	21 ( 9 22 9 50	49·4 50 6	12 13 13 5 81 39
June	15 11 34	58.7	5.9720	15 {14 22 14 48	61 7 62 0	12 7 25 5 29 52
July	15 9 <b>43</b>	54 9	5.9803	15 \bigg\{ \bigg\{ 10 & 30 \\ 10 & 55 \end{array} \}	55·5 57·3	12 11 45 5 31 29
Aug.	17 11 12	64.9	5.9768	$17  \left\{ \begin{matrix} 12 & 7 \\ 12 & 30 \end{matrix} \right.$	64·5 65·0	12 9 8 5 31 5
Sept.	15 9 17	55.0	5.9670	$15  \left\{ \begin{matrix} 10 & 5 \\ 10 & 20 \end{matrix} \right.$	55·8 56·6	12 2 34 5 31 29
O&.	17 9 17	46.2	5 9583	$17  \left\{ \begin{matrix} 10 & 5 \\ 10 & 85 \end{matrix} \right.$	44·0 45·4	12 14 50 5 33 17
Nov.	16 <b>10 30</b>	47.9	5.9451	16 \bigg\{ \bigg\{ 14 & 15 \\ 15 & 40 \end{array} \}	49·8 52·5	12 13 30 5 31 <b>3</b> 5
Dec.	22 11 15	42·4	5.9498	$22  \left\{ \begin{matrix} 12 & 8 \\ 12 & 35 \end{matrix} \right. $	42·5 43·0	12 14 11 5 31 50

### MAGNETIC INTENSITY.

В	RITISH	UNITS.		C. (	G. S. UN	ITS.
	X or horizontal force.	Y or vertical force.	Total Force.	X or Horizontal Force.	Y or Vertical Force.	Total Force.
Jan	3·711 <b>4</b>	9.6770	10:3643	0.1511	0.4400	0.4550
Feb	3.7001	9.6623		0.1711	0.4462	0.4779
reb			10.3465	0.1706	0.4455	0.4771
Mar	3.7004	9.7080	10·389 <b>4</b>	0.1706	0.4476	0.4790
April	3.6949	9.6403	10.3241	0.1704	0.4445	0.4760
Мау	3 7046	9.7152	10.3976	0.1708	0.4479	0.4794
June	3.7110	9.6519	10.3407	0.1711	0.4450	0.4768
July	3-6961	9·7913	10.4658	0·1704	0.4515	0.4826
Aug	3.7032	9.7040	10.3866	0.1708	0.4474	0.4789
Sept	3.7051	9.7143	10.3969	0.1708	0.4479	0.4794
oa	3.7028	9-6897	10.3732	0.1707	0.4468	0.4783
Nov	3.7169	9.7891	10.4711	0.1714	0 4514	0.4828
Dec	3.7123	9 7094	10:3949	0.1712	0.4477	0.4793
Means	3.7049	9.7044	10:3876	0.1708	0.4475	0·4790

### DATES OF MAGNETIC DISTURBANCES.

The disturbances are divided into three classes, small, moderate, and greater; these are indicated by the initial letters of the classes, and the letter c denotes calm. The days are reckoned astronomically, from noon to noon The asterisk signifies that the record was partly or wholly lost, according as it stands, with or without an initial letter.

Mon	гн.	Jan.	Feb.	March	April	May	June	July	August	Sep.	Oct.	Nov.	Dec.
	1	s	*	g	s	g	s	m	s	s	С	s	s
	2 8 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 25 26 26 27 26 27 26 27 26 27 27 27 27 27 27 27 27 27 27 27 27 27	s	*	m	s	m	g	m	S	m	s	s	s
	3	S	m	m	S	S	s	s	m	s	S	S	C
	4	m	m	m	S	C	m	S	m	S	С	g	g
	5	g	m	S	S	m	S	·s	S	S	S		g
	6	S	S	g	S	S	s	s	m	S	s	S	m
	7	S	m	m	S	m	S	S	m	S	S	С	m
	8	S	S	m	m	S	S	8	s	s	S	S	s
	9	S	m	m	m	S	S	m	S	S	С	S	s
	10	S	S	m	S	S	S	S	С	S	m	С	С
	11	m	S	g	m	C	S	S	·S	S	S	C	S
	12	m	g	g	m	C	S	g	g	S	m	C S	m
	14	S	g m	S	S	c	S	g		S	m		m
	15	S	m	ı	S	c	C S	m	C S	S	g m	m	m
	16	m	m	m	s c	m	m	m	S	S	c	c s	s
	17	m	s	S	c	m	m	g	5	S	m	m	m
	18	m	m	S			S	g m	C	c	m	m	S
	19	S	s	S	c	g	S	S	S	c	m	C	S
	20	s	m	S	c	c	s	m	S	S	m	c	c
	21	s	m	s	c	s	s	m	c	m	m	S	s
	22	s	s	c	c	s	s	S.	s	m	m	8	m
	23	s	s	s	m	s	m	S.	m	s	s	s	m
	24	s	m	m	m	s	m	m	m	s	s	s	m
	25	S	m	m	g	C	s	m	m	s	S	8	s
	26	s	g	S	g	C	g	m	m	s	s	S	S
	27 28	s	m	m	s	s	g	m	S	s	s	s	s
	28	m	s	m	s	s	m	m	S	m	s	s	s
	29	m	m	S	m	s	m	m	S	s	s	S	m
	30	S	l	m	m	m	m	s	С	m	s	S	S
	31	*		m		m	ì	s	S		s	S	S
, ( s			9	12	13	14	18	13	17	23	16	19	16
i ) n		- 8	15	14	8	7	8	14	8	5	10	3	10
s n g c		1	3	4	2	2	3	4	1	0	1	1	2
¹ (c		0	0	1	7	8	1	0	5	2	4	8	3

### PRESENTS RECEIVED.

On the relation between diameter of	
image, duration of exposure, and	
brightness of objects on photo-	
graphs of stars taken at the	
Povol Observatore by W II	
Royal Observatory by W. H.	
M. Christie, M.A., F.R.S.	Astronomer Royal.
Greenwich Observations, 1889	Royal Observatory.
On the simultaneity of magnetic varia-	
tions, by William Ellis, F.R.A.S.	,,
Quarterly Returns of the Registrar	
General	Registrar General.
Philosophical transactions	Royal Society.
R.S. proceedings	
Report of the Metereological Council,	,,
1891	Metereological Office.
Quarterly Weather Reports, 1892	Metereological Office.
Monthly Weather Reports, 1892 .	***
Monthly ,, ,, 1892 .	,,
WCLLY ,, ,, 1002 .	**
Daily ,, ,, 1892 .	**
Meteorological Record, by William	
Marriott	,,
Ten years sunshine in British Isles,	
1881—91	••,
Harmonic Analysis of Hourly Obser-	••
vations of Air Temperature and	
pressure at British Observatories	
Hourly Means, 1888	,,
Monthly Notices of the Royal Astro-	,,
	David Astr. Co.
nomical Society, 1892	Royal Astr. Soc.
Memoirs of Royal Astronomical Society	
Vol. L., 1890-1	2,
Report of Kew Committee, 1891 .	Kew Observatory.
The new Star in Auriga by Prof. Cope-	
land and Dr. L. Becker	Royal Obs., Edinburgh.
The Solar Spectrum at Medium and	
Low Altitudes, by Ludwig	
Becker, Ph. D.	"
Edinburgh Circulars	
Measures of Positions and Areas of	"
Sun spots and faculae	Solar Physics Committee
	Solar Thysics Committee
Report of the British Association for	Duitish Association
1889	British Association.
Meteorology of Ben Nevis	Ben Nevis Observatory.
Journal of the Scottish Meteorological	
Society	Scottish Met. Soc.

Astronomical observations made under	
the direction of Charles Prit-	
chard, D.D., F.R.S., F.R.A.S., &c	University Obs., Oxford
Radcliffe Observations, 1887, under	•
the direction of Edward James	
Stone, M.A., F.R.S., F.R.A.S, &c.	Radcliffe Obs., Oxford.
Second Glasgow Star Catalogue, by	• •
the late Prof. Grant., LL.D.,	
F.R.S., F.R.A.S	Glasgow University.
Meteorological observations, Rousden	
Observatory, Devon, 1890—91,	
by C. E. Peek, M.A., F.R. Met.	
Soc., F.R.A.S.	Observatory.
Report of Wolsingham Observatory,	<b>,</b>
1891, by Rev. T. H. E. C. Espin,	*
B.A., F.R.A.S	•
Southport Meteorological Results, by	••
Joseph Baxendell, F.R. Met. Soc.	11
	**
Meteorology of Bradford, 1891, by John Landsborough, M. Inst.	
C.E., &c., and Alfred Eley Pres-	
ton, M. Inst., C.E., &c., &c.	. ,,
Thirty-ninth Annual Report of Com-	• • • • • • • • • • • • • • • • • • • •
mittee of the Free Public Li-	
brary, Liverpool	Committee.
Comparative Photographic Spectra of	<b>W</b> 0
the Sun and Metals, F. McClean,	
M.A., F.R.A.S.	Author.
Comparative Photographic Spectra of	114111011
the High Sun and the Low Sun,	
by the same	
Photographic Studies of the Normal	,,
Solar Spectrum, by G. Higgs,	
F.R.A.S.	
Ephemerides of the Satellites of Saturn,	**
1891-92, by A. Marth, F R.A.S.	•
On a Prominence of extraordinary	,,
height, May 5th, 1892, by Rev.	
J. Fenyi, S.J ,	
Phenomena, observed on the great sun	**
spot group of Feb., 1892, by	
the same	
Twenty years observations of Thun-	**
derstorms, by Rev. T. E. Espin,	
B.A., F.R.A.S.	
The Law of Planetary Mean Velocities,	"
by D. Dewar	,,
Kalendar and rite used by Catholics	**
since the time of Flinch-th ha	
since the time of Elizabeth, by	
Rev. J. Morris, S J., F.S.A	**
Babylonian Astronomy, by Rev. A. L.	•
Cortie, S.J., F.R.A.S	1)
·	

Reduction of Spectroscopic Observa-	
tions of motions in the line of	ı
sight, by Dr. W. W. Campbell	Author
The Spectrum of Nova Aurigae, in	riuthor .
Feb. and March, 1892, by the	i
same .	• • • • • • • • • • • • • • • • • • • •
Recent Observations of Nova Aurigae,	
Sep. 8th to Oct. 13th, 1892, by	
the same	,,
A Plea for Astronomy in New South	
Wales, by John Tebutt, F.R.A.S.,	1
&c	,,
Results of Meteorological Observa-	
tions, by the same	,,
The Silver Thaw at the Ben Nevis	"
Observatory, by R. C. Mossman,	
F.R.A.S	
Laranagas Photo-Phonograph by Julius	"
Maier, Ph.D	Author.
	Author.
The connection between Solar and	1
Terrestrial Magnetic Distur-	ł
bances, by T. S. H. Shearman.	,,
Sun Spots, by Prof. Schuster, Ph.D.,	í
F.R.S., etc., etc.	••
The New Star in Auriga, by William	i
Huggins, D.C.L., LL.D., Ph.D.,	
F.R.S., M.R.I., etc	,,
On Nova Aurigae, by Dr. William	
Huggins and Mrs. Huggins	Authors.
Sun spot diagrams, by Capt. William	
Elliot	C. W. Baillie, Esq.
The Astronomical Journal	Rev. J. G. Hagen, S.J.
The Sanitary Inspectors' Report	Burnley Health Committee
The Medical Officer's Report for the	Zaranoj rrodnim comministro
County Palatine of Lancaster.	Medical Officer of Health.
The Observatory.	Editor.
The British Journal of Photography.	
British Rainfall, 1891, by G. J. Symons,	"
	i
F.R.S.	,,
Monthly Meteorological Magazine, by	İ
the same	,,
Magnetical and Meteorological obser-	
vations, 1890	Government Obs. Bombay.
Results of the Meteorological observa-	
tions made at the Government	
Observatory, Madras, during the	
years 1861—1890	Government Obs. Madras.
Madras Meridian circle observations,	
1871—1876	,,
Report on the Meteorology of India,	"
1890, by John Eliot, M.A.	Met. office, India.
Monthly Weather Review	,,
	· "

Registers of Original Observations  Metereological Observations at Adelaide Observatory by Chas.	Met. Office, India
Todd, C.M.G., M.A., F.R.S., F.R.A.S., F.R.M.S.  Monthly Record of Melbourne Obser- vatory, 1891-92, by R. L. J.	H.M. Govt. in Australia.
Ellerey, F.R.S., Government Astronomer Report of the Board of Visitors to the	Melbourne Observatory.
Observatory, Victoria, 1891  New York Metereological Observations	Observatory.
Central Park	"
Ocean, 1892  Washington Observations for 1887, with Appendix 1, 2, and 3. (four	U.S.A. Naval Obs.
vols.)  Washington Astronomical and Meteor-	**
ological Observations, 1888 . Washington Magnetic Observations,	,,
1892	••
Magnetic Disturbances, 1892 Smithsonian Report, 1887-88-89-90 Annals of the Astronomical Observa-	Smithsonian Institute
tory	Harvard College Obs.
Spectra ,	**
Pickering	:•
Time Service ,	**
Photography by Prof. George E. Hale, Director	Kenwood Astro-Phys Obs
Prominences by the same Photographs of Solar Phenomena by	"
the same	**
the same	,,
Solar Photography at Kenwood Astro- Physical Observatory by the same	
Spectroscopic Observations of the Great Sun-spot Group of Feb.	,,
1892, by the same	"
wood Astro-Physical Obs	11
Some results and conclusions derived from a Photographic Study of	
the Sun by the same The Yerkes Observatory of the Uni-	"
versity of Chicago	. "

Report of Managers of Observatory	Yale University.
Eighteenth Annual Report of the Met-	-
eorological Service of Canada	Met. Office, Toronto.
Toronto General Meteorological Regis-	
ter, 1891	,,
Monthly Weather Review	**
Ninth Annual Report of the Ohio Met-	_
eorological Bureau	Bureau.
Official Reports of the Ohio State	Board of Agriculture.
Proceedings of Rochester Academy of	A 3
Sciences	Academy.
The Photochronograph applied to deter-	
minations of Latitude, by the	Coorgetown Col. Obe
Rev. J. Hagen, S.J ,	Georgetown Col. Obs.
The Rutherford Photographic Mea- sures of the Pleiades, by Harold	
Jacoby	Columbia Col. Obs.
The Rutherford Photographic Mea-	Columbia Col. Obs.
sures of stars about B. Cygni, by	
the same	,,
Memoirs of the National Academy of	,,
Sciences, vol. v	••
Catalogue of Proper Motion Stars .	Cincinnati Obs.
Proceedings	Haverford Col. Obs.
Observations made at the Meteorologi-	
cal and Magnetic Observatory at	
Batavia, 1891, by Dr. J. P. Van	
Der Stok	Batavia Observatory.
Rainfall in the East India Archipelago,	
1890, by the same	"
Observations by W. Doberck	Hong Kong Obs.
Annales de L'Observatoire de Nice	L'Observatoire.
Annuaire de L'Observatoire Municipal	
de Montsouris, 1892-3 Bulletin Mensuel de l'Observatoire	19
Météorologique de l'Université d'Upsal 1891	
Bulletin Mensuel de l'Observatoire de	**
Zi-ka-wei	
Observations faites à l'Observatoire	"
Météorologique de l'Université	
de Kiew	,,
Annuaire de la Société Météorologique	,,
de France	La Société
L'Astronomie Sidérale I, Les Etoiles	
par I. Thirion, S.J	L'Auteur
Température et Thermomètres, par le	
même	,,
L'Origine des Mondes et Leurs Destinées	
par L'Abbè Eugène Spêe	**
Sur la Fréquence, des étoiles filantes	
pendant les nuits des 9 et 10 août,	
1890, par M. F. Terby	,,

rotation, par le même  Sur la Structure des bandes équatoriales de Jupiter, par le même	Sur de Nouvelles Observations des canaux de Mars et de Leur Gémination, par le même . Faits demontrant la permanence des taches sombres de Vénus et la lenteur de leur mouvement de	L'Auteur
Quatrième note sur la même par le même.  Sur l'apparition de plusieurs nouvelles taches rouges dans l'Hémisphère Austral de Jupiter, et sur la structure de la bande Septentrionale 4 de cette planète, par le même  La Fluctuation des Latitudes Terrestres par M. Antoine D' Abbadie  Origine des forces de la Nature par Guillaume Poche  Sur L'Anomalie magnétique du Bassin de Paris par M. H. Moureaux  Rapport sur les mouvements aussi singuliers qu' extraordinaires d'une Protubérance, par J. Fenyi, S. J.  Funérailles de M. Mouchez  Astronomisches aus Babylon von J. N. Strassmaier, S. J., und J.  Epping, S. J.  Abhandlungen des Königlich Preussischen Meteorologischen Instituts Herausgegeben durch Wilhelm von Bezold. Direktor, Band 1, No. 4 und 5, Berlin, 1891  Lergebnisse der Meteorologischen. Beobachtungen, im Jahre, 1891, Heft ii. Von demselben  Ergebnisse der Meteorologischen Beobachtungen, im Jahre, 1891, Heft ii. Von demselben  Das Königlich Preussiche Meteorologische Institute in Berlin, und Dessen Observatorium bei Potsdam  Jahrbuch des Norwegischen Meteorologischen Instituts, Fur 1890  Astronomische Mittheilungen, von Der Königlichen Sternwarte zu Göttingen  Astronomische Mittheilungen, von Dr.	rotation, par le même Sur la Structûre des bandes équatoriales	
Sur l'apparition de plusieurs nouvelles taches rouges dans l'Hémisphère Austral de Jupiter, et sur la structure de la bande Septentrionale 4 de cette planète, par le même  La Fluctuation des Latitudes Terrestres par M. Antoine D' Abbadie Origine des forces de la Nature par Guillaume Poche Sur L'Anomalie magnétique du Bassin de Paris par M. H. Moureaux Rapport sur les mouvements aussi singuliers qu' extraordinaires d'une Protubérance, par J. Fenyi, S. J. Funérailles de M. Mouchez Astronomisches aus Babylon von J. N. Strassmaier, S. J., und J. Epping, S. J. Abhandlungen des Königlich Preussischen Meteorologischen Instituts Herausgegeben durch Wilhelm von Bezold. Direktor, Band 1, No. 4 und 5, Berlin, 1891 Ergebnisse der Meteorologischen. Beobachtungen, im Jahre, 1889, Heft ii. Von demselben Ergebnisse der Meteorologischen Beobachtungen, im Jahre, 1889, Heft ii. Von demselben Das Königlich Preussiche Meteorologische Institute in Berlin, und Dessen Observatorium bei Potsdam Jahrbuch des Norwegischen Meteorologischen Instituts, Fur 1890 Astronomische Mittheilungen, von Dr. Astronomische Mittheilungen, von Dr. Astronomische Mittheilungen, von Dr.	Quatrième note sur la même par le	"
La Fluctuation des Latitudes Terrestres par M. Antoine D' Abbadie Origine des forces de la Nature par Guillaume Poche Sur L'Anomalie magnétique du Bassin de Paris par M. H. Moureaux Rapport sur les mouvements aussi singuliers qu' extraordinaires d'une Protubérance, par J. Fenyi, S. J. Funérailles de M. Mouchez Astronomisches aus Babylon von J. N. Strassmaier, S. J., und J. Epping, S. J. Abhandlungen des Königlich Preussischen Meteorologischen Instituts Herausgegeben durch Wilhelm von Bezold. Direktor, Band 1, No. 4 und 5, Berlin, 1891 Ergebnisse der Meteorologischen. Beobachtungen, im Jahre, 1889, Heft iii. Von demselben Das Königlich Preussiche Meteorologische Institute in Berlin, und Dessen Observatorium bei Potsdam Jahrbuch des Norwegischen Meteorologischen Instituts, Fur 1890 Astronomische Mittheilungen, von Dr. Astronomische Mittheilungen, von Dr.	Sur l'apparition de plusieurs nouvelles taches rouges dans l'Hémisphère Austral de Jupiter, et sur la structure de la bande Septen- trionale 4 de cette planète, par	
Origine des forces de la Nature par Guillaume Poche Sur L'Anomalie magnétique du Bassin de Paris par M. H. Moureaux Rapport sur les mouvements aussi singuliers qu' extraordinaires d'une Protubérance, par J. Fenyi, S.J. Funérailles de M. Mouchez Astronomisches aus Babylon von J. N. Strassmaier, S.J., und J. Epping, S.J. Abhandlungen des Königlich Preussischen Meteorologischen Instituts Herausgegeben durch Wilhelm von Bezold. Direktor, Band 1, No. 4 und 5, Berlin, 1891. Ergebnisse der Meteorologischen. Beobachtungen, im Jahre, 1899, Heft iii. Von demselben Ergebnisse der Meteorologischen Beobachtungen, im Jahre, 1891, Heft ii. Von demselben Das Königlich Preussiche Meteorologische Institute in Berlin, und Dessen Observatorium bei Potsdam Jahrbuch des Norwegischen Meteorologischen Instituts, Fur 1890 Astronomische Mittheilungen, Von Der Königlichen Sternwarte zu Göttingen Astronomische Mittheilungen, von Dr.		"
Sur L'Anomalie magnétique du Bassin de Paris par M. H. Moureaux .  Rapport sur les mouvements aussi singuliers qu' extraordinaires d'une Protubérance, par J. Fenyi, S. J.  Funérailles de M. Mouchez , Astronomisches aus Babylon von J. N. Strassmaier, S. J., und J. Epping, S. J	par M. Antoine D' Abbadie .	,,
de Paris par M. H. Moureaux . Rapport sur les mouvements aussi singuliers qu' extraordinaires d'une Protubérance, par J. Fenyi, S. J		••
singuliers qu' extraordinaires d'une Protubérance, par J. Fenyi, S. J.  Funérailles de M. Mouchez , Astronomisches aus Babylon von J. N. Strassmaier, S. J., und J. Epping, S. J.  Abhandlungen des Königlich Preussischen Meteorologischen Instituts Herausgegeben durch Wilhelm von Bezold. Direktor, Band 1, No. 4 und 5, Berlin, 1891 .  Ergebnisse der Meteorologischen Beobachtungen, im Jahre, 1889, Heft iii. Von demselben .  Ergebnisse der Meteorologischen Beobachtungen, im Jahre, 1891, Heft ii. Von demselben .  Das Königlich Preussiche Meteorologische Institute in Berlin, und Dessen Observatorium bei Potsdam .  Jahrbuch des Norwegischen Meteorologischen Instituts, Fur 1890 .  Astronomische Mittheilungen, Von Der Königlichen Sternwarte zu Göttingen .  Astronomische Mittheilungen, von Dr.	de Paris par M. H. Moureaux .	11
S. J.  Funérailles de M. Mouchez, Astronomisches aus Babylon von J. N. Strassmaier, S. J., und J. Epping, S. J.  Abhandlungen des Königlich Preussischen Meteorologischen Instituts Herausgegeben durch Wilhelm von Bezold. Direktor, Band 1, No. 4 und 5, Berlin, 1891.  Ergebnisse der Meteorologischen. Beobachtungen, im Jahre, 1889, Heft iii. Von demselben.  Ergebnisse der Meteorologischen Beobachtungen, im Jahre, 1891, Heft ii. Von demselben.  Das Königlich Preussiche Meteorologische Institute in Berlin, und Dessen Observatorium bei Potsdam.  Jahrbuch des Norwegischen Meteorologischen Instituts, Fur 1890. Astronomische Mittheilungen, Von Der Königlichen Sternwarte zu Göttingen.  Astronomische Mittheilungen, von Dr.	singuliers qu' extraordinaires	
Funérailles de M. Mouchez Astronomisches aus Babylon von J. N. Strassmaier, S.J., und J. Epping, S.J. Abhandlungen des Königlich Preussischen Meteorologischen Instituts Herausgegeben durch Wilhelm von Bezold. Direktor, Band 1, No. 4 und 5, Berlin, 1891. Ergebnisse der Meteorologischen. Beobachtungen, im Jahre, 1889, Heft iii. Von demselben. Ergebnisse der Meteorologischen Beobachtungen, im Jahre, 1891, Heft ii. Von demselben. Das Königlich Preussiche Meteorologische Institute in Berlin, und Dessen Observatorium bei Potsdam Jahrbuch des Norwegischen Meteorologischen Instituts, Fur 1890. Astronomische Mittheilungen, Von Der Königlichen Sternwarte zu Göttingen. Astronomische Mittheilungen, von Dr.		
Epping, S.J.  Abhandlungen des Königlich Preussischen Meteorologischen Instituts Herausgegeben durch Wilhelm von Bezold. Direktor, Band 1, No. 4 und 5, Berlin, 1891.  Ergebnisse der Meteorologischen Beobachtungen, im Jahre, 1889, Heft iii. Von demselben.  Ergebnisse der Meteorologischen Beobachtungen, im Jahre, 1891, Heft ii. Von demselben.  Das Königlich Preussiche Meteorologische Institute in Berlin, und Dessen Observatorium bei Potsdam.  Jahrbuch des Norwegischen Meteorologischen Instituts, Fur 1890. Astronomische Mittheilungen, Von Der Königlichen Sternwarte zu Göttingen.  Astronomische Mittheilungen, von Dr.	Funérailles de M. Mouchez Astronomisches aus Babylon von	Madame E. Mouchez.
No. 4 und 5, Berlin, 1891	Epping, S.J.  Abhandlungen des Königlich Preussischen Meteorologischen Instituts  Herausgegeben durch Wilhelm	Rev. A. L. Cortie, S.J.
Ergebnisse der Meteorologischen Be- obachtungen, im Jahre, 1891, Heft ii. Von demselben . ,,  Das Königlich Preussiche Meteorol- ogische Institute in Berlin, und Dessen Observatorium bei Potsdam . , ,,  Jahrbuch des Norwegischen Meteorol- ogischen Instituts, Fur 1890 . ,,  Astronomische Mittheilungen, Von Der Königlichen Sternwarte zu Göttingen . Die Sternwarte.	No. 4 und 5, Berlin, 1891. Ergebnisse der Meteorologischen. Be-	Das Institut.
Heft ii. Von demselben , , , , , , , , , , , , , , , , , , ,	Ergebnisse der Meteorologischen Be-	,,
Potsdam , , ,,  Jahrbuch des Norwegischen Meteorol- ogischen Instituts, Fur 1890 , ,,  Astronomische Mittheilungen, Von Der Königlichen Sternwarte zu Göttingen , Die Sternwarte.  Astronomische Mittheilungen, von Dr.	Heft ii. Von demselben  Das Königlich Preussiche Meteorologische Institute in Berlin, und	· <b>,</b>
Jahrbuch des Norwegischen Meteorol- ogischen Instituts, Fur 1890 , ,, Astronomische Mittheilungen, Von Der Königlichen Sternwarte zu Göttingen , Die Sternwarte. Astronomische Mittheilungen, von Dr.	Potsdam	,,
Astronomische Mittheilungen, Von Der Königlichen Sternwarte zu Göttingen Die Sternwarte. Astronomische Mittheilungen, von Dr.		
Göttingen Die Sternwarte. Astronomische Mittheilungen, von Dr.	Astronomische Mittheilungen, Von	**
Astronomische Mittheilungen, von Dr. R. Wolf Der Verfasser.	Göttingen	Die Sternwarte.
		Der Verfasser.

Die Triangulation von Java, von Dr. J.	
A. C. Oudemans	Der Verfasser
Sammlung der Beobachtungen von	
Sternbedeckungen während der	
totalen Mondfinsterniss, Januar	
28, herausgegeben von Otto	
0.	
Annalen des Physikalischen Central-	,,
Observatoriums. Herausgege-	
ben von H. Wild, Mitglied der	
Veisselichen Abedemie der Wie	
Kaiserlichen Akademie der Wis-	
senschaften und Direktor des	
Physikalischen Observatoriums	D 01
Theil II.	Das Observatorium
Analele Institutneni Meteorologie al	
României de S. C. Hepites .	,,
Protuberanzen Beobachtet in Jahre	
1887, am Haynald—Observa-	
1887, am Haynald—Observa- torium, von Julius Fenyi, S.J.	,,
Buletinul Observatiunilor Meteorol-	
ogici din România	,,
Observaciones Magnéticas y Meteor-	
alogicas del R. Coll., de Belen	
en la Habana	Observatorio
Anales del Instituto y Observatorio de	
Marina de San Fernando, Sección	
2a ano 1891 ·	3.9
Almanaque Náutico para 1893-4 San	,,
Fernando	.,
Anuario del Observatorio de la Plata	,,
para el ano 1892	,,
Anuario del Obsevatorio Astrónomico	,,
Nacional de Tacubaya, año	
XIII. 1898	
Boletin del Observations de Tacubaya	**
Resúmen de las Observaciones Meteor-	**
ologicas Col. Cat. del Sagrador	
Coragon de Jesus in Duebla	
Corazon de Jesus in Puebla . Obs. Met. Colegio de San Juan Nepo-	"
muceno, Saltillo, Coahnila,	
Mexico	
Sintesis Elemental del Cálcula Infinite-	**
	T /A whome
simal por Pedro Spina S.J.	L'Autore
Memorias de la Sociedad Cientifica	T - C - 1 - 1 - 1
"Antonio Alzate"	La Sociedad
Publicazioni della Specola Vaticana.	Consols Watterns
Fasciolo II.	Specola Vaticana.
Bollettino Mensuale dell' oss. Centrale	
del R. Coll. Carlo Alberto in	0
Moncalieri	Osservatorio
}	
1	

### APPENDIX

### **RESULTS**

OF

### METEOROLOGICAL OBSERVATIONS

TAKEN AT

ST. IGNATIUS' COLLEGE, MALTA,

BY THE

REV. J. SCOLES, S.J.

1892.

## ST. IGNATIUS' COLLEGE, MALTA.

Lat. 85° 55′ N. Long. 14° 29 E. Barometer Readings reduced to 32° F. at sea level.

### METEOROLOGICAL REPORT. 1892.

### JANUARY.

Results of Observations taken during the Month.	Mean for the last 5 years.
Mean Reading of the Barometerinches 29.978	30.051
Highest ,, on the 31st ,, 30.352	30.415
Lowest ,, on the 14th ,, 29.576	29.538
Range of Barometer Readings 0.776	0.877
Highest Reading of a Max. Therm. on the 12th 68.4	63.9
Lowest Reading of a Min. Therm. on the 30th 44.0	41.6
Range of Thermometer Readings 24.4	22.3
Greatest Range in 24 hours on the 8th 17.0	18.4
Mean of all the Highest Readings 62.1	58.4
Mean of all the Lowest Readings 50.5	47.8
Mean Daily Range 11.6	10.6
Mean Temperature (deduced from Max. & Min) 55.6	52.5
Mean Temperature (deduced from Dry Bulb) 55.0	52·1
Adopted Mean Temperature 55.3	52.3
Mean Temperature of Evaporation 51.2	48.1
Mean Temperature of Dew Point 48.7	44.9
Mean elastic force of Vapour inches 0.344	0.298
Mean weight of Vapour in a cub. ft. of air grains 3.9	3· <b>4</b>
Mean additional weight required for saturation,, 0.8	0.9
Mean degree of Humidity 83	80
Mean weight of a cubic foot of airgrains 538.4	5 <b>4</b> 2·9
Fall of Raininches 3.232	3.329
Number of days on which Rain fell 10	12
Mean amount of Cloud (an overcast sky=10) 4.3	4.6
Total number of miles of Wind indicated 8840	8336
Mean Velocity of Wind per hourmiles 11.2	11· <b>2</b>

## FEBRUARY.

Results of Observations taken during the month.	Mean for the last 5 years.
Mean Reading of the Barometerinches29 933	80.064
Highest ,, on the 1st ,, 30.210	30·334
Lowest ,, on the 4th ,, 29.534	29.690
Range of Barometer Readings, 0.676	0.644
Highest Reading of a Max. Therm. on the 19th 68.2	67.0
Lowest Reading of a Min. Therm. on the 5th 45.0	42.0
Range of Thermometer Readings 23.2	25.0
Greatest Range in 24 hours on the 19th 19.6	18.8
Mean of all the Highest Readings 61.6	60.7
Mean of all the Lowest Readings 51 8	49.0
Mean Daily Range	11.7
Mean Temperature (deduced from Max. & Min.) 55.7	53.9
Mean Temperature (deduced from Dry Bulb) 56 2	54.0
Adopted Mean Temperature 55.9	<b>54</b> ·0
Mean Temperature of Evaporation 52.5	50.0
Mean Temperature of Dew Point 50.5	47.3
Mean elastic force of Vapourinches 0.367	0.327
Mean weight of Vapour in a cubic ft. of air grains 4.2	3.7
Mean additional weight required for saturation,, 0.6	0.8
Mean degree of Humidity	83
Mean weight of a cubic foot of airgrains 536.7	541·1
Fall of Raininches 1.180	1.483
Number of days on which Rain fell 10	9
Mean amount of cloud (an overcast sky=10 5.7	4.0
Total number of miles of Wind indicated 8347	6893
Mean Velocity of Wind per hourmiles 12.0	10·1

## MARCH.

Besult of Observations taken during the Month.	Mean for the last 5 years
Mean Reading of the Barometerinches 29.970	30.008
Highest ,, on the 23rd ,, 30.275	30.404
Lowest ,, on the 29th ,, 29.574	29.513
Range of Barometer Readings 0.701	0.891
Highest Reading of a Max. Therm. on the 14th 70.8	74.6
Lowest Reading of a Min. Therm. on the 20th 44.9	44.2
Range of Thermometer Readings 25.9	30.4
Greatest Range in 24 hours on the 24th 19.6	23.4
Mean of all the Highest Readings 63.9	<b>63</b> ·6
Mean of all the Lowest Readings 51.8	51.2
Mean Daily Range 12:1	12.4
Mean Temperature (deduced from Max & Min. 57.2	51.6
Mean Temperature (deduced from Dry Bulb) 55.8	56.0
Adopted Mean Temperature 56.5	56.8
Mean Temperature of Evaporation 52.5	52.5
Mean Temperature of Dew Point 496	49.4
Mean elastic force of Vapourinches 0.357	0.354
Mean weight of Vapour in a oub. ft. of air grains 4.0	4.0
Mean additional weight required for saturation ,, 10	1.0
Mean degree of Humidity 81	80
Mean weight of a cubic foot of air grains 536.5	536.7
Fall of Raininches 0.810	0.692
Number of days on which Rain fell 5	6
Mean amount of Cloud (an overcast sky=10) 4.4	4.2
Total number of miles of wind indicated 8101	7886
Mean velocity of wind per hour miles 10.9	10.6

# APRIL.

Results of Observations taken during the Month.	Mean for the last 5 years.
Mean Reading of the Barometerinches 29:907	29.930
Highest ,, on the 24th ,,30.302	30.246
Lowest ,, on the 29th ,,29.536	29.460
Range of Barometer Readings 0.766	0.786
Highest Reading of a Max. Therm. on the 25th 72.5	75·1
Lowest Reading of a Min. Therm. on the 21st 49.9	47.9
Range of Thermometer Readings 22.6	27.2
Greatest Range in 24 hours on the 25th 21.1	20.9
Mean of all the Highest Readings 65.8	67.5
Mean of all the Lowest Readings 55.5	54.2
Mean Daily Range 10-3	13.3
Mean Temperature (deduced from Max & Min) 59.6	59.8
Mean Temperature (deducted from Dry Bulb) 59.6	59.8
Adopted Mean Temperature 59.6	59.8
Mean Temperature of Evaporation 56.3	55.9
Mean Temperature of Dew Point 53.4	5 <b>2</b> ·3
Mean elastic force of Vapourinches 0.409	0.893
Mean weight of Vapourina cub. ft. of air grains 4.6	4.4
Mean additional weight required for saturation , 1.2	1.4
Mean degree of Humidity 81	77
Mean weight of a cubic foot of air grains 530.5	530.6
Fall of Raininches 2:321	0.606
Number of days on which Rain fell 9	5
Mean amount of Cloud (an overcast sky=10) 5.3	4.0
Total number of miles of Wind indicated 9312	7869
Mean Velocity of Wind per hourmiles 129	10.9

# MAY.

Results of Observations taken during the Month.	Mean for the last 10 years.
Mean Reading of the Barometerinches30 002	29-991
Highest ,, on the 29th ,. 30 199	<b>30</b> ·180
Lowest ,, on the 3rd ,, 29 520	29.614
Range of Barometer Readings, 0.679	0.266
Highest Reading of a Max. Therm. on the 23rd 83.2	82.6
Lowest Reading of a Min. Therm. on the 4th 53.2	53.9
Range of Thermometer Readings 300	28.7
Greatest Range in 24 hours on the 23rd 25.2	24.1
Mean of all the Highest Readings 71.9	72.6
Mean of all the Lowest Readings 58 1	58.4
Mean Daily Range 13.8	14.2
Mean Temperature (deduced from Max and Min) 64 0	64.3.
Mean Temperature (deduced from Dry Bulb.) 68.0	63.8
Adopted Mean Temperature 68.5	64.1
Mean Temperature of Evaporation 597	60.0
Mean Temperature of Dew Point 56.5	56.4
Mean elastic force of Vapour inches 0 457	0.456
Mean weight of Vapour in a cub. ft. of air grains 5.0	5.0
Mean additional weight required for saturation, 15	1.7
Mean degree of Humidity 78	75
Mean weight of a cubic foot of airgrains 528.0	527·1
Fall of Raininches 3.232	1.249
Number of days on which Rain fell 5	4
Mean amount of Cloud (an overcast sky =10) 4.2	3.1
Total number of miles of Winds indicated 7515	7372
Mean Velocity of Wind per hourmiles 10.1	9.9

# JUNE.

Results of Observations taken during the Month,	Mean for the last 10 years.
Mean Reading of the Barometerinches 30 018	30.009
Highest ,, on the 22nd ,, 30·129	30.175
Lowest ,, on the 10th ,, 29.867	29.882
Range of Barometer Readings ,, 0.262	0.248
Highest Reading of a Max. Therm. on the 25th 91.8	91.0
Lowest Reading of a Min. Therm. on the 4th 60.1	59.2
Range of Thermometer Readings 31.7	31.8
Greatest range in 24 hours on the 4th 26:1	25.7
Mean of all the Highest Readings 82.4	80.6
Mean of all the Lowest Readings 65.7	64.8
Mean Daily Range 16.7	15.8
Mean Temperature (deduced from Max. & Min) 72.1	71.9
Mean Temperature (deducted from dry bulb) 73.3	71.2
Adopted Mean Temperature 72.7	71.6
Mean Temperature of Evaporation 66.8	65.9
Mean Temperature of Dew Point 62.4	61.7
Mean elastic force of Vapourinches 0.564	0.550
Mean weight of Vapour in a cub. ft. of air grains 6.1	6.0
Mean additional weight required for saturation, 2.6	2.4
Mean degree of Humidity 70	70
Mean weight of a cubic foot of airgrains 518-7	519-6
Fall of Raininches 0.010	0.081
Number of Days on which rain fell 1	1
Mean amount of Cloud (an overcast sky =10) 1.9	2.0
Total number of miles of Wind indicated 5872	6213
Mean Velocity of Wind per hourmiles 8.2	8.7

# JULY.

Results of Observations taken during the Month.	Mean for the last
Mean Reading of the Barometer inches 29 998	80-012
Highest ,, on the 5th ,, 80.195	80-155
Lowest ,, on the 12th ,, 29.801	29.844
Range of Barometer Readings, 0.394	0.311
Highest Reading of Max. Therm. on the 12th 95.4	97.2
Lowest Reading of Min. Therm. on the 22nd 66.8	64.6
Range of Thermometer Readings 29 1	82-6
Greatest Range in 24 hours on the 31st 24.8	<b>26</b> ·8
Mean of all the Highest Readings 86.4	86.8
Mean of all the Lowest Readings 70.8	69-8
Mean Daily Range 15.6	17-0
Mean Temperature (deduced from Max & Min.) 78-1	<b>77</b> ·8
Mean Temperature (deduced from dry bulb) 76.7	76.8
Adopted Mean Temperature 77.4	77:3
Mean Temperature of Evaporation 70.6	70-2
Mean Temperature of Dew Point 66.0	65.8
Mean elastic force of Vapourinches 0.689	0.625
Mean weight of Vapour in a cub. ft. of air grains 6.9	6.7
Mean additional weight required for saturation,, 8.2	5.4
Mean degree of Humidity	67
Mean weight of a cubic foot of air grains 513 2	513·8
Fall of Raininches 0.407	0
Number of days on which Rain fell 1	0
Mean amount of Cloud (an overcast sky=10) 0.9	0.6
Total number of miles of Wind indicated 6637	5600
Mean Velocity of Wind per hourmiles 8.9	7.6

# AUGUST.

Results of Observations taken during the Month.	Mean for the last 10 years.
Mean Reading of the Barometerinches 30.022	30.010
Highest ,, on the 16th ,, 30·192	30.156
Lowest ,, on the 2nd ,, 29.855	29.868
Range of Barometer Readings, 0.237	0.293
Highest Reading of a Max. Therm. on the 1st 99.2	97.0
Lowest Reading of a Min. Therm. on the 10th 67.8	66.2
Range of Thermometer Readings 31.9	30.8
Greatest Range in 24 hours on the 1st 25.8	26.2
Mean of all the Highest Readings 87.4	87.3
Mean of all the Lowest Readings 71.2	71.1
Mean Daily Range	16.2
Mean Temperature (deduced from Max. & Min.) 78.5	78-4
Mean Temperature (deduced from Dry Bulb) 78.3	78-4
Adopted Mean Temperature 78.4	78.4
Mean Temperature of Evaporation 71.7	71.4
Mean Temperature of Dew Point 67.0	66.7
Mean elastic force of Vapour inches 0.661	0.658
Mean weight of Vapour in a cub. ft. of air grains 7.1	7.0
Mean additional weight required for saturation 3.4	8.5
Mean degree of Humidity	67
Mean weight of a cubic foot of airgrains 512.1	512-2
Fall of Raininches	<b></b>
Number of days on which Rain fell	<b> </b>
Mean amount of Cloud (an overcast sky=10 0.9	1.0
Total number of miles of Wind indicated 4868	5442
Mean Velocity of Wind per hourmiles 6.5	7.8

## SEPTEMBER.

Results of Observations taken during the Month.	Mean for th last 10 Years
Mean Reading of the Barometerinches 30.053	30.064
Highest ,, on the 22nd ,, 30·190	30.246
Lowest ,, on the 11th ,, 29-861	29.849
Range of Barometer Readings ,, 0.329	0.397
Highest Reading of a Max. Therm. on the 4th 95.2	92.2
Lowest Reading of a Min. Therm. on the 11th 62.2	62.9
Range of Thermometer Readings 33.0	29.3
Greatest Range in 24 hours on the 4th 26.5	23.0
Mean of all the Highest Readings 81.0	82.6
Mean of all the Lowest Readings 67.7	68.5
Mean Daily Range 13-3	14.1
Mean Temperature (deduced from Max & Min.) 73.5	74.7
Mean Temperature (deduced from Dry Bulb) 72.7	<b>74</b> ·5
Adopted Mean Temperature 73·1	74·6
Mean Temperature of Evaporation 67.8	68.9
Mean Temperature of Dew Point 64.1	<b>64</b> ·8
Mean elastic force of Vapour inches 0.598	0.615
Mean weight of Vapour in a cub. ft. of air grains 6.5	6∙7
Mean additional weight required for saturation ,, 2.4	2.6
Mean degree of Humidity 75	72
Mean weight of a cubic foot of air grains 518.3	517.3
Fall of raininches 3.280	1.375
Number of Days on which rain fell 7	5
Mean amount of Cloud (an overcast sky=10) 2.5	2.4
Total number of miles of Wind indicated 5564	5630
Mean Velocity of Wind per hourmiles 7.7	7.8

## OCTOBER.

Besults of Observations taken during the Month.	Mean for the last 10 years
Mean Reading of the Barometerinches 30.028	80.045
Highest ,, on the 28th ,, 30.231	80.274
Lowest ,, on the 21st ,, 29.728	29.727
Range of Barometer Readings, 0.503	0.547
Highest Reading of a Max. Therm. on the 2nd 89.8	87.4
Lowest Reading of a Min. Therm. on the 23rd 58·1	55.7
Range of Thermometer Readings 31.7	31.7
Greatest Range in 24 hours on the 2nd 19.2	19.6
Mean of all the Highest Readings 78.3	76-1
Mean of all the Lowest Readings 66.2	64.3
Mean Daily Range 12-1	11.8
Mean Temperature (deduced from Max. & Min) 71.3	69.3
Mean Temperature (deduced from Dry Bulb) 69.7	68.4
Adopted Mean Temperature 70.5	68.9
Mean Temperature of Evaporation 66.3	64.2
Mean Temperature of Dew Point 63.7	60.7
Mean elastic force of Vapourinches 0.590	0.536
Mean weight of Vapour in a cub. ft. of air grains 6.5	5.8
Mean additional weight required for saturation,, 1.4	1.7
Mean degree of Humidity 82	77
Mean weight of a cubic foot of air grains 521.4	523· <b>4</b>
Fall of Raininches 1.658	8.013
Number of days on which Rain fell 8	8
Mean amount of Cloud (an overcast sky=10) 4.7	4.2
Total number of miles of Wind indicated 5711	6802
Mean Velocity of Wind per hourmiles 7.7	9.2

### NOVEMBER.

Results of Observations taken during the Month.	Mean for the last 10 years.
Mean Reading of the Barometerinches 30·124	80-076
Highest ,, on the 80th ,, 30.355	30.328
Lowest ,, on the 18th ,, 29.843	29.746
Range of Barometer Readings ,, 0.512	0.582
Highest Reading of a Max. Therm. on the 2nd 81.6	76.1
Lowest Reading of a Min. Therm. on the 30th 47.6	49.0
Range of Thermometer Readings 34.0	27.1
Greatest Range in 24 hours on the 30th 17:1	18.5
Mean of all the Highest Readings 69.4	68.0
Mean of all the Lowest Readings 58.7	56.9
Mean Daily Range 10.7	11.1
Mean Temperature (deduced from Max. & Min.) 68.0	61.7
Mean Temperature (deduced from Dry Bulb) 62.0	61.2
Adopted Mean Temperature 62.5	61.5
Mean Temperature of Evaporation 57.9	56.9
Mean Temperature of Dew Point 55.0	53.8
Mean elastic force of Vapour inches 0.433	0.414
Mean weight of Vapour in a cub. ft. of air grains 4.8	4.7
Mean additional weight required for saturation,, 1.2	1.3
Mean degree of Humidity 80	79
Mean weight of a cubic foot of air grains 532 5	532-6
Fall of Raininches 7.329	3.305
Number of days on which Rain fell 13	10
Mean amount of Cloud (an overcast sky=10) 5.2	4.8
Total number of miles of Wind indicated 6587	6809
Mean Velocity of Wind per hourmiles 9.1	9.5

### DECEMBER.

Besults of Observations taken during the Month.	Mean for th last 10 years.
Mean Reading of the Barometerinches30·012	<b>30</b> ·070
Highest ,, on the 18th ,, 30:447	30·41 <del>4</del>
Lowest ,, , on the 31st ,, 29.386	29.582
Range of Barometer Readings, 1.111	0.832
Highest Reading of a Max. Therm. on the 9th 69.9	68.5
Lowest Reading of a Min. Therm. on the 8th 48.7	44.0
Range of Thermometer Readings 21.2	24.5
Greatest Range in 24 hours on the 8th 17.3	17.2
Mean of all the Highest Readings 64.9	62.0
Mean of all the Lowest Readings 54 6	52·2
Mean Daily Range 10.8	9.8
Mean Temperature (deduced from Max & Min). 59.0	56.5
Mean Temperature (deduced from Dry Bulb) 58.1	56·0
Adopted Mean Temperature 58.6	56.3
Mean Temperature of Evaporation 53.8	51.9
Mean Temperature of Dew Point 50.7	48.7
Mean elastic force of Vapour inches 0.370	0.344
Mean weight of Vapour in a cub. ft. of air grains 4.1	3⋅9
Mean additional weight required for saturation,, 1.2	1.1
Mean degree of Humidity 79	79
Mean weight of a cubic foot of air grains 535.2	<b>53</b> 8·8
Fall of rain inches 2.069	3.653
Number of Days on which Rain fell 13	14
Mean amount of Could (an overcast sky=10) 6.0	5.4
Tofal number of miles of Wind indicated 7844	8291
Mean Velocity of Wind per hourmiles 10.5	11.2

# Summary of Observations FOR 1892.

Besults of Observations taken during the Year.	Mean for t last 10 years
Mean Reading of the Barometerinches 29 920	30.016
Highest ,, on December 18th ,, 30.447	30.505
Lowest ,, on December 31st ,, 29.336	29.354
Range of Barometer Readings, 1-111	1.151
Highest Reading of a Max. Therm. on Aug. 1st 99.2	99.3
Lowest Reading of a Min. Therm. on Jan. 30th 44.0	<b>4</b> 0·9
Range of Thermometer Readings 55.2	58.4
Greatest Range in 24 hours on Sept. 4th 26.5	28.9
Mean of all the Highest Readings 72.9	<b>72</b> ·4
Mean of all the Lowest Readings 60.2	<b>59·2</b>
Mean Daily Range 12-7	13-2
Mean Temperature (deduced from Max & Min.) 65 6	64.9
Mean Temperature (deduced from Dry Bulb) 65.0	64.4
Adopted Mean Temperature 65.3	64.7
Mean Temperature of Evaporation 60 6	59.7
Mean Temperature of Dew Point 57 3	56.0
Mean elastic force of Vapourinches 0.470	0.449
Mean weight of Vapour in a cubic foot of air grains 5.3	5.1
Mean additional weight required for saturation ,, 1.7	1.8
Mean degree of Humidity 78	76
Mean weight of a cubic foot of airgrains 526.8	528.0
Total fall of rain in the Yearinches25.528	19-204
Number of Days on which Rain fell 81	76
Mean amount of Cloud (an overcast sky=10) 3.9	3.5
Total number of miles of Wind indicated 84698	84749
Mean Velocity of Wind per hourmiles 9.6	9.7

The Maximum monthly mean height of the Barometer was in November, 1889, and was .....inches 30.249

The Minimum ,, ,, in January, 1886, and was ,, 29.844

The Maximum weeks meen beinkt of the December was in
The Maximum yearly mean height of the Barometer was in
1884, and wasinches 30.057
The Minimum ,, ,, in 1885, and was ,, 30 009
The greatest monthly range of the Barometer was in
January, 1886, and was 1.201
The least ,, ,, in August, 1883, and was 0.188
The highest reading of the Barometer, during 5 years, was
on January 26th, 1887, and was80.627
The lowest ,, ,, on the 17th, January 1886, and was 29-155
Extreme range 1.472
The highest temperature was on July 20th, 1889, and was 104·1
The lowest ,, ,, February 20th, 1891 37.7
The highest mean temperature of a month was in August,
1885, and was 83·2
The lowest ,, ,, February, 1891, and was 49.5
The greatest monthly mean weight of vapour, in a cubic foot
of air was in August, 1855, and was grains 7.9
The least ", ", January and February, 1891, and was ", 8.0
The highest observed Dew-point was on the 30th August,
1885, and was
The lowest , , 19th January, 1891, and was 28.6
The greatest fall of rain in a month, was in December, 1889, and
wasinches 8.952
The greatest number of days on which rain fell in one month
was in January, 1889
The state of the s
The highest temperature registered in sunshine was on the
20th July, 1889, and was
The lowest temperature registered on ground was on the
25th January, 1891, and was
The highest observed sea temperature was on the 5th August,
1887, and was 85·0
The lowest ,, ,, 23rd January, 1891, and was 56.0
The smallest mean amount of cloud observed in one month
was in August, 1890, and was 0.0
The greatest ,, in December, 1888, and was 6.4

#### NOTES FOR THE SEPARATE MONTHS.

#### JANUARY.

THE Dew-point ranged between 89.9° on the 10th and 55.2° on the 20th.

In Sunshine, the highest reading was 116.4° on the 12th.

On ground, the lowest reading was 38.2° on the 11th.

The Sea has fallen from 61.5° to 58.6°.

Thunderstorms passed on the 25th and 26th.

Lightning was seen on the 14th.

Total Rainfall since last June 10.496 inches;

the average of 5 years, 15.362 inches.

#### FEBRUARY.

The Dew-point ranged between 36  $1\,^{\rm o}$  on the 15th & 57·8  $^{\rm o}$  on the 28th.

In Sunshine, the highest reading was 123.4° on the 29th.

On Ground, the lowest reading was  $39.0^{\circ}$  on the 12th.

The Sea has risen from  $58.6^{\circ}$  to  $61.0^{\circ}$ .

Lightning was seen on the 23rd.

Total Rainfall since last June, 11.676 inches the average of 5 years, 16.845 inches.

#### MARCH.

The Dew-point ranged between  $57 \cdot 0^{\rm o}$  on the 10th and 41  $0^{\rm o}$  on the 11th.

In Sunshine, the highest reading was 129.4° on the 14th.

On Ground, the lowest reading was 88.0° on the 23rd.

The Sea has fallen from 61.0° to 59.8°.

Lightning was seen on the 30th.

Total Rainfall since last June 12 486 inches;

the average of 5 years, 17.537 inches.

#### APRIL.

The Dew-point ranged between 59.4° on the 14th and 87.0° on the 20th.

In Sunshine, the highest reading was 181.6° on the 27th.

On Ground, the lowest reading was 43 5° on the 24th.

The Sea has risen from 59.8° to 62.5°.

Thunderstorms passed on the 2nd, 4th, and 21st.

Hail fell on the 2nd, 20th, and 21st.

Total Rainfall since last June 14:807 inches;

the average of 5 years, 18:148 inches.

#### MAY.

The Dew-point ranged between  $46.0^{\circ}$  on the 8th and  $64.7^{\circ}$  on the 28th.

In Sunshine, the highest reading was 138.8 on the 23rd.

On Ground, the lowest reading was 46.7° on the 4th.

The Sea has risen from 62.5° to 72.0°.

Total Rainfall since last June 18:089 inches;

the average of 5 years, 18.416 inches.

The rainfall is the same as that for the month of January, but it fell in half the number of days

#### TUNE.

The Dew-point ranged between  $51.8\,^{\circ}$  on the 4th and  $70.8\,^{\circ}$  on the 80th.

In Sunshine, the highest reading was 147.1° on the 25th.

On Ground, the lowest reading was 54.8° on the 4th.

The Sea has risen from 72.0° to 77.0°.

Lightning was seen on the 15th.

#### JULY,

The Dew-point ranged between  $57.6^{\circ}$  on the 11th and  $72.8^{\circ}$  on the 18th.

In Sunshine, the highest reading was 146.5° on the 31st.

On Ground, the lowest reading was 61.7° on the 26th.

The Sea has risen from 77.0° to 80.0°.

Thunderstorms passed on the 21st.

#### AUGUST.

Dew point ranged between 58.3° on the 1st and 71.8° on the 17th.

In Sunshine, the highest reading was 153.7° on the 2nd.

On Ground, the lowest reading was 61.4° on the 5th.

The Sea rose to 82.2°.

Lightning was seen on the 22nd and 27th.

#### SEPTEMBER.

Dew-point ranged between 72·5° on the 2nd and 53·9° on the 4th.

In Sunshine, the highest reading was 144.5° on the 4th.

On Ground, the lowest reading was 58.40 on the 29th.

The Sea has fallen from 82.0° to 76.8°.

Thunderstorms passed on the 9th, 10th, 21st, 22nd, 23rd, and 26th.

Lightning was seen on the 11th, 18th, 14th, 20th, and 24th. Total Rainfall since last June 3 687 inches;

the average of 10 years 1.525 inches.

#### OCTOBER.

Dew-point ranged between  $78.2^{\circ}$  on the 2nd and  $51.6^{\circ}$  on the 28rd.

In Sunshine, the highest reading was 142.5° on the 3rd.

On Ground, the lowest reading was 52.8° on the 23rd.

The Sea has fallen from 76.8° to 73.0°

Thunderstorms passed on the 15th and 24th.

Lightning was seen on the 9th, 14th, 18th, 20th and 23rd.

Total Rainfall since last June 5.845 inches, the average of 10 years 4.537 inches.

#### NOVEMBER.

Dewpoint ranged between 68.9° on the 2nd and 41.9° on the 30th.

In Sunshine, the highest reading was 131.8° on the 2nd.

On Ground, the lowest reading was 41.0° on the 30th.

The Sea has fallen from 73.0° to 66.4°.

Thunderstorms passed on the 10th, 11th, and 15th. Lightning was seen on the 18th.

Total Rainfall since last June 12:674 inches; the average of 5 years 7:842 inches.

The rainfall is double the average for the month.

#### DECEMBER.

Dew-point ranged between 38.8° on the 7th and 58.9° on the 28th.

In Sunshine, the highest reading was 117.0° on the 3rd. On Ground, the lowest reading was 43.0° on the 8th. The Sea has fallen from 66.4° to 64.0°. Thunderstorms passed on the 14th and 28th. Hail fell on the 14th and 28th.

Total Rainfall since last June 14.743 inches; the average of 10 years, 11.495.

#### NOTES FOR THE YEAR.

Dew-point ranged between 36·1° on the 15th February, and 73·2° on the 2nd October.

In Sunshine, the highest reading was  $153.7^{\circ}$  on the 2nd August. On Ground, the lowest reading was  $38.0^{\circ}$  on the 23rd March. The Sea has ranged from  $58.6^{\circ}$  in February to  $82.0^{\circ}$  in August. Thunderstorms passed on 22 days. Lightning was seen on 17 days. Hail fell on 5 days.

I have just finished an examination of the barometric waves during the last ten years, which I have carried on in the hopes that the result might throw some light on the three day period, popularly attributed to the gales of wind here, and very frequently verified in fact. I also expected to find a difference between the Summer and Winter behaviour of the barometer, and I think I have succeeded in both. I have reckoned the waves from Minimum to Minimum from a tabulation of the 8 a.m., and 8 p.m.


readings, but eliminating movements or dips of less than onetenth inch deep. The results are as follows:—

		Len	gth in Days.	Height in inches.	Rate of Motion in inches per diem.
	January	••	6.8	0.400	0.135
	February		5· <b>2</b>	0.826	0.127
	March	••	6.0	0.879	0.128
	April	••	4.7	0.308	0.133
	, May	••	6· <b>4</b>	0.268	0.080
۱	June	••	6.4	0.192	0.059
STATE	July	••	<b>7·8</b>	0.180	0.050
3	August	••	7.9	0.171	0.043
ď	September	••	8.5	0.237	0.059
	October	••	6.7	0-290	0.092
	November	••	5.8	0.276	0.096
	December	••	6.4	0.871	0.124
	Mean for	Year	6.5	0.283	0.097
	Summer	••	7.2	0.223	0.064
	Winter	••	5.7	0.887	0.124

SUMMER

From this it appears that the depressions average 61 days in passing, and the winds of one side may be expected to come near averaging 8 days in duration or sufficiently so to attract notice to the period. Very frequently we have only the winds belonging to one side of a depression, and generally it is the rising side that is windy. Comparing Summer half with Winter half, there is considerable contrast to be seen. The Summer depressions average 1.7 day more in length and 0.16 inch less in depth than the Winter ones, so that the motion of the barometer is twice as lively in the Winter half. is a remarkable month for short period. In Summer. especially in June and July, when the weather is very fine, there is a constant difference between 8 a.m. and 8 p.m. reading of from 3 to 5 hundredths of an inch in favour o the morning reading, the result of diurnal variation. seldom seen in Winter or indeed after August.

JAMES SCOLES, S.J.




STONYHURST COLLEGE OBSERVATORY.

Mesuits of Abeteorological

WHEE.

Magnetical Observations,

1803.



# STONYHURST COLLEGE OBSERVATORY, LANCASHIRE.

# With FATHER SIDGREAVES' COMPLIMENTS.







# STONYHURST COLLEGE OBSERVATORY.

# RESULTS

OF

METEOROLOGICAL, MAGNETICAL,

AND

SOLAR OBSERVATIONS

BY THE

REV. W. SIDGREAVES, S.J., F.R.A.S.

1893.

#### CLITHEROE:

PRINTED BY PARKINSON AND BLACOW, TIMES OFFICE.

•

:

# TABLE OF CONTENTS.

Introduction	••	• •	••.	• •	• •	• •	5
Monthly Mete	orological	Tables	••		••		8
Yearly Meteor	ological S	ummary	••				<b>32</b>
Dates of Occa	sional Phe	nomena		••	••		84
Summary of S	Solar Obse	rvations	••	••	••		36
Dates of Solar	Drawings	s, etc.	••	••	••	••	37
<b>Total Amount</b>	of Sunshi	ine recore	ded on ea	ach day	••	••	<b>3</b> 8
Monthly Table	es for each	hour of	recorded	Sunshin	e		40
Chart of Mea	n Annual	Tempera	atures				41
Observations	of Upper (	Clouds (C	Cirrus)	••			42
Magnetic Rep	ort—						
1. Absolute	Values of	the Elem	ents of T	errestria	l Magne	tism	46
2. Magnetic	Disturba	nces			••		<b>52</b>
List of Presen	ts receive	đ		••	••		53
Corrigenda	••	••	••	••	••		62
Appendix. O	bservation	s taken a	t St. Ign	atius' Co	llege, M	(alt <b>a</b>	63

#### INTRODUCTION.

The routine work of the meteorological and magnetical department of the observatory has been carried on under the same direction, and on the same lines as described in the introduction to the report of last year; and special meteorological reports have been occasionally sent to personal applications.

The scale co-efficient of the Bifilar magnetograph was tested in October, and found to have suffered no change since its adjustment to 0.00050 C.G.S. units in March, 1892.

The year in general has been meteorologically a memorable one as a warm and dry year. But the long drought which affected the farming interest over the greater part of Europe, and the southern and midland counties of England, was only partially felt at Stonyhurst; and it is remarkable that the total rainfall of the 12 months is in excess of the average by over three inches. Eight heavy storms in the four months following July contributed 10½ inches of rain to the unexpected total. The dry season commenced abruptly on the 18th of March, and lasted to the 22nd of June.

But it was broken with light showers in April, and on the first days of May and June; and the fall in May was brought up to the average by thundry rains in the third week, and on the 29th. The higher monthly mean temperature was maintained from March to August inclusively, at an average of nearly 3° above the general mean for the same period September and October were colder, and December was a mild month.

The mean annual temperatures for the last 46 years are given at the end of the meteorological report, page 40, plotted on a chart; and a smooth mean wave curve of the whole period is drawn through the series. The complete period of this wave appears to be about 32 or 33 years, and the epochs of its maximum and minimum are approximately coincident with those of the great November meteor swarm, the Leonids.

The ordinary work of the solar chromosphere has been practically suspended during the year on account of the anticipated dismounting of the telescope for the erection of the Fr. Perry Memorial. But the Sun-spot drawings have been continued, and were carried on with the six inch objective—Alvan Clark—which was mounted on the Equatorial during the absence of parts of the eight inch telescope.

The new objective, with its mountings, arrived at the beginning of November, and was erected on the 6th. It has a clear aperture of  $14\frac{7}{8}$  inches, and was worked by Sir Howard Grubb, of Dublin. It is valued at £650, and constitutes the substantial tribute to the memory of the late Fr. Perry, raised by the generosity of his many friends. The general appearance of the instrument has been an agreeable surprise. The greater telescope appears better suited to the massive pedestal of the equatorial than the smaller one it was

built to carry; and a remark made by the late Sir George Airey in 1866, while the instrument was still in the keeping of the Royal Astronomical Society—that it was worthy of a better object glass—has been more than confirmed by its manner of bearing the heavier load. We are not yet able to speak by experience of the excellence of the glass. The bright wintry nights have so far been attended with that optical quivering which reduces the greatest atmospheric transparency to a rank, in the order of observing excellence, inferior to a hazy sky. The severest tests of superior definition have therefore been impossible but occasional glimpses through momentarily steady air have given us an assurance that the objective will prove its constructor's verdict of excelling amongst the best.

The large grating spectograph has been employed upon the solar spots and faculae with the result of 175 photographs of spot-spectra in the green-yellow region, and 92 plates of faculae-reversals of the H and K lines.

The night-work with the Equatorial has been confined to stellar photographic spectra; the intention being to continue the series of at least one good plate per annum of each of the brighter stars. But the series was interrupted in May, when it was decided to make use of every opportunity upon the variable star  $\beta$  Lyrae; and as the exposures upon this were necessarily long, and there were many failures, the brightest stars were let alone. Out of the whole number of exposures, 45 plates proved to be available for careful measurements, and the results are published in the December number of the Monthly Notices of the Royal Astronomical Society.

WALTER SIDGREAVES, S.J., F.R.A.S.

# Stonyhurst Ohservatory.

Lat. 53° 50′ 40″ N. Long. 9m. 52s. 68 w. Height of the Bayometer above the sea 381ft.

# METEOROLOGICAL REPORT.

JANUARY, 1893.

Results of Observations taken during the Month.	Mean for the last 46 years.
Mean Reading of the Barometer 29.617	29.442
Highest ,, on the 4th ., 30.129	30.282
Lowest ,, on the 29th ,, 28.864	28.581
Range of Barometer Readings 1.265	1.701
Highest Reading of a Max. Therm. on the 30th 52.1	51·5
Lowest Reading of a Min. Therm. on the 4th 150	20.7
Range of Thermometer Readings 37.1	30.8
Mean of all the Highest Readings 41.1	42.2
Mean of all the Lowest Readings 31.0	32.5
Mean Daily Range 10-1	9.7
Deduced Monthly Mean (from Mean of Max.	
and Min.) 35.9	<b>37</b> ·1
Mean Temperature from Dry Bulb 36.1	37·1
Adopted Mean Temperature 36.0	37·1
Mean Temperature of Evaporation 34.7	36 0
Mean Temperature of Dew Point 32.8	33.8
Mean elastic force of Vapour 0.188 in	0·196 in
Mean weight of Vapour in a cub. ft. of air 2 1gr	2·4gr
Mean additional weight required for saturation 0.4gr	0·4gr
Mean degree of Humidity (saturation 1.00) 0 88	.0.86
Mean weight of a cubic foot of air 554.2gr	549-6gr
Fall of Rain 1.793 in	4·131 in
Number of days on which Rain fell 18	19.6

JANU	ARY	<b>7,</b> 1	893.					
No. of days in the month on	N	NE	E	SE	s	sw	w	NW
which the prevailing wind was	1	5	4	1	0	5	9	6
Mean Velocity in miles per hour	3.6	4.6	11-2	15.7	0	12.6	12.8	7.5
Total No. of miles for each Direction	86	552	1075	376	0	1511	2764	1082
The total number of miles re The max. Velocity of the wi S., on the 26th at 8 a.m (So Mean amount of Cloud (an ow In the month of January, the	nd w uth f ercas high	as 37 or tw tsky iest i	mile o hor being readir	es per urs or gindi ng of	hounly.) cate the	ir. D d by 1 Bar-	irecti .0·0)	on 83:
ometer during 46 years was	on t	he 18	3th, i					
The lowest ,,		11				4		
The highest Temperature		••		-		7		
The lowest ,,		,,		15th	, 188	1	•	<b>4</b> ⋅6 ′;

The first week was very cold. The daily highest readings of the thermometer being below the mean temperature of the month until the 8th. The lowest readings on these days were approximately 18°, 18°, 16°, 15°, 22°, and 29° respectively.

42.5

29·2

1881.....

The highest adopted mean temperature of the month, 1875

The lowest

# FEBRUARY, 1893.

Results of Observations taken	durir	g the	mont	h.			an for last years	
Mean Reading of the Baromet	er			29 · 1	L9 <b>7</b>	29	9·503	
Highest ,, o	n the	5th		29 -9	42	30	0.063	
Lowest ,, o	n the	26tl	1	28.2	236	24	3· <b>6</b> 88	
Range of Barometer Readings.	•••••			1.7	706	]	1 · 375	
Highest Reading of a Max. The	erm.	on th	e 19t	h 5	<b>7</b> ·0		<b>52</b> ·1	
Lowest Reading of a Min. The	erm.	on th	e 27t	h 2	0.3		22.4	
Range of Thermometer Reading	ngs	•••••		3	6·7		29.7	
Mean of all the Highest Readi	ings			4	<b>4</b> ·9		44.3	
Mean of all the Lowest Reading	ngs.			3	3· <b>4</b>		33.6	
Mean Daily Range				1	1 ·5		10.7	
Deduced Monthly Mean (from and Min.)	Mea	an of	Max		8 8		38-4	
Mean Temperature from Dry	Bulb			8	9·4		38.4	
Adopted Mean Temperature	• • • • • • •			. 8	9·1	1	38.4	
Mean Temperature of Evapora	tion			8	7.7	36.9		)
Mean Temperature of Dew Po	int		· · · · ·	. 8	<b>5</b> ·9	34.7		
Mean elastic force of Vapour				. 0.2	211 in		0·193	in
Mean weight of Vapour in a cu	bic f	of a	ir	•	2 · 4gr	1	2.4	lgr
Mean additional weight require	ed for	r satu	ratio	n	0·4gr		0.4	gr
Mean degree of Humidity (sat	urati	on 1	00).	. 0	.89		0.87	,
Mean weight of a cubic foot of	air			. 54	2 0gr	1	5 <b>4</b> 8·4	lgr
Fall of Rain				. 5.	762 in		3.486	3in
Number of days on which Rain	n fell	١		•	22		1'	<b>7</b> ·0
No. of days in the month on	N	NE	E	SE	s	sw	w	N
which the prevailing wind was	2	1	3	2	5	4	10	_
Mean Velocity in miles per hour	7.5	11.0	9.3	80	8.7	16.3	16.5	2
Total No. of miles for each Direction	<b>36</b> 0	267	672	385	1038	1560	3963	5

The total number of miles registered during the month was 8298. The max. Velocity of the wind was 46 miles per hour. Direction W. by N., noon, on the 10th.

## FEBRUARY, 1893.

Mean amount of Cl	•	• •	•	•
In the month of Fel during 46 year	bruary, th rs, was or	ie highest reading o i the 11th, in 1849	t the Baromete, and was	r 80·452
The lowest	,,	**	6th, 1867	<b>28</b> ·208
The highest Temp	erature	**	8th, 1877	<b>58·3</b>
The lowest	. ,,	,,	18th, 1892	8.1
The highest adopte	d mean te	mperature of the m	onth, 1869	44.0
The lowest	••	**	1855	<b>2</b> 8·6

A very wet and warm month with a remarkably low barometer. On 10 days the pressure was below 29 inches.

MILLICOLL, 1004	MA	RCH,	1893.
-----------------	----	------	-------

Results of Observations take	n duri	ing th	ю Мо	nth.			an for	
Mean Reading of the Barome				90.	e = 17	i -	6 year 9·474	
TT!-44			h				0.088	
Tarrest	n the			28		1 -	8.692	
Range of Barometer Reading						2	1.891	
Highest Reading of a Max. Th					120 5·0		57.1	
Lowest Reading of a Min. Th					21.0			
<u> </u>					11·0 14·0		22.8	
Range of Thermometer Read	_						34.8	
Mean of all the Highest Read	•				3.5	1	47:1	
Mean of all the Lowest Read					5.2	1	34.0	
Mean Daily Range					.8· <b>3</b>		13.1	
Deduced Monthly Mean from								
and Min					3 4	1	39∙6	
Mean Temperature from Dry					3.0		39.9	)
Adopted Mean Temperature.					$3\cdot 2$	39·7 37·8		
Mean Temperature of Evapor					10·9			
Mean Temperature of Dew 1					88· <b>2</b>		<b>35</b> ·3	3
Mean elastic force of Vapour	:		• • • •	0·	230 i	1	0.205	in
Mean weight of Vapour in a cu	b.ft.	of air	• • • • •		2.6g	г	2.4	gr
Mean additional weight requir	ed fo	r satı	uratio	on	0.7g	r	0.5	gr
Mean degree of Humidity (sa	turat	ion 1	·00) .	(	)·77		0.85	;
Mean weight of a cubic foot	of air	r		54	l5·7g	r	5 <b>4</b> 6·7	gr
Fall of Rain				ì·	699 ir	1	3.077	'in
Number of days on which Ra	in fe	:11	• • • • •	•	14		17:4	ŀ
No. of days in the month on	N	NE	E	SE	s	sw	w	NV
which the prevailing wind was	2	5	1	0	1	7	13	2
Mean Velocity in miles per hour	4.5	7.2	12.5	0	4.7	12:0	14·3	5.
Total No. of miles for each Direction	215	867	300	0	113	2021	4463	25

The total number of miles registered during the month was 8233. The max. Velocity of the wind was 37 miles per hour. Direction S.W. by W., on the 15th at noon.

### MARCH, 1893.

Mean amount of Cloud (an overcast sky being indicated by 10.0) 6.0 In the month of March, the highest reading of the Barome-

ter duri	ng 46 years, was	on the 6th, in	1852, and was	<b>3</b> 0· <b>4</b> 01
The lowest	,,,	,,	31st, 1860	28·199
The highest	Temperature	,,	25th, 1871	68.0
The lowest	,,	,,	6th, 1886	11.5
The highest a	dopted mean ten	perature of the	month, 1871	<b>44</b> ·0
The lowest	,,	,,	1855 and 1892	35.6

The rainy weather of last month held on through the first week of March, with a high barometer. The dry weather set in on the 18th with a rapid rise of the barometer from its principal depression in the month. The general curve of the pressure during the month is represented by two long wave-crests, divided by a short hollow in the middle of the month.

APR	IL,	18	93.						
Results of Observations take	n dur	ing th	e Mon	th.		1	last 46 Ye	t	
Mean Reading of the Bard	mete	r		. 29	762		29.48	6	
Highest "	:	29.96	9						
Lowest ,,	:	28.80	8						
Range of Barometer Readings		1.16	6						
Highest Reading of a Max. Th	erm.	on th	ne 24t	h '	<b>74</b> ·0	1	66:	2	
Lowest Reading of a Min. The	erm.	on th	e 11t	h :	<b>25</b> ·7		28:	Ł	
Range of Thermometer Read	iings				48·3		38:	L	
Mean of all the Highest Read	lings			. (	61·6		55:	9	
Mean of all the Lowest Rea	ding	s		. :	8 <sup>7</sup> ·8		37.	7	
Mean Daily Range		•••••		. :	23.8	1	18-5	2	
Deduced Monthly Mean (from and Min.)	Me:	an of	Max		48·2		44.4	Ŀ	
Mean Temperature from Dry Bulb 48.2							44.5		
Adopted Mean Temperature	Adopted Mean Temperature 48.2							5	
Mean Temperature of Evaporation 44·1							41.6		
Mean Temperature of Dew Point							38.1		
Mean elastic force of Va	pour	•		. o	2 <b>4</b> 5 iı	a a	0·235 in		
Mean weight of Vapour in a c	ub. f	t. of	air		2·8g	rÌ	2.	7gr	
Mean additional weight require	ed for	r satu	ıratio	n	1.0g	r	0.7	7gr	
Mean degree of Humidity (sa	turati	ion 1	00).	. (	)∙78	1	0.80	•	
Mean weight of a cubic foo	ot of	air .		. 54	43·1g	r	542	lgr	
Fall of rain					811 ir	1	2.265	in	
Number of Days on which ra	in fel	11	• • • • •		8		14.6		
No. of days in the month on	N	NE	E	SE	s	s w	w	NW	
which the prevailing wind was	5	3	6	0	8	1	11	1	
Mean Velocity in miles per hour	6.6	7.6	8.9	0	6 1	9-6	9.5	7·1	
Total No. of miles for each Direction.	788	547	1288	0	441	230	2493	171	

The total number of miles registered during the month was 5958. The max. Velocity of the wind was 30 miles per hour. Direction W. by S., on the 30th, at noon.

### APRIL, 1893.

Mean amoun	t of Cloud (an over	ast sky being	indicated by 10·0)	4.8				
In the month of April, the highest reading of the Barometer during 46 years, was on the 17th, in 1887, and was 30 251								
The lowest	**	••	20th, 1868	28.358				
The highest	Temperature	,,	14th, 1852	74.1				
The lowest	"		18th, 1892	20.8				
The highest adopted mean temperature of the month, 1865 48.5								
The lowest	**	,,	1879	40.7				

A fine dry month with a generally high and steady barometer. There were three shallow depressions at the beginning, middle, and end of the month accompanied by a little rain.

### JUNE, 1893.

			2					
Results of Observations take	n du	ring t	he M	onth		200	an for last 6 year	
Mean Reading of the Baron	meter	r		. 29	586	1 2	9.541	
Highest , on	the	10th		. 29	984	2	9-891	
Lowest ,, on	the	23rd		. 28	313	2	9.030	)
Range of Barometer Reading	gs .			1	171	13	0.861	6
Highest Reading of a Max. Th	erm.	on th	ne 18	th 8	8.7		77.2	2
Lowest Reading of a Min. Th	erm.	on t	he 1	st 4	1.8		38.9	)
Range of Thermometer Read	ings			4	6.9		38 8	3
Mean of all the Highest Read	ings			7	0.7		65.7	
Mean of all the Lowest Read	ings			4	9.0		47-9	)
Mean Daily Range					1.7		17.8	3
Deduced Monthly Mean (from and Min					8-1		55.0	
Mean Temperature from dry	bulb			5	7.9		55.1	
Adopted Mean Temperature.				5	8.0		55-1	
Mean Temperature of Evapor	ation			5	3.8		52.0	)
Mean Temperature of Dew Po	int.			5	0.8	1	48.6	
Mean elastic force of Vapour	r			0.8	362 ir	1	0.355	in
Mean weight of Vapour in a cul	o. ft.	of air			4.0g	-	3.9	gr
Mean additional weight requir	ed fo	r sati	uratio	on	1.6g		0.9	gr
Mean degree of Humidity (sa	atura	tion .	1.00)	0	75	1	0.79	
Mean weight of a cubic foot	of ai	r		. 52	8.9g	r	531.2	gr
Fall of Rain				2:	382 in	1	8.622	in
Number of Days on which ra	ain f	ell	••••	••	11		16.2	
No. of d ys in the month on which the prevailing wind was	N	NE	E	SE	s	sw	w	N
which the prevaining wind was	2	6	8	1	0	ŏ	13	(
				-	1			_
Mean Velocity in miles per hour	4.9	6.7	8.3	6.2	0	9.3	8.4	(

The total number of miles registered during the month was 5696. The max. Velocity of the wind was 28 miles per hour. Direction S.S.W., on the 28th at 9 a.m.

### JUNE, 1893.

Mean amount of C	loud (an over	ast sky bein	g indicated by 10·0) 6·6	;				
In the month of June, the highest reading of the Barometer								
during 46 years, was on the 15th, in 1874, and was 30.219								
The lowest	,,	,,	23rd, 1893 28·818					
The highest Tem	**	,,	18th, 1893 88·7	,				
The lowest	- ,,	"	17th, 1892 84·1					
The highest adopted mean temperature of the month, 1858 59								
The lowest	,,	,,	1856 and 1860 52:2	;				

A very warm month, marked by the highest shade temperature of 46 years. This was 88.7° on the 18th, and is half a degree higher than the previous maximum, which was read on the 15th of July, 1868; and on 16 days the maximum shade-thermometers stood above 70°. But the mean temperature of the month is as much as 1° lower than that of June, 1858. The barometer was generally high in the first half of the month, with two short and shallow depressions. A deep fall began on the 19th and reached the lowest point of the hollow on the 23rd, when the pressure fell below 29 inches for the first time since March 1st.

JULY,	1893.
-------	-------

Results of Observations taken during the Month         Mean for the last 46 years.           Mean Reading of the Barometer
Highest       """ on the 27th       29 847         Lowest       """ on the 19th       29 031         Range of Barometer Readings       0 816       0 884         Highest Reading of a Max. Therm. on the 7th       83 5       78 8         Lowest Reading of a Min. Therm. on the 31st       45 7       42 1         Range of Thermometer Readings       37 8       36 7         Mean of all the Highest Readings       70 3       67 8         Mean of all the Lowest Readings       52 3       50 7         Mean Daily Range       18 0       17 1         Deduced Monthly Mean (from Mean of Max. and Min.)       59 4       57 7         Mean Temperature from dry bulb       58 9       57 8         Adopted Mean Temperature       59 2       57 8         Mean Temperature of Evaporation       55 7       54 7         Mean Temperature of Dew Point       52 5       52 1
Lowest       """, on the 19th       29 031       28 993         Range of Barometer Readings       0 816       0 884         Highest Reading of a Max. Therm. on the 7th       83 5       78 8         Lowest Reading of a Min. Therm. on the 31st       45 7       42 1         Range of Thermometer Readings       37 8       36 7         Mean of all the Highest Readings       70 3       67 8         Mean of all the Lowest Readings       52 3       50 7         Mean Daily Range       18 0       17 1         Deduced Monthly Mean (from Mean of Max. and Min.)       59 4       57 7         Mean Temperature from dry bulb       58 9       57 8         Adopted Mean Temperature       59 2       57 8         Mean Temperature of Evaporation       55 7       54 7         Mean Temperature of Dew Point       52 5       52 1
Range of Barometer Readings       0.816       0.884         Highest Reading of a Max. Therm. on the 7th       83.5       78.8         Lowest Reading of a Min. Therm. on the 31st       45.7       42.1         Range of Thermometer Readings       37.8       36.7         Mean of all the Highest Readings       70.3       67.8         Mean of all the Lowest Readings       52.3       50.7         Mean Daily Range       18.0       17.1         Deduced Monthly Mean (from Mean of Max.       59.4       57.7         Mean Temperature from dry bulb       58.9       57.8         Adopted Mean Temperature of Evaporation       55.7       54.7         Mean Temperature of Dew Point       52.5       52.1
Highest Reading of a Max. Therm. on the 7th       83.5       78.8         Lowest Reading of a Min. Therm. on the 31st       45.7       42.1         Range of Thermometer Readings
Lowest Reading of a Min. Therm. on the 31st       45·7       42·1         Range of Thermometer Readings
Range of Thermometer Readings       37.8       36.7         Mean of all the Highest Readings       70.3       67.8         Mean of all the Lowest Readings       52.3       50.7         Mean Daily Range       18.0       17.1         Deduced Monthly Mean (from Mean of Max. and Min.)       59.4       57.7         Mean Temperature from dry bulb       58.9       57.8         Adopted Mean Temperature       59.2       57.8         Mean Temperature of Evaporation       55.7       54.7         Mean Temperature of Dew Point       52.5       52.1
Mean of all the Highest Readings       70 3       67.8         Mean of all the Lowest Readings       52.3       50.7         Mean Daily Range       18.0       17.1         Deduced Monthly Mean (from Mean of Max. and Min.)       59.4       57.7         Mean Temperature from dry bulb       58.9       57.8         Adopted Mean Temperature       59.2       57.8         Mean Temperature of Evaporation       55.7       54.7         Mean Temperature of Dew Point       52.5       52.1
Mean of all the Lowest Readings       52·3       50·7         Mean Daily Range       18·0       17·1         Deduced Monthly Mean (from Mean of Max. and Min.)       59·4       57·7         Mean Temperature from dry bulb       58·9       57·8         Adopted Mean Temperature       59·2       57·8         Mean Temperature of Evaporation       55·7       54·7         Mean Temperature of Dew Point       52·5       52·1
Mean Daily Range       18.0       17.1         Deduced Monthly Mean (from Mean of Max. and Min.)       59.4       57.7         Mean Temperature from dry bulb       58.9       57.8         Adopted Mean Temperature       59.2       57.8         Mean Temperature of Evaporation       55.7       54.7         Mean Temperature of Dew Point       52.5       52.1
Deduced Monthly Mean (from Mean of Max. and Min.)       59.4       57.7         Mean Temperature from dry bulb       58.9       57.8         Adopted Mean Temperature       59.2       57.8         Mean Temperature of Evaporation       55.7       54.7         Mean Temperature of Dew Point       52.5       52.1
and Min.)       59.4       57.7         Mean Temperature from dry bulb       58.9       57.8         Adopted Mean Temperature       59.2       57.8         Mean Temperature of Evaporation       55.7       54.7         Mean Temperature of Dew Point       52.5       52.1
Adopted Mean Temperature       59.2       57.8         Mean Temperature of Evaporation       55.7       54.7         Mean Temperature of Dew Point       52.5       52.1
Mean Temperature of Evaporation
Mean Temperature of Dew Point 52.5 52.1
•
Man electic force of Veneum 0.0071-
Mean elastic force of Vapour 0.397 in 0.389 in
Mean weight of Vapour in a cub. ft. of air 4.5 gr 4.5 gr
Mean additional weight required for saturation 1.2 gr 1.0 gr
Mean degree of Humidity (saturation 1.00) 0.79 0.82
Mean weight of a cubic foot of air 528.5 gr 527.3 gr
Fall of Rain 5-026 in 4-222 in
Number of days on which Rain fell 20 18-1
No. of days in the month on which the prevailing wind was
2 5 8 4 1 1 14
Mean Velocity in miles per hour 5.0 7.2 8.4 9.5 7.6 14.7 10.2 10
Total No. of miles for each 239 866 604 910 183 353 3414 25

The total number of miles registered during the month was 6820. The max. Velocity of the wind was 30 miles per hour. Direction W., on the 17th at 6 p.m.

### JULY, 1893.

Mean amount	of Cloud (an over	cast sky bei	ng indicated by 10	0) 7:7
In the mont	n of July, the high	est reading	of the Barometer	
during 46	years, was on th	e 24th, in 1	868, and was 8	30·11 <b>2</b>
The lowest	<b>11</b> ·	٠,	15th, 1877 2	8.564
The highest	Temperature	,,	22nd, 1873	88.2
The lowest	**	,,	1st, 1857	<b>36</b> ·0
The highest a	dopted mean tempe	rature of the	emonth, 1852	6 <b>3</b> ·0
The lowest		••	1888	54.5

A very warm month, with an average rainfall. The temperature was more even during this month than in the last, the highest readings being above 70° only on 10 days, against the 16 days of June.

AUGUST, 1	893
-----------	-----

Results of Observations taken	dur	ing th	ие Мо	nth.		1	n for last 16 yea:	
Mean Reading of the Baromete	er			29	564	2	9 ·48	3
Highest ,, on the	he 28	3th		29	945	2	9 .88	5
Lowest ,, on t	he 2	1st		28	939	2	8 948	3
Range of Barometer Readings			• • • •	1	006		0.937	7
Highest Reading of a Max. The	erm.	on tl	18t ae	h 8	4.0		77.2	3
Lowest Reading of a Min. The	rm.	on th	ne 27t	h 4	0.3		41.1	l
Range of Thermometer Reading	ıgs.		• • • • •	4	3.7		36.1	L
Mean of all the Highest Reading	ngs.			7	<b>2</b> ·1	1	67.2	?
Mean of all the Lowest Reading	ngs.			E	3·6		50.4	Į
Mean Daily Range					8.5		16.8	3
Deduced Monthly Mean (from and Min.)	Me	an of	Max		31·2		57·1	
Mean Temperature (deduced f	rom	Dry	Bull	b) 6	0· <b>4</b>		57·E	
Adopted Mean Temperature					30·8		57.8	
Mean Temperature of Evapora					57·6	1	54·E	
Mean Temperature of Dew Po					5 <b>4</b> ·9		51.8	
Mean elastic force of Vapour					431 i	a	0.388	in
Mean weight of Vapour in a cub					4·8g		4.3	gr
Mean additional weight require					1.5 g	1	0.9	_
Mean degree of Humidity (sat					82		0.82	_
Mean weight of a cubic foot of					4 ·5g	r .	527:3	
Fall of Rain					090iı	1	4 • 997	_
Number of days on which Rain	ı fell	••••	• • • • •	•	19		19-0	)
No. of days in the month on	N	NE	E	SE	s	sw	w	N'
which the prevailing wind was	0	1	2	1	2	8	14	-;
Mean Velocity in miles per hour	0	4.0	10.7	3.8	7.4	10.6	9.7	4.
Total No. of miles for each Direction	0	97	515	92	355	2028	3259	31

The total number of miles registered during the month was 7115. The max. Velocity of the wind was 36 miles per hour. Direction S.W., by S., on the 21st at 1 p.m.

### AUGUST, 1893.

Mean amount of Cloud (an overcast sky being indicated by 10.0) 6.6 In the month of July, the highest reading of the Barometer

 during 46 years, was on the 21st, in 1874, and was...
 30·114

 The lowest
 ,,
 ,,
 31st, 1876...
 28·555

 The highest Temperature
 ,,
 2nd, 1868...
 88·0

 The lowest
 ,,
 ,,
 13th, 1887...
 33·4

 The highest adopted mean temperature of the month, 1857 & '84
 61·0

 The lowest
 ,,
 ,,
 1848...
 52·5

The excess of rainfall is mainly owing to two storms, with shallow barometric depressions, on the 2nd and 10th. These together gave over three inches of rain. Over an inch of rain fell between 5-30 p.m. and 6-30 p.m. on the 10th, divided between two thunderstorms. The first of these storms was perhaps the most magnificent ever witnessed at Stonyhurst. The telephone wires suffered, but no other damage was done.

### SEPTEMBER, 1893.

Results of Observations taken	duri	ing th	е Мо	nth.			an for last 6 year	
Mean Reading of the Barome	eter			.29	394	2	9 512	
Highest ,, on	30.023							
	the	29th		.28	710	2	8.844	
Range of Barometer Readi	ngs			. 1.	247	1.3	1.179	
Highest Reading of a Max. Th					4.0		72.5	
Lowest Reading of a Min. The					4.6		36.5	
Range of Thermometer Readin					9.4		36.0	
Mean of all the Highest Readi					2.2		62.2	
Mean of all the Lowest Reading					5.4		47 0	
Mean Daily Range					6.8		15.2	
Deduced Monthly Mean (from and Min.)	Bulb ration oint o. ft. c ed for turat	of air.	ratio	. 5 . 5 . 4 . 0	2·5 4·0 (3·3 (6·5 (7·7 (331 in 3·8 gr 1·2 gr (9·9 gr 206 in		53·4 54·0 53·7 51·0 48·3 0·339 4·0 0·82 532·4 4·681	in gr gr
Number of days on which Ra					20		18.1	0.00
No. of days in the month on	N	NE	E	SE	s	sw	w	NV
which the prevailing wind was	2	1	0	0	2	7	17	1
Mean Velocity in miles per hour	5.9	6 9	0	0	15.9	10.0	9.1	84
Total No. of miles for each				7		1684		

The total number of miles registered during the month was 6829.

The max. Velocity of the wind was 30 miles per hour.

Direction by W., on the 28th, at 3 p.m.

### SEPTEMBER, 1893.

Mean amount of Cloud (an overcast sky being indicated by 10·0) 7·3								
In the month of September, the highest reading of the Bar-								
ometer d	uring 46 years,	was on the 15th,	in 1851, and was	30.274				
The lowest	,,	,,	2nd, 1883	28.323				
The highest	Temperature	,,	6th, 1868	85.0				
The lowest	- ,,	,,	25th, 1885, and					
			30th, 1888	29.8				
The highest	adopted mean	temperature of	the month, 1865	59.1				
The lowest	,,	- ,,	1863	50.9				
	•	,,						

Three heavy rainfalls, averaging over an inch for each, occurred on the 18th, 26th, and 28th, and three deep barometric depressions passed over, with their lowest readings on the 8th, 20th, and 29th.

ОСТО	BER	, I	893.					
Results of Observations taken	duri	ng the	Mont	h.			an for last 6 year	
Mean Reading of the Baromete	er			. 29.4	106	2	9 • 422	
Highest ,, on the	he 28	rd		.30.0	12	3	0.013	
Lowest ,, on t	he 4t	h		28	572	2	8 • 645	
Range of Barometer Readings			<b></b> .	1.4	140		1 • 368	
Highest Reading of a Max. The	erm.	on th	e 171	h 6	<b>5</b> ·9		64.2	
Lowest Reading of a Min. The	rm.	on th	ne 31	st 2	<b>5</b> ·1	İ	29.1	
Range of Thermometer Reading	ıgs			4	0.8		35.1	
Mean of all the Highest Readi	ngs			5	<b>7</b> ·8		54·6	,
Mean of all the Lowest Readin	gs			4	2.0		41.7	
Mean Daily Range	_				5.8		12.9	)
Deduced Monthly Mean (from and min.)					8.9		47.2	;
Mean Temperature from Dry					8.0	1	47 · 7	,
Adopted Mean Temperature					8.5		47.5	;
Mean Temperature of Evapor					6.3	1	45.2	;
Mean Temperature of Dew Po					3.9		42 8	•
Mean elastic force of Vapour					287 is	1	0.276	in
Mean weight of Vapour in a ci					3.3g	1	3.2	gr
Mean additional weight require					0.8g	1	0.6	gr
Mean degree of Humidity (sat					984	1	0.84	ļ.
Mean weight of a cubic foot of			•		6·1g	r	537 · <b>4</b>	gr
Fall of Rain					858iı	i	5-085	_
Number of days on which Rain					23		21 -8	3
No. of days in the month on	N	NE	E	SE	s	sw	w	NW
which the prevailing wind was	0	3	0	1	1	10	15	1
Mean Velocity in miles per hour	0	4.0	0	6.4	4-0	9.5	11.5	6·1
Total No. of miles for each Direction.	0	286	0	154	97	2288	4125	146

The total number of miles registered during the month was 7096. The max. Velocity of the wind was 35 miles per hour. Direction W.N.W., on the 26th, at 9 a.m.

### OCTOBER, 1893.

Mean amount of Cloud (an overcast sky being indicated by 10·0) 7 5.

In the month of October, the highest reading of the Barometer.

	a or occopor, the might	oot roud	01 1110 2	om ometer.	•
during	46 years, was on the	5th, in	1884, and	was	30∵06
The lowest	,,	,,	19th,	1862	28.139
The highest	Temperature	,,	9th,	1869	<b>72</b> ·8
The lowest	•	,,	24th,	1892	<b>22</b> ·8
The highest	adopted mean tempera	ture of	the month,	1861 &'76	<b>51</b> ·6
The lowest	"	19		1880	43.1

The barometer remained generally very low till the 17th, when it recovered for a week, and fell down again on the 25th to a moderate depression until the 30th. Both depressions were accompanied with rain, and heavy falls were registered on the 3rd and 14th, 1.416 and 1.182 inches.

### NOVEMBER, 1893.

	duri	ng th	е Мог	ath.			n for last 6 year	
Mean Reading of the Baromet	er			.29·5	68	29	9.317	
The state of the s			t			30	0· <b>051</b>	
	the	17tl	ı	.28.4	42	2	8.564	
Range of Barometer Readings				. 1.6	70	:	1.487	
Highest Reading of a Max. Th	erm.	on th	ie 16t	h 5	5·8		55 ·6	
Lowest Reading of a Min. The	erm. c	n th	e 22n	d 27	7 · 2		25.3	
Range of Thermometer Reading	ngs			. 2	3·1		30.3	
Mean of all the Highest Read	ings			. 4	8∙0		47.0	
Mean of all the Lowest Reading	ngs			. 3	5 5	Ì	36.2	
Mean Daily Range				. 19	2 · 5		10.8	•
Deduced Monthly Mean (from and Min.)					1.1		41.4	
Mean Temperature from Dry				-	0.7	l	41 5	
Adopted Mean Temperature.					1·1	1	41.4	
Mean Temperature of Evapora					9·4	1	39.1	
Mean Temperature of Dew Po					7 ·3	1	37.8	
Mean elastic force of Vapour.					. o 222 in	J	0.228	
Mean weight of Vapour in a c					2·6gr		26	
Mean additional weight require					0•4 gr	1	0.4	•
Mean degree of Humidity (sat					·86		0.87	5*
moun dogree or radinary (our								
Mean weight of a cubic foot	of a	ir		. 54			545.0	
Mean weight of a cubic foot					7•6 gı	L	545·0 4·297	gr
Fall of Rain		• • • •	••••	. 4.5		L	545·0 4·297 19 6	gr in
		• • • •	••••	. 4.5	7•6 gr 575 in	L	4.297	gr in
Fall of Rain		• • • •	••••	. 4.5	7•6 gr 575 in	L	4.297	gr in
Fall of Rain	in fell			. 4·5	7∙6gı 675 in 20	July 201	4·297 19 6	gr in
Fall of Rain	in fell	NE 1	E 13	se 1	7.6 gr 575 in 20	sw 2	4·297 19 6 w 8	gr in

The total number of miles registered during the month was 8278. 9 max. Velocity of the wind was 37 miles per hour. Direction ., on the 18th at 11 p.m.

### NOVEMBER, 1893.

	•			
Mean amount of	Cloud (an ove	rcast sky be	eing indicated by 10	0.0) 7.4
In the month of	November, the	highest rea	ding of the Barome	eter
during 46 ye	ears, was on th	e 12th in 18	357, and was	80.350
The lowest	,,	,,	11th, 1891	<b>27</b> ·938
The highest Ter	nperature	,,	6th, 1872	61 ·9
The lowest	,,	,,	17th, 1861	19 1
The highest ado	pted mean tem	perature of t	the month, 1881	47.0
The lowest	9,	,,	1851	<b>36·7</b>

The recovery of excess in barometric pressure in this month is mainly due to the steady anticyclone which held together from the 6th to the 13th, when the mercury stood uniformily at over 30 inches, from the middle of the 6th to the middle of the 12th day. But on four of these days there was a little rain not exceeding 01 inch.

The destructive gale in the middle of the month, which will be remembered as the most severe one that has visited the Country in the years of careful records, was hardly felt as a gale at Stonyhurst, the velocity of the wind never exceeding 37 miles an hour for any time long enough to leave a trustworthy register on the cylinder. Its force was greatest on the 18th at 11-0 p.m., 24 hours after the barometer had fallen to its lowest reading 28.519 through a nearly continuous slope from its maximum height 30.054 on the night of the 11th. And the forewarning of its approach was a run-round the compass, through a wheel and threequarters between 10-0 a.m., and 4-0 p.m. Little rain attended the gale, and it was followed by a short high wave of atmospheric pressure, with its crest over 30 inches on the 21st, and the following trough below 29 inches on the 25th, and this steep fall brought with it nearly an inch-and-a-half of rain,

### DECEMBER.

Results of Observations taken	duri	ng the	Mon	th.			an for last 6 year	
Mean Reading of the Barom	eter			29	455	!	29·46	)
Highest ", "	O	n the	29th	30	302	8	30 07	3
Lowest ,, ,,	or	the	<b>20th</b>	28	329	1 2	28 598	3
Range of Barometer Reading	s			1	973	ł	1.478	5
Highest Reading of a Max. Th	erm.	on t	he 16	th	55·6	1	53 (	)
Lowest Reading of a Min. T	herm	ı. on	the 1	st	17·6		20.0	)
Range of Thermometer Rea	ading	s		:	38·0	1	33 (	)
Mean of all the Highest Read	ings			4	46·1		42.9	)
Mean of all the Lowest Reading	ngs			:	34.7		32 8	3
Mean Daily Range				:	11:4	1	10.1	
Deduced Monthly Mean (from and Min.)					<b>4</b> 0∙ <b>4</b>		37.9	)
Mean Temperature from Dry	Bulb		<b></b>	4	10.9		38.6	;
Adopted Mean Temperature.					£0·7		38.3	,
Mean Temperature of Evapora					38.9	İ	36.7	•
Mean Temperature of Dew Po					36·7		34.8	1
Mean elastic force of Vapour				0	217 ir	1	0.204	in
Mean weight of Vapour in a c	ub. f	t. of	air		2.5g	r	2.4	gr
Mean additional weight require	ed fo	r sat	uratio	on	0.5g	r	0.4	gr
Mean degree of Humidity (sat	urati	on 1	(00	(	)·8 <b>6</b>		0.87	,
Mean weight of a cubic foot o	f air			54	15·7g	r	<b>54</b> 8 5	gr
Fall of rain				4	903 ir	ւ	<b>5 · 26</b> 8	in
Number of Days on which Ra	in fe	11	••••	••	<b>25</b>		18.9	)
No of days in the month on	N	NE	E	SE	s	sw	w	N
which the prevailing wind was	1	0	1	0	6	13	10	(
Mean Velocity in miles per hour	<b>z</b> ·3	0	8.3	0	7.0	7.0	9.8	(
Total No. of miles for each Direction	65	0	199	0	1005	2173	2166	

The total number of miles registered during the month was 5608. The max. Velocity of the wind was 36 miles per hour. Direction W., at 7 a.m., on the 8th.

### DECEMBER, 1893.

Mean amount of Cloud (an overcast sky being indicated by 10.0 In the month of December, the highest reading of the Barometer during 46 years, was on the 22nd in 1849, and was 80.378 8th, 1886.... 27.850 The lowest The highest Temperature 9th, 1876.... 58.1 The lowest 24th, 1860 .... 6.7 The highest adopted mean temperature of the month, 1857.... 44 6 The lowest 80.3 1878....

A mild month with a wide range of barometric pressure. On 9 days the mercury fell below 29 inches, and on 5 days it stood above 30. There were no heavy rainfalls, but only six days withrain.

lou 2

## Summary of Observations FOR 1893.

	Mean for the last 46 years
Mean Reading of the Barometer	29.489
Highest ,, on December 29th30.302	30.279
Lowest ,, on February 26th28-236	28.265
Range of Barometer Readings 2 066	2.014
Highest Reading of a Max. Therm. on June 18th 88.7	81.6
Lowest Reading of a Min. Therm. on Jan. 4th 150	15.4
Range of Thermometer Readings 73 7	66.2
Mean of all the Highest Readings 57.8	54.7
Mean of all the Lowest Readings 41.2	40.6
Mean Daily Range 16.6	14.1
Deduced yearly Mean (from Mean of Max. and Min )	46.8
Mean Temperature of dry bulb	46.7
Adopted Mean Temperature 48.4	46.8
Mean Temperature of Evaporation 45 8	44.5
Mean Temperature of Dew Point 43.0	42.1
Mean elastic force of Vapour 0.286 in	0·273 in
Mean weight of Vapour in a cubic foot of air 3.2 gr	3.3 gr
Mean additional weight required for saturation 0.9gr	0.7 gr
Mean degree of Humidity (saturation 1.00) 0.81	0.84
Mean weight of a cubic foot of air 538 0 gr	539·4 gr
Total fall of rain in the Year50.553 in	47·262 in
Number of Days per Month on which Rain fell 17.7	18.0

 The Maximum monthly mean height of the Barometer was in February, 1891, and was
 29 997

 The Minimum , , , in December, 1868, and was The Maximum yearly mean height of the Barometer was in 1887, and was
 29 582

 The Minimum , , , , in 1866, and was
 29 389

### SUMMARY, 1893.

The	greatest	monthly	ran	ge (	of t	he l	Baro	meter	was	in	
	Janu	ary, 1884,	and	was		• • • •				2	409
The	least	,, ,,	i	n Jul	y, 18	52, aı	nd wa	as .		0	505
The	highest	reading of	the	Baro	mete	r, du	ring	46 y	ears, v	was	
	on Ja	nuary 18t	h, 18	82, a	nd w	as .				30	480
The	lowest	,, ,	, 01	n Dec	emb	er 8tl	1, 188	36, ar	ıd was	27	350
Ext	reme ra	nge								8	130
The	highest	temperatu	re w	as on	Jun	e 18t	h, 18	9 <b>3</b> , a	and wa	ıs., (	38·7
The	lowest	,,		,,	_	Jan	uary	15th	ı, 1881	١	4.6
The	highest	adopted m	ean t	empe	eratu	re of	a mo	nth,]	uly, 1	868	62.4
The	lowest	,,		,,			Fel	oruar	y, 185	5 5	28.6
The	highest	adopted	mea	n ter	nper	ature	of a	a yea	ır, 186	8	49-1
The	e lowest	,,		,,		٠,		,,	187	9	44.1
The	greatest in a	monthly r cubic foot	nean of a	weig ir	ht of	vapo	our,}	Jul	y, <b>1</b> 85	2	5.1gr
The	e least	,,	,,		,,		Fel	bruar	y, 185	5	14gr
The	e greatest	fall of rain	in a								
w	7as									13	·437 in
The	e least	,,	,,		,,			Marc	h, 185	<b>2</b> 0	047 in
The	e greatest rain	number of	f da mon	ys on th	whic	:h} J	uly,	1861,	Dec. 1	868	31
	e least	,,	٠,		,,				h, 185		8
		n the year		N	NE	E	SE	s	sw	w	NW
	-	revailing v		23	35	41	12	24	66	146	18
was									<u> </u>		
		y in miles		5·1	5.8	8·4	5·8	6.2	11.0	11.2	5.2
		of miles		<b>866</b> 9	5447	9 <del>9</del> 90	2537	<b>453</b> 0	16085	38244	2966
		al No. of r		_			_	•			

The total No. of miles registered during the year was 83468.

The max. Velocity of the wind was 46 miles per hour; direction W. by N., at Noon, on February 10th.

_			_
	Hedl.	24, 26 16, 17 29 22, 28, 80 26 22 7, 9, 20, 21	
NOMENA.	Впоw.	1, 8, 6, 14, 17, 12, 22, 24, 25, 26, 16, 17	
ASIONAL PHE	Hoar Frost.		
DATES OF CCCASIONAL PHENOMENA.	Frost.	$\begin{array}{c} 1-21, \ \ 26-28 \\ 1, \ 2, \ 10-14, \ 16-26, \ 28-28 \\ 1, \ 2, \ 10-14, \ 16-36, \ 28-31 \\ 1-5, \ 7-15, \ 29 \\ 13 \\ 13 \\ 10, \ 12, \ 21 \\ 1, \ 4-8, \ 10, \ 15, \ 16, \ 18-24, \ 26, \ 27 \\ 1-8, \ 9-15, \ 20, \ 26, \ 81 \end{array}$	
	1898.	January Rebruary March April May June July August September October November December	

	Solar Halo.	26 10 4
MENA.	Lunar Halo.	27 6, 28 29 36 17
PHENC	Lightning.	19 18, 19 27 8, 9, 10, 11, 12 8, 30 1, 2, 8, 5 1, 2, 8, 6 1, 2, 8, 6
DATES OF OCCASIONAL PHENOMENA.	Thunder.	16, 26, 27  14  27  28  28  28  3, 4, 7, 9, 27  3, 8, 9, 10, 11, 12  28  3, 8, 9, 10, 11, 12  3, 8, 9, 10, 12, 12  3, 8, 9, 10, 12, 23  4, 10, 22  8, 23, 29  1, 29, 30  Aurora Borealis, August 12—13, 11 p.m. and 1 a.m.  Rainbows, August 28 and 26.  "September 21, 22, 29, 30.
S OF O	Fog	16, 26 14, 16 26, 11, 29, 26, 11, 29, 26, 11, 29, 37, 38, 38, 38, 38, 38, 38, 38, 38, 38, 38
DATE	Heavy Bain	9, 18 17, 29 26, 28 10, 11, 18 2, 4, 6, 10 18, 22, 26, 28, 80 18, 22, 26, 28, 80 3, 4, 6, 18, 14, 15 8, 18, 12, 22
	1893.	January February March April May July August September October November December

OBSERVATIONS.
SOLAR
SUMMARY OF

Number of days of Observation in Each Month.

1898	Becorded Sunshine.	Amount of Sunshine expressed in hours.	Number of Sun Drawings, 104 inches to diameter.	Other Drawings and Notes.	Entire Chromosphere Measured.	Chromosphere partially measured.	Photographs of Spot spectra.
January February March April July July September October November December	11 8 8 8 8 8 8 1 1 1 1 1 1 1 1 1 1 1 1	38.1 162.1 223.7 223.7 176.5 207.4 180.2 110.5 56.4	8 9 2 4 4 8 8 8 8 8 9 1 1 2 8 9 1 1 2 9 9 1 1 2 9 9 1 1 2 9 9 1 1 2 9 1 1 1 2 9 1 1 2 9 1 1 2 9 1 1 2 9 1 1 2 9 1 1 1 1				88 88 88 6 84 19 19
Totals	280	1567·8	160				176

		_								_		3 <i>1</i>	_			_			_	_		_			_			_		_	_
Dec.	.54	23																												•	97.
Nov.						.43																			_						
October		67.	.43		9	.41		84	88.	.37	.40	.43					·34 & ·68						<b>2</b>			-47		:	0	88	28 25 25
Sept.		<b>‡</b>	.61	.89	<del>,</del>		.67		6g.	· <del>4</del> 1	-43	.43							_												_
August		20		44		-89		o	9	‡	.41	.41		· <del>4</del> 1	· <b>4</b> 2			•	.9.		· <b>4</b> 2	.87	.39	88	· <b>4</b> 2	·73	<u>ئ</u>	-47			
July	98.	<u>\$</u>	<b>8</b> 6	9	· <del>4</del> 0			88				.65	88							-49	.65	889	•	-42		.43	၁ (88:		7		97
June		.46	9		.64		.38.c	.42,c	.46	.43	.42		.42	<del>\$</del>	· <del>4</del> 1	.39°c	<del>7</del>	9	-44,c	.46				.57		.38 -			69	·32,c	
May			-43	·37.c	.48.c	.40.c	.41	99.	.89°c	·37.c	.52	-74	68	.41				88	.51	.43		.58			.75		· <del>1</del> 8				. A. A.
April		· <del>1</del> 8	œ	<del>9</del>	.37.c	.41.c	-40.c	.43.c	.40°.c	.39		·39.c	. 4L	·40,c				<u>.</u>	.53	.46	·37,c	·48,c	·36,c	Ů	-40,c	.39°c	.48	. <del>4</del> 6	÷	.46	
March				09.	)					.35	99	44.	.45	:	•	83		.32	.40	44	.38	.39	.47	.38	68.	45	.52	.38		. <del>1</del>	
January February				-49	}		.88	}	•					.46	}		.45										88	88.			
January	8	1	.48	)			_	_					989	} —	.47	: 				.41	ļ 						97	88		.45	<u> </u>
1893.	-	ı &	, cc	4	1 14	<b>.</b>	<b>,</b>	- 2	o	٥,	2=		9 55	14	, <u>.</u>	19	17	28	6	8	3 6	66	6	36	2 6	8 8	27	88	66	8	3 3

e denotes chromosphere, s spot spectra.

TOTAL		AMOUNT	UN,		OF 5	SUNSHINE	ISF	NII	E	KE	CO	RD	RECORDED	NO	1 1	EACH	H	DAY.	>:
Month	TH.		-	63	က	4	5	9	2	8	6	10		12	13	14	15	16	17
January -	•		8.8	8:4	3.4	2.6	0	0	0	0	0	0.5	<b>છ</b> .0	0	Ξ	9.0	4.6	0	16
February -	•		3.7	0	0	0	1.0	2.0	5.6	3.7	•	1.2	1.0	4.6	•	6.0	1.6	0	3.7
March -	•		0	0	0	4.3	0	0	0	9.7	0	.i. 8	7.4	6.6	8.9	0	1.2	89	eo œ
April -	•		0	8 6	11.0	5.5	10 8	9.3	2.6	9.6	10.6	2.01		11.5	62	11.5	9.9	1.0	0
Мау	٠		0	0	7.5	11.0	9 8	8.5	11.6 11.7		14.2	13.6	8.4	5.5	10.2	2.0	5.3	6.0	0
lune -	•		3.5	2.8	1.3	9.8	9.01	0	8.9	12.3	1.1	0.2	13.4	8.5	11.5	13.2	13.1	13.2	10.7
luly -	•		5 2	9.8	4.5	œ eo	11.2	10.3	1.6	6.5	5.4	8.8	<b>4</b> ·0	3 6	<b>4</b> ·0	2.5	ဆ်	8.9	13.3
August -	•	•	1.2	8.9	4.5	6.5	6.5	3.4	3.0	3.4	12.8	63	5.6	11 2	9.6	2.01	6.9	<b>4</b> ·0	8.8
September -	•	•	8.0	8.6	4.8	9.6	8.5	<b>4</b> 0	3.5	4.0	99	10 0	9.5	9.4	0	5.4	2.0	9.5	6.9
October -	•	•	7.2	ğ.1	0.9	4.9	6.5	6.9	0	0.9	9.9	3.4	0.9	7.5	1.5	0	0	1.0	1.7
November -	•	•	0	2.0	0	4.3	3.5	0.9	5.4	2.5	3.5	0	0	0	8.9	0	4.4	0	0
December -	•	•	6 4	5.4	0	0	0	0	16	6 0	•	0	1.7	0	0	8.	0	0	9.0
	i		1		]			1				١		1		1			

DAY.	Per centage each month.		14.7	16.9	44.2	53.9	9.98	45.0	36.5	43.5	38.4	83.6	21.0	11:1
EACH	Monthly Total.		38.1	46-9	162.1	223.7	176.5	₹07.4	180.2	194.8	144.8	110.5	55.4 4	56.9
ONO	81	ļ j	5.4	:	4.3	:	7.8	:	7.5	1.2	:	8.3	:	5.9
	30		3.5	:	10.4	8.01	4.8	10.7	80 63	2.9	4.3	9.2	0	0
EL	29		0 5	:	8.9	9.9	0.3	2.1	2.5	9.9	2.2	3.8	0	0
RECORDED	28		8.0	6.9	9.01	8.9	4.6	1.2	1.3	6-11	0	0	0	0
3CC	27		8.0	7 2	0.9	3.4	6.3	3.8	2.9	1.2	1:1	3.1	0	0
	26		8.0	0	4.7	8. 6.	0	7.2	5.5	2.3	0	8.0	8.4	0
HINE (Continued)	25		e.0	0	9.5	8.4	3.7	٠٠ 8	4.2	86 86	4.2	0.3	0	1.4
HII)	24		0	0.3	4.8	8.9	<del>بر</del> ښ	89.	8.9	9.8	<b>8.4</b>	0	0	0
SUNSHINE (Continued	138		0	<b>62</b> 86	8.4	12.8	3.6	1.4	0	9.0	6.4	4.1	5.4	8.0
$\mathbf{s}$	22		•	0	8.5	12.0	2.2	6.0	12.3	6.0	 	1.4	4.4	9.0
OF	21		C	0	9.4	10.8	7.1	9.0	106	8.	2.0	0.7   7.4	0	0
L	80		3.1	9.0	6	4.8	9.6	3.4	10.2	က ထု	က	0	3.5	0
NDO	19		0	4.4	8. L	3.5	2.7	8.3	0	9.0	3.9	9.0	3.5	0
AMOUNT	18		2.0	•	10 7	1.5	4.2	9.4	2.2	10.0	0	8.0	0	1.9
			•			•	•	•	•	•	•	•	•	•
TOTAL	Month.		January -	February -	March .	April -	May .	]une -	July	August	September	October -	November	December -

MONTHLY TABLES FOR EACH HOUR OF RECORDED SUNSHINE	1L	λ	TA	ВГІ	ES	FOR	EA	CH	H.	001	IR (	OF I	REC	COF	SDE	3D	SU	HSN	INE	•
Local apparent time.	ont t	ime.	4-5	2-6	2-9	8.2	6-8	9-10	10-11	9-10 10-11 11-12 12-1 1-2	12-1	1-2	2-8	8.4	4-5	9-9	2-9	8-1	6-8	
January			0	0	0	0	0.5	8.7	1.4	8.5	6.1	7.8	4.1	0.5	0	0	0	0	0	
February			0	0	0	0	1.3	4.7	7.7	œ	7.8	8.9	2.9	4 5	1.2	0	0	0	0	
March -		9	0	0	2.0	4.9	13.6	16.5	0.61	13.6 16.2 19.0 18.6 20.6	20 6	9-61	17.4	15.5	8.11	2.7	0	0	0	
April -			0	1.3	9.8	15.2	1.02	21.8	22.6	22.4	91.4	19.3	19-1	19.8 19.1 18.8 18.6	18.6	13.2	1.8	0	0	
Мау -	•		0.5	6.1	9.6	9.6 11.3	13.3	13.7	13.3	18.8 18.7 18.8 15.1 16.4 14.2 14.6 18.1 14.5 12.7	16.4	14.2	14.6	13.1	14.5	12.7	0.2	1.4	0	
June -	r	1	9.0	4.2	9.4	9.4 11.6	14.8	15.2	17.2	15.2 17.2 18.3 17.8 18.6 19.1 19.3 17.3	17.8	186	19.1	19 3	17.3	13.2	8.9	3.2	0	
July -		,	90	9.8	2.9	6.7 12.7	151	1.91	15.9	15 1 16.1 15.9 17.2 18.5 14.2 15.4 14.0 12.8 11.5	13.5	14.2	15.4	14.0	12.8	11.5	8.0	8.8	0	
August			0	1.8	9.0	9.4	15.6	18.4	9.91	15.6 18.4 16.6 19.5 19.3 18.2	19.3	18.2	19.3	18.4 15.4	15.4	12.8	4.6	0	0	
September	4	160	0	0	3.3		14.2	12.8	14:1	10.1 14.2 12.8 14.1 13.6 14.2 14.0 15.3	14.2	14.0	15.3	16.3	12.9	4.0	0	0	0	
October			0	0	0	3.4	10.1	13.6	14.9	10.1 13.6 14.9 15.5 14.0 14.1 11.6	14.0	14.1	11.6	8.6	3.5	0.3	0	0	0	
November	4	-4	0	0	0	0	8.0		9.2	4.5 7.6 9.3 10.4	10.4	8.7	8.0	3.9	0	0	0	0	0	
December	4	-7	0	c	0	c	1.0		4.9	2.5 4.9 7.0 6.9 4.4 9.0 0.9	6.9	1.1	0.6	0.0	-	c	c	c	0	



### OBSERVATIONS OF UPPER CLOUDS (CIRRUS).

D.4-			Cloud	8.	Wind	•	Direction
Date 1893.		G. M. T.		. 777714-		Force.	of Lower Clouds.
		G. 22. 2.	Direction.	V'locity (0-6).	Direction.	(0—12).	Olduda
January	5	7-8 a m.	N.	1	N.N.E.	1	
	13	1-30 p.m.	N.W.	2	N.W.by W.	3	N.W.
	15	12-50 p.m.	N.W.	2	W.S.W.	1	N.W.
	16	4-0 p.m.	N.W.	1	N.E.	1	N.W.
	18	Noon.	N.	2	S.E. by S.	2	S.W.
	18	1-58 p.m.	N.W.	1	S.W.	5	S. W.by W
	20	9-58 a.m.	N.	1	W. by S.	4	S.W.
	25	12-50 p.m.	N.	2	W.S.W.	2	S.W.
	27	9-12 am.	N.W.	1	S.W. by W.	0	
	27	2-30 p.m.	W.	2	S.W. by S	1	
	28	9-10 a.m.	N.W.	1	S.E.	2	S.E.
	30	Noon.	N.W.	1	S. by W.	3	8.
,,	30	1-58 p.m.	S.E.	••	S.S.W.	2	S.W.
Feb.	5	10-0 a.m.	N.W.	1	E.N.E.	1	S.E.
,,	6	8-55 a.m.	N.	1	N. E by E.	0	
,,	7	12-15 p.m.	N,W.	1	W.S.W.	5	S.W.
,,	8	11-10 a.m.	N.E.	2	<b>W</b> .	6	S.W.
	11	5-40 p.m.	N.	1	W. by S.	8	N.W.
	12	9-8 a.m.	N.	1	N.W. by W.	2	N.W.
	15	8-10 a.m.	N.	1	S. W. by S.	0	S.W.
	27	8-40 <b>a.m</b> .	S.E.	2	W.S.W.	3	
	27	3-0 p.m.	S.	2	W. by S.	2	W.
,, :	28	5-30 p.m.	w	2	S.W. by S.	1	
March	8	10-8 a.m.	N.E.	3	w.s.w.	2	W.
,,	10	2-0 p.m.	SW.	2	W.	6	N.W.
,,	11	8-0 a.m.	N.W.	2	S.W. by W.	1	
,,	11	9-0 a.m.	N.W.	2	S.W. by W.	1	
	13	10-20 a.ma	N.E.	3	S.S.W.	1	S.W.
,,	13	Noon.	N.E.	2	W.S.W.	2	S.W.
	13	2-0 p.m.	N.E.	2 2	W. by S.	3	S.W.
,,	13	40 p.m.	N.E.	2	<b>W</b> .	3	S.W.
	15	8-7 a.m.	N.E.	2	S.W.	5	S.W.
,,	16	7.5 a.m.	N.E.	2	W. by N.	3	
	<b>22</b>	8-10 a.m.	N.	1	N.N.E.	1	
	23	2-40 p m.	N.W.	1	S.W. by S.	1	
	29	9.0 a.m.	N.E.	1	N.E. by N.	1	
,,	30	10-9 a.m.	N.W.	1	S.W. by W.	0	

### OBSERVATIONS OF UPPER CLOUDS (Continued).

Date			Clouds	ı.	Wind	•	Direction of Lower
1893.		G. M. T.	Direction.	V'locity (0-6)	Direction.	Force (0—12)	Clouds.
March	30	1-30 p.m.	N.W.	1	W.	2	
,,	31	9-0 a.m.	N.	2	Lost.	:	8.W.
	31	Noon.	N. by W.	ī	S. W. by S.	3	S.W.
,,,	0.	2.00	2	_	J		2
April	2	8-0 a.m.	N.	2	N. by W.	0	
1 ,,	7	9-0 a.m.	W. by S.	1	N.N.E.	1	
,,	8	10-10 a.m.	S.É.	1	E.	2	
,,	10	6-0 p.m.	E.	1	N.N.E.	2	
,,	11	8-5 a.m.	S.E.	1	E.N.E.	4	
,,	12	10-17 a.m.	E. by N.	1	S.S.W.	1	N.W.
",	15	10-5 a.m.	IČ.	2	W.S.W.	4	S. W.
,,	18	5-40 p.m.	N.	l i	W. by S.	1	
, ,,	20	8-45 a.m.	E.S.E.	1	N.W.byW.	1	
"	24	10-9 a.m.	N. by W.	1	S. S. W.	1	
,,	25	9-50 a.m.	É.	1	N.N.E.	1	
,,,	28	10-45 a.m.	N. by E.	i	W. by N.	1	
"			1	1			
May	3	3.0 p.m.	N.W.	2	w.	3	
,	4	10 0 a.m.	N.E.	1	S.S.W.	1	
.,	10	8-7 a.m.	N. by W.	1	N.E. by N.	1	
,,	10	2-15 p.m.	N. by W.	1	E.N.E.	1	
,,	10	4.0 p.m.	N. by W.	1	E. by N.	1	
• • • •	11	8-0 a.m.	N.E.	2	N.E.	0	
1 19	13	9-30 a.m.	N.E.	1	S. by E.	1	
,,	24	5 30 p.m.	N.W.	1	N.W.byW	2	
,,	27	7-0 a.m.	N.W.	2	E.	0	
1		ł		1			
June	7	7-0 a.m.	N.N.W.	2	N.N.E.	1	
1 ,,	12	5-15 p.m.	N.E.	1	E. by N.	2	ł
,,	14	9.0 a.m.	N.W.	2	N.E. by N.	2	İ
,,	15	7-0 a.m.	N.N.W.	1	N.N.E.	1	
١,,	16	8.45 a.m.	N.W.	1	N.N.E.	0	
• • • • • • • • • • • • • • • • • • • •	16	8-15 p.m.	N.W.	1	W.	2	
,,	26	3-45 p.m.	N.N.E.	1	W.N.W.	0	S.W.
, ,,	27	8 40 a.m.	N.N.W.	1	S.W. byW.	8	S.W.
1 - 1			37 377	١.	NNE	١.	
July	1	7.5 a.m.	N.W.	1	N.N.E	1	l
,,	1	8-0 a.m.	N.W.	2	N.E. by N.	1 1	s.w.
,,	2	9-10 a.m.	N. by E.	1	W.	\	D. W.
<u> </u>		<u> </u>		1		-	<u> </u>

# SUMMARY OF SOLAR OBSERVATIONS.

## Number of days of Observation in Each Month.

Photographs of Spot spectra.	2011112 2020 6020 1130 1130	175
Chromosphere partially measured.		
Entire Chromosphere Measured.		
Other Drawings and Notes.		
Number of Sun Drawings, 104 inches to diameter.	8 118 22 20 117 119 8	160
Amount of Sunshine expressed in hours.	38.1 46.9 163.1 223.7 176.5 180.2 114.6 1110.5 26.4	1567.8
Becorded Sunshine,	11 28 8 28 28 28 28 28 28 28 28 28 28 28 2	280
1898	January February March April May June Juny July August September October November December	Totals

			.61 .42		07- 07-	.39 .41 .42	29.		.40 .89 .38	· <b>4</b> 1	.43	.43		.41	.43		· 34 & · 68	•	29.			.87		.38	-43	.72	09.		27.	88.	986
June July			.38		64 -40			12,c .38	97.	<u> </u>		_	-42	9	=	39,0	23	9	_	_	.65	88.	•	57 -42		38 .42	.386. —		.69	_	_
May		-	42	_	_					_	_	_	_	_	_				F 19.			.58		<u> </u>	-75		.48		_	_	28.
April		·48	88	<b>Ģ</b>	.37,c	.41,c	·40,c	.43°c	.40°c	68.		<b>39</b> ,c	-74	·40,c				.70	.53	.46	·37,c	·48,c	·36,c	o	·40,c	.38°c	· <del>4</del> 8	· <del>4</del> 6	.65	· <del>4</del> 6	
March				.20						.35	.65	.44	.45			.33		.32	•‡0	·44	.38	.39	.47	.38	.39	.45	.52	.38		.41	
January February				-49			-88							.46			.45										:35	.38			
January	.48		84.			,							68.		.47					.41							<b>9</b>	88.		.46	
1893.	1	63	က	4	ro	9		20	6	10	11	13	13	14	15	16	17	18	19	30	21	22	23	24	25	56	27	28	53	8	2

Per centage each month.	14.7	16.9	44.2	68.9	9.98	45.0	36.2	43.5	38.4	33.5	0.12	11-11
Monthly Total.	38.1	46.9	162.1	223.7	176.5	207.4	180.2	194.8	144.8	110.5	55.4	26-9
31	5.4	:	4.8	:	7.8	:	7.3	1.2	:	8.3	:	5.9
30	3.5	:	10.4	8.01	<b>4</b> .8	10.7	80	2.9	4.3	9. L	0	0
29	0.5	:	8.9	9.9	0.3	2.1	2:2	9.9	2.2	8. 8.	0	0
28	8.0	6.9	9.01	8.9	4.6	1.2	1.3	11.9	0	0	0	0
27	8.0	7.2	0.9	3.4	6.3	3.8	2.9	1.2	1:1	3.1	0	0
26	8.0	0	4.7	8.6	0	7.2	5.5	<b>62</b>	0	8.6	4.8	0
25	0.3	0	9.5	8.4	3.7	5.8	4.2	8.8	4.2	0.3	0	1.4
24	0	0.3	4.8	8.9	<del>بن</del> ښ	8.8	8.9	6. 6.	<b>8.4</b>	0	0	0
23	0	8.8	8.4	12.3	9.6	1.4	0	9.0	<b>6.4</b>	4.1	5.4	8.0
22	0	0	8.5	13.0	2.2	6.0	12.3	6	4.5	4.2	4.4	9.0
21	c	0	9.4	10.8	7.1	9.0	106	8.9	7.0	2.0	0	0
20	3.1	9.0	9.2	4.8	3.6	3.4	10.2	es ò	မာ မာ	0	2.5	0
19	0	4.4	7.8	3.5	2.7	8.3	0	8.0	3.9	9.0	3.2	0
18	7.0	0	10 7	1.5	4.2	9.4	2.5	10.0	•	8.0	0	1.9
		•			•	•	•	•				•
Month.	January .	February -	March -	April -	May -	June	July -	August -	September	October -	November	December -
	18 19 20 21 22 23 24 25 26 27 28 29 30 31 Monthly Total.	NTH. 18 19 20 21 22 23 24 25 26 27 28 29 30 31 0.7 0 8.1 0 0 0 0 0 0 0.8 0.8 0.8 0.8 0.8 0.5 5.4	NTH. 18 19 20 21 22 23 24 25 26 27 28 29 30 81  0.7 0 8.1 0 0 0 0 0.8 0.8 0.8 0.8 0.8 0.8 0.5 8.2 5.4  y 0 4.4 0.6 0 0 2.8 0.8 0 0 72 6.9	роитн.         18         19         20         21         22         28         24         25         26         26         27         28         29         30         81           y 0·7         0         3·1         0	NOTH. 18 19 20 21 22 28 24 25 26 27 28 29 80 81  Y 0 0.7 0 3.1 0 0 0 2.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.4 0.6 0.0 0 0 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8	NOTH. 18 19 20 21 22 28 24 25 26 27 28 29 30 81  y - 0 - 0 - 7 0 3-1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	NOTH. 18 19 20 21 22 28 24 25 26 26 27 28 29 80 81  y 0 0.7 0 3.1 0 0 0 2.8 0.8 0.8 0.8 0.8 0.8 0.8 5.4  ry 107 7.8 92 9.4 8.5 8.4 7.8 9.2 4.7 6.0 10.6 6.8 10.4  1.5 8.5 4.8 10.8 12.0 12.8 6.8 8.4 9.8 8.4 6.8 5.6 10.8  4.2 2.7 3.6 7.1 7.7 8.6 5.8 7.2 8.8 1.2 2.1 10.7	DNTH.         18         19         20         21         22         24         25         26         26         27         28         29         30         31           y          0.7         0         3.1         0         0         0         0.8 <td>ромтн.         18         19         20         21         22         24         25         26         26         27         28         29         29         34         26         26         26         29         29         39         31           y</td> <td>NOTH.         18         19         20         21         22         28         24         25         26         27         28         29         30         81           y         -         0.7         0         3.1         0         0         0         0.8</td> <td>роттн.         18         19         20         21         22         24         25         26         26         27         28         29         29         24         25         26         26         29         29         24         26         26         26         29         29         24         26         26         26         26         26         26         26         27         26         26         27         26         27         26         27         26         27         26         27         26         27         26         27         26         27         26         27         26         27         <t< td=""><td>NOTH.         18         19         20         21         22         28         24         25         26         27         28         29         30         81           y         -         0.7         0         3.1         0         0         0         0.8</td></t<></td>	ромтн.         18         19         20         21         22         24         25         26         26         27         28         29         29         34         26         26         26         29         29         39         31           y	NOTH.         18         19         20         21         22         28         24         25         26         27         28         29         30         81           y         -         0.7         0         3.1         0         0         0         0.8	роттн.         18         19         20         21         22         24         25         26         26         27         28         29         29         24         25         26         26         29         29         24         26         26         26         29         29         24         26         26         26         26         26         26         26         27         26         26         27         26         27         26         27         26         27         26         27         26         27         26         27         26         27         26         27         26         27 <t< td=""><td>NOTH.         18         19         20         21         22         28         24         25         26         27         28         29         30         81           y         -         0.7         0         3.1         0         0         0         0.8</td></t<>	NOTH.         18         19         20         21         22         28         24         25         26         27         28         29         30         81           y         -         0.7         0         3.1         0         0         0         0.8

	TA	BLE	SS 1	70R	EA	HO	H	no	R o	F F	SEC	OR	DE	Q	SUN	ASH	MONTHLY TABLES FOR EACH HOUR OF RECORDED SUNSHINE.
Local apparent time. 4-5 5-6 6-7 7.8	2-9 9-9		7.8		6-8	9-10	10-11	9-10 10-11 11-12 12-1	12-1	1-2	2-8	3.4	4-5	9-9	2-9	7-8	6-8
0 0 0 0	0		0		0.5	8.8	7.4	œ 63	6.2	7 ·8	4.1	0.5	0	0	0	0	0
0 0 0 0 -	0		0		1.3	4.7	1.1	œ 93	7.8	5.8	2.9	4 5	1.3	0	0	0	0
- 0 0 0.7 6.4	0.7	6.4		<u> </u>	13.6	16.2	19.0	9.81	20 6	9.61	17.4	15.5	11.8	2.2	0	0	0
- 0 1.3 8.6 15.2	8.45 15.2				20.1 21.8		22.6 22.4	\$2. <del>4</del>	21.4 19.8 19.1 18.3	8. 6 <u>1</u>	1.61	18.3	18.6	13.2	1.8	0	0
. 0.2 6.1 9.6 11.3	6.1 9.6 11.3	11:3	11:3		13.3	13.7	13.8	18.8 18.7 18.8 15.1 16.4 14.9 14.6 18.1 14.5 12.7	₹91	4.2	9-41	13.1	14.5	12.7	7.0	1.4	0
- 0.6 4.2 9.4 11.6 14.8 15.2	4.5 9.4	9.4 11.6	9.11		8.41		17.2	17.2 18.8 17.8	8. 21	18 6 19.1	1.61	19 3	17.3	13.2	œ မေ	3.5	0
- 0.6 3.6 6.7 12.7 1	3.6 6.7 12.7	12.7	12.7	_	10	15 1 16.1	15.9	17.2	13.5 14.2	14.2	15.4	14.0	12.8	11.5	0.8	8.	0
- 0 1.8 5.6 9.4	9.9	5.6 9.4	9.4		9.91	18.4	9.91	9.4 16.6 18.4 16.6 19.5 19.8 18.2 19.2	19.3	18.2	₹.61	18.4 15.4 12.8	15.4	12.8	4.6	0	0
- 0 0 8.8 10.1 14.2 12.8 14.1 13.6 14.2 14.0 15.8		3.3 10.1	10.1		2.41	13.8	14.1	13.6	14.2	0.4	15.3	16.3 12.9	12.9	4.0	0	0	0
- 0 0 0 3.4	0 3.4	3.4	3.4		10:1	13.6	6.71	10.1 13.6 14.9 15.5 14.0 14.1 11.6	14.0	14.1	9.11	8.6	3.2	6:0	0	0	0
0 0 0 0	0 0	0			9.0	4.5	7.6	9.3 10.4	9	3	1	ſ	1	ľ	L.		
1		1			1		-	7									
					7	A	$\Lambda$		1.		١						
70	1	1	1		1	4	71	4.	41								

### OBSERVATIONS OF DECLINATION AND DIP.

(Continued.)

Manmy	G.M.T.	WEST DE	CLINATION	G.M.T.	Dip.
Month	CIVIL DAY	Observations	Monthly Mean.	CIVIL DAY.	Dir.
	р. н. м.	0 1 11	0 1 4	р. н. м.	0 , "
	8 16 7	18 50 9	)	D. H. M.	
July	17 16 13	18 58 9	18 54 51	21 12 10	69 6 26
	31 16 52	18 56 14	)		
	7 16 18	18 56 24	)		
August	16 16 15	18 51 54	18 50 51	23 16 15	69 8 1
	28 16 20	18 44 14	<i>)</i>		
	12 16 10	18 48 44	18 27 7	07 10 0	60 04 00
Sept.	19 16 10	18 5 29	18 27 7	27 16 0	68 34 20
	2 16 0	18 57 54	<b>\</b>		
	9 16 12	17 53 44	1		
Oct.	16 16 7 24 16 3	18 46 19 18 53 54	18 39 36	18 12 30	69 3 38
	31 16 8	18 46 9	J	·	
	10 10 10	10 44 90			
Nov.	13 16 12 27	18 44 39 18 38 34	18 41 37	25 10 13	69 1 81
	"	10 00 01	)		
1	4 16 12	18 22 44	1		
Dec.	11 16 7	18 35 29 18 48 29	18 47 37	14 13 7	69 4 40
	27 16 12	19 23 44			
Yearly Mean.			18 46 32		69 2 33
<u> </u>	<u> </u>	<u> </u>	 	<u> </u>	

Local a
Januar
Febru
March
April
May
June
June
July
Augus
Septer
Octob
Nover
Decen

•

# DATES OF MAGNETIC DISTURBANCES, 1893.

The disturbances are divided into three classes, small, moderate, and greater; these are indicated by the initial letters of the classes, and the letter c denotes calm. The days are reckoned astronomically, from noon to noon. The asterisk signifies that the record was partly or wholly lost, according as it stands, with or without an initial letter.

Month.	Jan.	Feb.	March	April	May	June	July	August	Sep.	Oct.	Nov.	Dec.
1 2 3 4 5 6 7 8 9 10 11 11	s	c	5	c	С	s	s	s	S	s	g	s
2	s	S	S	S	C	S	S	S	S	m	S	C
3	m	m	S	C	S	S	S	S	5	S	m	C
4	s	m	S	C	S	S	S	S	S	S	5	S
5	g	m	S	S	S	S	S	S	m	S	S	m
6	m	5	C	S	C	m	S	g	C	S	S	s
7	C	m	5	S	m	S	S	g	m	S	S	c
8	s	m	S	C	C	C	S	S	m	S	S	S
9	m	C	S	C	m	m	S	C	m	S	S	S
10	m	C	S	S	S	m	S	S	S	S	S	١ (
11	m	C	C	S	S	S	S	С	S	S	S	5
12	m	C	S	S	S	C	S	m	S	S	S	۱ ۹
13	s	C	S	S	S	С	S	S	S	S	С	(
14	S	S	m	S	S	S	m	S	S	S	S	(
15	C	m	m	S	S	S	g	S	s	s	С	S
13 14 15 16 17 18 19	C	m	m	8	S	S	5	С	S	S	s	(
17	s	m	С	S	S	S	S	С	S	S	S	٩
18	m	S	C	S	m	m	S	g	s	S	С	s
19	m	S	С	S	S	m	S	S	s	C	С	C
20 21	s	S	C	S	S	m	S	S	S	C	С	(
21	m	S	C	s	S	S	m	С	S	С	С	(
22 23	m	S	C	S	С	С	m	S	s	С	s	(
23	S	S	С*	S	S	С	m	С	S	С	С	(
24	S	s	m	S	S	С	S	С	S	S	s	m
25	m_	С	m	С	S	S	S	С	S	S	S	S
26 97	s*	S	g	g	S	S	S	S	m	S	S	S
27	S	С	s	S	С	š	S	S	S	S	m	s
28 29	S	C	m	S	С	m	S	С	C	S	m	S
29	S		S	С	S	m	S	S	m	S	S	m
30 31	C		C S	С	m c	S	g	s s	m	s s	S	S
si ( S	14	11	14	21	19	16	25	18	21	25	19	13
ਕੁਰੂ ) m	- 11	8	6	0	4	8	4	1	7	1	3	3
Totals.	11 1 5	0	1	1	0	0	2	3	0	0	1	0
٦ ( c	- 5	9	10	8	8	6	0	9	2	5	7	15

# PRESENTS RECEIVED.

Greenwich Observations, 1890	Royal Observatory.
Greenwich Spectroscopic and Photo-	
graphic Results, 1890	,,
Assumed mean R.A. of Clock Stars	
and Circumpolar Stars, with	
the corrections to the RA. of	
the Nautical Almanac for 1894-0	"
On the Photographic Magnitude of	
Nova Aurigæ	Astronomer Royal.
On the large Sun-spot of 1892, and	•
the associated Magnetic distur-	
bances, by W. H. M. Christie,	
M.A. F.R.S	,,
On a new form of Altazimuth by the	••
same	••
Hourly Means, 1889-90	Meteorological Office.
Report of the International Met. Con-	incompany of the control of the cont
ference at Munich	
Meteorological Observations at stations	,,
of the Second Order, 1888 .	
Report of the Meteorological Council	**
to the Royal Society, 1892 .	
	"
The Meteorological Record by W. Marriott, F.R., Met. Soc.	
	"
Quarterly Weather Reports, 1893 .	,,
Monthly ,, 1898	"
Weekly ,, ,, 1893	"
Daily ,, ,, 1898	,,
Quarterly Returns of the Registrar	
General	Registrar General.
Philosophical transactions	Royal Society.
R.S. proceedings	,,
Monthly Notices of the Royal Astro-	
nomical Society, 1898	Royal Astr. Soc.
Journal of the British Astronomical	
Association, 1893	British Astr. Assoc.
Memoirs of the British Astronomical	
Association, 1893, Vol. I., Part	
VI	,,
Report of the British Association for	
the advancement of Science, 1892	British Association.

Journal of the Scottish Met Soc., Vol,	
IX	Scottish Met. Soc.
Report of the Kew Committee, 1892 .	Kew Observatory.
Edinburgh Circulars	Royal Obs. Edinburgh
Meteorology of Ben Nevis	Observatory.
Report of Wolsingham Observatory by the Rev. T. H. E. C. Espin,	
B.A., F.R.A.S.  Meteorology of Bradford, 1892, by J.  Landsborough, M. Inst., C.E.,  &c., and A. E. Preston, M. Inst.,	,,
C,E., &c., &c	,,
Summary of Met. Obs. at Crowborough	
Hill Observatory, by C. Leeson	
Prince, F.R.A.S., &c., &c Observations of the great Drought of	,,
1893, by the same	
Uchfield Rainfall from 1843—1892, by	"
the same	39
Meteorological Results at Liverpool	
Observatory during 1889-90-91	,,
Southport Meteorological Report, 1892	
by J. Baxendell, F.R., Met. Soc.	**
The Weather of 1892, by the same .	"
Meteorological Observations, Rousden Observatory, 1892, by C. E. Peek, M.A., F.R., Met. Soc.,	
Peek, M.A., F.R., Met. Soc.,	
F.R.A.S.	Observatory
Report of Mr. Tebbutt's Observatory, 1892, by J. Tebbutt, F R.A.S.,	
&c On the variation of Latitude, as indi-	**
cated by recent observations at	
the Royal Observatory by W.	
G. Thackeray and Prof. H. H.	Authoro
Turner, M.A., B. Sc Obituary Notice of Sir G. B. Airy by	Authors
Prof. H. H. Turner	Author
Note on the spectrum of Nova Auriga	11411101
by E. W. Maunder, F.R.A.S.	,,
Pressure by D. Dewar	"
Weather forecast for 1894 by the same	"
Periodic and non-periodic fluctuation	
in the Latitudes of Storm Tracks	
by Dr. M. A. Veeder	,,
Thunderstorms by the same	,,
The cause of gravity by G. T. Car-	
ruthers, M.A	,,
Trueman H. Stafford	1,
	",

Address delivered by Mr. E. B. Knobel, President of the R.A.S., on	
presenting the Gold Medal to	
Prof. H. C. Vogel The Moon's Face, by G. K. Gilbert	Author
How to find Easter by A. M. W.	"
Downing, M.A. D.Sc. On Occulting Micrometers by Dr. O.	**
A. L. Pihl	**,
J. Norman Lockyer, F.R.S., &c.  Observations of the Satellites of	"
Saturn in 1893, by the Rev. Alex. Freeman, M.A., F.R.A.S.	,,
On the Illumination of Saturn's Rings during sunrise And on recent observations of their re-appear-	,,
ance by the same	
On the observations made by the	**
Saturn Section of the B.A.A.,	
in 1893, by the same	,,
On the visibility of Japetus by the same	,,
Variations of node and inclination of	
a disturbed planet, deduced	
from the Lunar equation of	
Latitude by the same	**
Arithmetical note by the same . Meterial construction of the Ruled	,,
Quadrics by the same Six Thermodynamic Relations by the	,,
on the Siderial Period of the New	,,
Satellite of Jupiter by the same Occulations of Stars by the Eclipsed Moon, May 11th, 1892, by the	1,
same	
The College Pictures(St. John's, Cam-	,,
bridge) at the Tudor Exhibition	
by the same	,,
Table showing the time and place of	**
the transit of any star across	
the prime vertical circle in	
Latitude 52°, 12°, 10° by the	
same	,,
Observed conjunctions of Satellite IV.	••
with Jupiter by the same	,,
Method of finding the latitudes of Saturn's Belts by the same .	
Saturn's Belts by the same .	"
The Spectroscope of the Alleghany	
Observatory by J. E. Keeler .	,,

Visual Observations of the Spectrum of B. Lyræ, and note on the Spectrum of P. Cygni by the same	Author
1892, by Father S. Chevalier, S.J Electro Magnetic theory of the Sun's	••
Corona by Hermann Ebert . Fortieth Annual Report of Committee	**
of the Free Public Library, Liverpool The Observatory	Committee Editor
The British Journal of Photography British Rainfall, 1892, by G.J. Symons,	,,
F.R.S.  Monthly Meteorological Magazine by the same	,,
The Medical Officer's Report for the	"
County Palatine of Lancaster Photograph of Total Solar Eclipse	Edward Sergeant, M.D.
taken at Ceara, Brazil, April 16th, 1893 Map of Stars visible at Fortaleza	José Albano
during total eclipse of the Sun, April 16th, 1893, by P. O'Meara and J. H. P. Inowden	Authors
Report on the Administration of the Meteorological Department of the Government of India in 1891-92-93 by John Eliot, M.A. Monthly Weather Review, 1892-3 by	Met. Office, Calcutta
the same	
Annual Summary 1891-2 by the same	"
Indian Meteorological Memoirs, Vols	,,
IV. and V. by the same	. ,,
Meteorological Observations recorded at seven stations in India by the	,,
same	**
Cyclone Memoirs, No V. by the same	11
Rainfall data of India 1892 by the same Madras Meridian Circle Observations,	,,
1877-78-79	Govt. Obs., Madras
Madras Meteorological Results 1856-61	", Madias
Brief sketch of the Meteorology of Bombay Presidency in 1892-93	Met. Office, Bombay
Monthly Record of Melbourne Observatory 1892-93 by R. L. J.	mon. Omoc, Dombay
Ellery, F.R.S., Government	
Astronomer	Melbourne Obs.
Quarterly Record of Meteorology and Magnetism by the same	,,

Twenty-seventh report of the Board of visitors Annals of the Cape Observatory Vol. I., parts 2, 3, and 4. Results of Meteorological Observations 1891, by A. V. Nursingrow, F.R. A.Š. -Meteorological Observations at Adelaide Observatory, 1890, by Sir Charles Todd, F.R.S., etc., etc. Meteorological Observations at Adelaide, and other places in South Australia, and the Northern Territory, during the years 1884—5, by the same Observations and Researches made at Hong-Kong Observatory in the year 1892, by W. Doberck

Memoirs of the National Academy of Sciences, Vol. V. Transactions of the New York Academy of Sciences, vol. xii., 1**892**—3. Proceedings of Rochester Academy of Sciences -Smithsonian Report, 1890. Pilot Charts of the North Atlantic Ocean, 1893 Report of the Superintendent of the U.S. Naval Observatory, 1892 -New York Meteorlogical Observations Central Park Annals of the Astronomical Observatory of Harvard College, vol. xiv., part 2. Photography of the Corona without an Eclipse, by Prof. George E. Hale, Director -The Spectroheliograph, by the same -On the condition of the Suns Surface in June and July, 1892, as compared with the record of Terrestrial Magnetism, by the same On the probability of change of coincidence of Solar and Terrestrial Phenomena, by the same Transactions of the Astronomical Observatory, vol. i, parts 3 and 4 Monthly Weather Review The Parallaxes of  $\mu$  and  $\theta$  Cassiopeiæ by Harold Jacoby

Melbourne Obs.

Royal Obs. Cape

Juggarow Obs.

H. M. Govt. in Australia

Hong-Kong Obersvatory

Academy of Sciences

New York Academy Rochester Academy Smithsonian Institute

U.S.A. Naval Obs.

New York Obs.

Harvard College, Obs.

Kenwood Astro. Phys. Observatory

Yale University Met. Office, Toronto.

Columbia Col. Obs.

The Reflecting Zenith Telescope -	Georgetown Col. Obs.
Annuaire de la Société Météorologique	
de France	La Sociéte.
Rapport Annuel sur l'Etat de l'observatoire de Paris, 1892	L'Observatoire.
Bulletin Mensuel de l'observatoire Météorologique de l'université d'Upsal, vol. xxiv., par Dr, H. Hildebrand Hildebrandsson, Ap- pendice 1, Pluies, par Thure Wigert	,,
Observations faites, à l'observatoire Météorologique de l'Université de Kiew	"
Sur les éléments de l'étoile variable Y Cygni, par N. C. Dunér	L'Observatoire d'Upsal.
Observations faites au Cercle Méridien de l'observatoire de Stockholm, Déterminations des Ascensions Droites en l'Année, 1878	L'Observatoire
Observations Météorologiques Sué- doises publiées par L'Académie Royale des Sciences de Suède, 1885, 86, 87, 88.	L'Académic Royale.
Annales de l'Institut Météorologique de Roumanie-Année, 1890, par le même	" Observatoire Royal de
Sur l'éclipse de Soleil du 16 avril, 1898, par R. P. J. Fenyi, S.J.	Madagascar L'Auteur
Observations Magnétiques faites à l'observatoire de Parc St. Maur en 1890, par M. Th. Moureaux	
Déterminations Magnétiques faites en	,,
France, en 1890, par le même La Photographie des Protubérances	**
Solaires, par J. D. Lucas, S.J Eclipses de Soleil et activité volcan-	31
ique par le même Extraits de la Revue de questions	51
scientifiques, Avril et Öctobre,	
1893, par le même Couche de neige dans le bassin, du Dnieper, en Novembre et Dé-	**
cembre, 1892, et Janvier, 1893, par le professeur P. Broounof -	
par le professeur F. Droounoi -	31

Des Principales Méthodes employées	
pour observer et mesurer, les	
nuages, par H. Hildebrandsson	
et K. L, Hagström	Les Auteurs
Résumé des Observations Météorolo-	
giques faites, par M. Reiset à Ecorcheboeuf de 1893 à 1882 -	
Ecorcheboeuf de 1893 à 1882 -	M. Th. Moureaux
L'Astronomie (specimen)	M. Vimont
Jahrbücher der K. K. Central-Anstalt	•
für Meteorologie und Erdmag-	
netismus, Jahrgang, 1890-91	Die Anstalt
Bericht über die Thätigkeit im Königl	2101210101
Sächsischen Meteorologischen	
Institut, für das Jahr, 1891-2,	
von Prof. Dr. Paul Schreiber,	
Direktor des Institutes in Chem-	
nitz	Das Institut
Die Niederschlagsverhältnisse der	
Jahre, 1864—1890, von dem-	
selben	29
Fünf-und mehrjährige Mittel aus den	,,
Monats-und lahresergebnissen	
der Beobachtungen, 1864-90,	
von demselben	19
Ergebnisse der Meteorologischen Be-	
obachtungen im Jahre 1892,	
von demselben	,,
Ergebnisse der Meteorologischen Be- obachtungen im Jahre, 1892-93,	
durch Wilhelm von Bezold Di-	
rektor am Königlich, Preussis	
chen Institut	,,
Ergebnisse der Niederschlags-Beobach-	<i>"</i>
tungen im Jahre, 1891, von dem-	
selben	,,
Bericht über die Thätigkeit des Kön-	
iglich Preussischen Meteorol-	
ogischen Instituts im Jahre 1891-92, von demselben	
Ergebnisse der Meteorologischen Be	,,
obachtungen im Reichsland	
Elsass - Lothringen, 1890 and	
1891	Dr. Hugo Kergesell
Annalen des Physikalischen Central-	0 0
Observatoriums Herausgegeben	
von H. Wild, Mitglied der	
Kaiserlichen Akademie der Wis-	
senschaften und Direcktor des	
Physikalischen Observatoriums.	Das Observatorium
Theil I. und II, Jahrgang 1891 -	Das Observatorium

Ueber die Darstellung des täglichen	
Ganges der Lufttemperatur von	
demselben	Das Observatorium
Ueber die Bestimmung der geograph-	
ischen Länge und Breite, und	
der drei Elemente des Erdmag-	
netismus, von Dr. H. Fritsche,	
Director emeritus des K. Rus-	
sischen Observatoriums in Pe-	
king	**
Observations made at the Magnetical	
and Meteorological Observatory at Batavia, vol. xiv., 1891, by	
Dr. J. P. Van der Stok	
Regenwaarnemingen in Nederlandsch-	19
Indiië, 1891, von demselben	
Publicationen des Astrophysikalischen	"
Observatoriums Zu Potsdam,	
Herausgegeben vom Director H.	
C. Vogel	
Boletinul Observatiunilor Meteorol-	**
ogice din Romanice de Stefan	
Hepites	
Astronomische Beobactungen an der	••
K. K. Sternwarte	•
Zu Prag in den Jahren, 1888, '89, '90,	,•
and '91, Nebsl Zeichnungen,	
und Studien des Mondes, von	
Prof. Dr. L. Weinek	Die Sternwarte
Repertorium für Meteorologie, Her-	
ausgegeben von der Kaiserlichen	
Akademie der Wissenschaften	
Bd. xvi., No. 10 (August, 1872—	
August, 1891)	Die Akademie.
Die Schmidt'sche Sonnentheorie und	
ihre Anwendung auf die Meth-	
ode der Spektroskopischen Bes-	
timmung der Rotationsdauer der	
Sonne von Otto Knopf	Der Verfasser.
-	
Astronomische Mittheilungen von Dr. R. Wolf	
Magnetische Beobachtungen auf der	
Nordsee Angestellt, 1884—86,	
1890—91, Von A. Schück.	
Observaciones Meteorologicas del Col.	,,
Cat. Puebla. 1892—93	Observatorio.
	C DOOL VALUE 10.
Observaciones Verificadas 1891—92,	
Observatorio de Manila	"
Observatorio Meteorologico del Col-	
egio Seminario de San Luis	
Potosi, 1892	**

Boletin del Observatorio de Tacubaya Núm 13 El Magnetismo Terrestre en Filipinas	Observatorio
por el P. Ricardo Cirera, S.J., director dela Sección Magnetica Observatorio de Manila. Almanaque Nautico para 1895, San Fernando.	yı yı
	**
Memorias de la Sociedad Cientifica,  "Antonio Alzate."  Menerva Revista Cientifica, mensual, de la Sociedad de Ingenieros de	La Sociedad.
Puebla.	,,
Publicazioni della Specola Vaticana	
Fasciolo III.	Specola Vaticana
Bollettino Mensuale dell. oss Centrale	Special Cationia
del R. Coll. Carlo Alberto in	
Moncalieri	•
	Osservatorio
Osservazioni delle Meteore Luminose	
Nell Anno 1892 93	R. P. F. Denza
Le Stelle Cadenti dei periodi di Agosto	
e de Novembre 1890-91	**
Andamento della pioggia in Pesaro nel	
ventennio 1871-90 Comm. Luigi	
Guidi	P. Calvor
<del></del>	

#### **APPENDIX**

# RESULTS

OF

# METEOROLOGICAL OBSERVATIONS

TAKEN AT

ST. IGNATIUS' COLLEGE, MALTA,

BY THE

REV. J. DOBSON, S.J.

# CORRIGENDA.

	True corresponding values for 1898 (mean for the last 46 years) as in this volume.
Mean weight of a cubic foot of air (mean for the last 33 years) in summary 1880 was given 539 1 grs. should be 538 4 grs.	589.4 grs.
Mean weight of a cubic foot of air (mean for the last 84 years) in October, 1881, was given 543 6 grs. should be 586 6 grs.	537 '4 grs.
Mean weight of a cubic foot of air (mean for the last 35 years) in June, 1882, was given 5451 gra. should be 530.9 gra.	531-9 grs.
Mean elastic force of vapour (mean for October 1882 and 1888) was given 0-287 and 0-219 in, should be 0 284 and 0 249 in.	0.276 in.
Mean weight of vapour in a cubic foot of air (mean for the last 87 years) in Oct. 1884, was given 3-1 grs. should be 3-2 grs.	3.2 grs.
Mean weight of a cubic foot of air (mean for the last 41 years) in August, 1888, was given 525 ugra, should be 527.4 gra.	527 ·8 gra.
Mean elastic force of vapour (mean for the last 43 years) in January, 1890, was given 0-222 ins. should be 0-197 ins.	0·196in.
Mean weight of a cubic foot of air (mean for the last 43 years) in January, 1890, was given 544 igrs. should be 549 3 grs.	549 6 grs.
Mean weight of a cubic foot of air (mean for the last 43 years) in December, 1880, was given 549 4 grs. should be 548 0 grs.	548 · 5 grs.
Number of days on which rain fell (mean for the last 48 years) in December, 1890, was given 8.9 dys. should be 18.8 dys.	18-9 days
Mean weight of a cubic foot of air (mean for Dec. 1892, and last 45 yrs.) was given 454.7 and 588.7 grs. should be 554.4 and 548.6gr	548 · 5 grs.
Mean weight of a cubic foot of air (mean for the year 1892, ) was given 583 8 and 589-3grs. should be 541.8 and 589-6gr	539-4 grs.

## APPENDIX

# RESULTS

OF

# METEOROLOGICAL OBSERVATIONS

TAKEN AT

ST. IGNATIUS' COLLEGE, MALTA,

BY THE

REV. J. DOBSON, S.J.

## MARCH.

Results of Observations taken during the Month.	Mean for the last 10 years.
Mean Reading of the Barometerinches 30 073	29.989
Highest ,, on the 13th ., 30 385	30.363
Lowest ,, on the 31st ,, 29.771	29.496
Range of Barometer Readings 0.614	0.867
Highest Reading of a Max. Therm. on the 18th 66.2	74.7
Lowest Reading of a Min. Therm. on the 22nd 44.2	42.9
Range of Thermometer Readings 22 0	31.8
Greatest Range in 24 hours on the 22nd 19.8	23.1
Mean of all the Highest Readings 61.9	63.3
Mean of all the Lowest Readings 49-4	50.8
Mean Daily Range 12.5	12.5
Mean Temperature (deduced from Max. & Min) 55.0	56.2
Mean Temperature (deduced from Dry Bulb) 53.8	55.6
Adopted Mean Temperature 54.4	55.9
Mean Temperature of Evaporation 50.5	51.9
Mean Temperature of Dew Point 47.5	48.7
Mean elastic force of Vapourinches 0.329	0.345
Mean weight of Vapour in a cub. ft. of air grains 3.7	3.9
Mean additional weight required for saturation,, 0.9	1.1
Mean degree of Humidity 79	79
Mean weight of a cubic foot of air grains 540.4	537.0
Fall of Raininches 2.268	0.896
Number of days on which Rain fell 7	7
Mean amount of Cloud (an overcast sky=10) 4.5	4.4
Total number of miles of Wind indicated 7271	8175
Mean Velocity of Wind per hourmiles 9.8	10.9

## APRIL.

Results of Observations taken during the Month.	Mean for the last 10 Years.
Mean Reading of the Barometer inches 30.048	29.925
Highest ,, on the 16th 30.386	· 30·256
Lowest ,, on the 28th 29.705	29.499
Range of Barometer Readings 0.681	0.757
Highest Reading of a Max. Therm. on the 28th 77.7	77.1
Lowest Reading of a Min. Therm. on the 17th 47.2	48.0
Range of Thermometer Readings 30.5	29.1
Greatest Range in 24 hours on the 21st 22·1	22.1
Mean of all the Highest Readings 66.9	67.4
Mean of all the Lowest Readings 58.1	54.3
Mean Daily Range 18.8	18.1
Mean Temperature (deduced from Max & Min) 59-0	59.9
Mean Temperature (deduced from Dry Bulb) 58.6	59.6
Adopted Mean Temperature 58.8	59.8
Mean Temperature of Evaporation 55.5	55.6
Mean Temperature of Dew Point	52.1
Mean elastic force of Vapourinches 0.399	0.389
Mean weight of Vapour in a cub. ft. of air grains 4.4	4.4
Mean additional weight required for saturation,, 1.1	1.4
Mean degree of Humidity	77
Mean weight of a cubic foot of airgrains 534.4	531.0
Fall of raininches 0.247	0.768
Number of Days on which rain fell 8	6
Mean amount of Cloud (an overcast sky=10) 4.3	4.3
Total number of miles of Wind indicated 6585	8473
Mean Velocity of Wind per hourmiles 9.1	11.8

## MAY.

Result of Observations taken during the Month	Mean for the last
Mean Reading of the Barometerinches 29 999	29.991
Highest ,, on the 3rd ,, 30 143	30.180
Lowest ,, on the 22nd ., 29.632	29.614
Range of Barometer Readings 0.511	0.566
Highest Reading of a Max. Therm. on the 30th 81.9	82.6
Lowest Reading of a Min. Therm. on the 8th 52.5	53.9
Range of Thermometer Readings 29.4	28.7
Greatest Range in 24 hours on the 17th 22·1	24.1
Mean of all the Highest Readings 74.4	72.6
Mean of all the Lowest Readings 59.6	58.4
Mean Daily Range 14.8	14.2
Mean Temperature (deduced from Max. & Min.) 66.0	64.3
Mean Temperature (deduced from Dry Bulb) 648	63.8
Adopted Mean Temperature 65.4	64·1
Mean Temperature of Evaporation 61.3	60.0
Mean Temperature of Dew Point 57.8	56.4
Mean elastic force of Vapour inches 0.479	0.456
Mean weight of Vapour in a cub. ft. of air grains 5.8	5.0
Mean additional weight required for saturation ,, 1.6	1.7
Mean degree of Humidity 77	75
Mean weight of a cubic foot of airgrains 525.7	527·1
Fall of Raininches 0.147	0.761
Number of days on which Rain fell 2	4
Mean amount of Cloud (an overcast sky=10) 4:3	3.5
Total number of miles of Wind indicated 6460	7372
Mean Velocity of Wind per hourmiles 8.7	9.9

# JUNE.

Results of Observations taken during the Month	Mean for the last 10 years
Mean Reading of the Barometerinches29.997	30.009
Highest ,, on the 18th ,, 30·164	30.175
Lowest ,, on the 2nd ,, 29.649	29 832
Range of Barometer Readings ,, 0.515	0.343
Highest Reading of a Max. Therm. on the 30th 87.2	91.0
Lowest Reading of a Min. Therm. on the 10th 59.5	59.2
Range of Thermometer Readings 27.7	31 8
Greatest Range in 24 hours on the 14th 22 2	25.7
Mean of all the Highest Readings 80.6	80.6
Mean of all the Lowest Readings 65.0	64.8
Mean Daily Range 15.6	15.8
Mean Temperature (deduced from Max. & Min) 72·1	71.9
Mean Temperature (deduced from dry bulb) 71.3	71.2
Adopted Mean Temperature 71.7	71.6
Mean Temperature of Evaporation 66.4	65.9
Mean Temperature of Dew Point 62.4	61.7
Mean elastic force of Vapourinches 0.564	0.550
Mean weight of Vapour in a cub. ft. of air grains 6.1	6.0
Mean additional weight required for saturation 2.4	2.4
Mean degree of Humidity	71
Mean weight of a cubic foot of airgrains 519.2	519.6
Fall of Raininches 0.150	0.081
Number of Days on which rain fell 2	1
Mean amount of Cloud (an overcast sky=10 2.6	2.0
Total number of miles of Wind indicated 6358	6213
Mean Velocity of Wind per hourmiles 8.8	8.7

# JULY.

Results of Observations taken during the Mont	h	Mean for the last 10 years.
Mean Reading of the Barometerinches 2	9-963	30-012
Highest ,, on the 10th ,, &	80.083	80 · 155
Lowest ,, on the 14th ,, 2	9 785	29 ·844
Range of Barometer Readings	0.298	0.811
Highest Reading of a Max. Therm. on the 14th	96 · 1	97-2
Lowest Reading of a Min. Therm. on the 20th	65.7	64.6
Range of Thermometer Readings	80.4	82-6
Greatest Range in 24 hours on the 5th	23.2	26 8
Mean of all the Highest Readings	87.0	86.8
Mean of all the Lowest Readings	70.8	69.8
Mean Daily Range	16·2	17.0
Mean Temperature (deduced from Max. & Min.)	78.4	77.8
Mean Temperature deduced (from dry bulb)	76.8	76-8
Adopted Mean Temperature	77-6	77.3
Mean Temperature of Evaporation	71-0	70-2
Mean Temperature of Dew Point	<b>66·8</b>	65.8
Mean elastic force of Vapourinches	0.657	0.625
Mean weight of Vapour in a cub. ft. of air grains	7.1	6.7
Mean additional weight required for saturation ,,	3.0	8.4
Mean degree of Humidity	70	67
Mean weight of a cubic foot of airgrains	<b>512</b> ·6	513-8
Fall of Rain	•••	•••
Number of days on which Rain fell	•••	
Mean amount of Cloud (an overcast sky=10)	1.7	0-6
Total number of miles of Wind indicated	6077	5600
Mean Velocity of Wind per hourmiles	8.2	7-6

## AUGUST.

Results of Observations taken during the Month.	Mean for the last 10 years.
Mean Reading of the Barometerinches 30.023	30.010
Highest ,, on the 17th ,, 30·136	30.156
Lowest ,, on the 31st ,, 29.775	29.863
Range of Barometer Readings ,, 0.361	0.298
Highest Reading of a Max. Therm. on the 28th 95.1	97.0
Lowest Reading of a Min. Therm. on the 11th 66.2	66.2
Range of Thermometer Readings 28.9	80.8
Greatest Range in 24 hours on the 28th 23.6	26.2
Mean of all the Highest Readings 86.9	87.3
Mean of all the Lowest Readings 70.1	71.1
Mean Daily Range 16.8	16.2
Mean Temperature (deduced from Max. & Min.) 77.7	78-4
Mean Temperature (deduced from Dry Bulb) 77.7	78.4
Adopted Mean Temperature 77-7	78.4
Mean Temperature of Evaporation 71.8	71.4
Mean Temperature of Dew Point 67.5	66.7
Mean elastic force of Vapourinches 0.678	0.653
Mean weight of Vapour in a cub. ft. of air grains 7.2	7.0
Mean additional weight required for saturation,, 3.0	3.5
Mean degree of Humidity 71	67
Mean weight of a cubic foot of airgrains 512.5	512.2
Fall of Raininches 0.030	
Number of days on which Rain fell 1	
Mean amount of Cloud (an overcast sky=10 1.4	1.0
Total number of miles of Wind indicated 4474	5442
Mean Velocity of Wind per hourmiles $6.0$	7.3

## SEPTEMBER.

Results of Observations taken during the Month.	Mean for the last 10 years.
Mean Reading of the Barometer inches 30 044	30 064
Highest ,, on the 14th ,, 30 243	30.246
Lowest ,, on the 19 ,, 29.869	29.849
Range of Barometer Readings 0.374	0.397
Highest Reading of a Max. Therm. on the 25th 98.8	92-2
Lowest Reading of a Min. Therm. on the 6th 66 5	62 -9
Range of Thermometer Readings 32 3	29-3
Greatest Range in 24 hours on the 25th 22-2	23-0
Mean of all the Highest Readings 87-8	82 6
Mean of all the Lowest Readings 72.3	68-5
Mean Daily Range 15.5	14-1
Mean Temperature (deduced from Max & Min) 79.1	74 7
Mean Temperature (deduced from Dry Bulb) 77.6	74.5
Adopted Mean Temperature 78-4	77.3
Mean Temperature of Evaporation 717	68-9
Mean Temperature of Dew Point 67.5	64.8
Mean elastic force of Vapour inches 0.673	0-615
Mean weight of Vapour in a cub. ft. of air grains 7.1	6.7
Mean additional weight required for saturation,, 3.3	2.6
Mean degree of Humidity 68	72
Mean weight of a cubic foot of air grains 510 2	517-3
Fall of Raininches	1.373
Number of days on which Rain fell	5
Mean amount of Cloud (an overcast sky=10) 2.0	2.4
Total number of miles of Wind indicated 5817	5630
Mean Velocity of Wind per hourmiles 8	7.8

## OCTOBER.

Results of Observations taken during the Month.	Mean for the last 10 years.
Mean Reading of the Barometerinches 30.048	80.045
Highest ,, on the 25th ,, 30.227	80.274
Lowest ,, on the 29th ,, 29 909	29.727
Range of Barometer Readings 0 318	0.547
Highest Reading of a Max. Therm. on the 2nd 91.4	87.4
Lowest Reading of a Min. Therm. on the 27th 56.8	55.7
Range of Thermometer Readings 34.6	31.7
Greatest Range in 24 hours on the 5th 21-6	19.6
Mean of all the Highest Readings 78.8	76·1
Mean of all the Lowest Readings 65.5	64.3
Mean Daily Range	11.8
Mean Temperature (deduced from Max & Min.) 71 8	69.3
Mean Temperature (deduced from Dry Bulb) 69 9	86.4
Adopted Mean Temperature 70.6	68 9
Mean Temperature of Evaporation 65.1	64.2
Mean Temperature of Dew Point 60.7	60.7
Mean elastic force of Vapourinches 0.531	0.536
Mean weight of Vapour in a cub. ft. of air grains 5.9	5.8
Mean additional weight required for saturation,, 2.3	1.7
Mean degree of Humidity	77
Mean weight of a cubic foot of airgrains 520 1	523.4
Fall of Raininches 3 302	3 013
Number of days on which Rain fell 7	8
Mean amount of Cloud (an overcast sky=10 2.9	4 2
Total number of miles of Wind indicated 5988	6802
Mean Velocity of Wind per hourmiles 8.0	9.2

## NOVEMBER.

Results of Observations taken during the Month.	Mean for the last 10 years.
Mean Reading of the Barometerinches 30.000	30 076
Highest ,, on the 29th ,, 30.257	80.828
Lowest ,, on the 18th ,, 29.589	29.746
Range of Barometer Readings " 0.668	0.582
Highest Reading of a Max. Therm. on the 1st 80.0	76-1
Lowest Reading of a Min. Therm. on the 26th 53.0	49.0
Range of Thermometer Readings 27.0	27.1
Greatest Range in 24 hours on the 1st 16.8	18.5
Mean of all the Highest Readings 71.5	68-0
Mean of all the Lowest Readings 61 0	56.9
Mean Daily Range 10.5	11.1
Mean Temperature (deduced from Max. & Min) 65.2	61.7
Mean Temperature (deduced from Dry Bulb) 64.4	61.2
Adopted Mean Temperature 64.8	61.5
Mean Temperature of Evaporation 60.1	56-9
Mean Temperature of Dew Point 56.1	53.8
Mean elastic force of Vapourinches 0.451	0.414
Mean weight of Vapour in a cub. ft. of air grains 5.0	4.7
Mean additional weight required for saturation, 1.8	1.3
Mean degree of Humidity 74	79
Mean weight of a cubic foot of air grains 528.4	532-6
Fall of Raininches 3:374	3 305
Number of days on which Rain fell 9	10
Mean amount of Cloud (an overcast sky=10) 65	4.8
Total number of miles of Wind indicated 7317	6809
Mean Velocity of Wind per hourmiles 10.2	9.5

## DECEMBER.

Results of Observations taken during the Month.	Mean for the last 10 years.
Mean Reading of the Ba ometerinches 29.937	30.070
Highest ,, on the 16th ,, 30.261	30.414
Lowest ,, ,, on the 22nd ,, 29.520	29.582
Range of Barometer Readings 0.741	0.832
Highest Reading of a Max. Therm. on the 1st 69.9	68.5
Lowest Reading of a Min. Therm. on the 30th 41.1	44.0
Range of Thermometer Readings 18-8	24.5
Greatest Range in 24 hours on the 21st 17.4	17.2
Mean of all the Highest Readings 61.0	62 0
Mean of all the Lowest Readings 52.8	52.2
Mean Daily Range 8.2	9.8
Mean Temperature (deduced from Max. & Min.) 56.2	56.5
Mean Temperature (deduced from Dry Bulb) 56:3	56.0
Adopted Mean Temperature 56.3	56.3
Mean Temperature of Evaporation 51.7	51.9
Mean Temperature of Dew Point 48.1	48.7
Mean elastic force of Vapourinches 0.336	0.334
Mean weight of Vapour in a cub. ft. of air grains 3.8	3.9
Mean additional weight required for saturation, 1.2	1.1
Mean degree of Humidity 76	79
Mean weight of a cubic foot of airgrains 536 8	538 8
Fall of raininches 7.374	3.653
Number of Days on which Rain fell 22	14
Mean amount of Cloud (an overcast sky=10 7.1	5.4
Total number of miles of Wind indicated 6924	8291
Mean Velocity of Wind per hourmiles 9.3	11.2

# Summary of Observations FOR 1893.

Results of Observations taken during the Year.	Mean for the last 10 years.
Mean Reading of the Barometer inches 30.007	30.016
Highest ,, on April 16th ,. 30.386	30.505
Lowest ,, on Jan. 17th ,, 29.416	29.854
Range of Barometer Readings 0.970	1.151
Highest Reading of a Max. Therm. on Sept. 25th 98.8	99.3
Lowest Reading of a Min. Therm. on Jan. 19th 390	40.9
Range of Thermometer Readings 59.8	58.4
Greatest Range in 24 hours on August 28th 23.6	28.9
Mean of all the Highest Readings 73.0	72.4
Mean of all the Lowest Readings 59.6	59.2
Mean Daily Range 13.4	13.2
Mean Temperature (deduced from Max & Min) 65.5	64.9
Mean Temperature (deduced from Dry Bulb) 64.7	64.4
Adopted Mean Temperature 65·1	64.7
Mean Temperature of Evaporation 60.0	59.7
Mean Temperature of Dew Point 56.5	56.0
Mean elastic force of Vapourinches 0.475	0.449
Mean weight of Vapour in a cub. ft. of air grains 5.2	5.1
Mean additional weight required for saturation,, 1.9	1.8
Mean degree of Humidity 75	76
Mean weight of a cubic foot of airgrains 5.6.9	528.0
Fall of Raininches25.283	19.204
Number of Days on which Rain fell 80	76
Mean amount of Cloud (an overcast sky=10) 3.9	3.5
Total number of miles of Wind indicated 79562	84749
Mean Velocity of Wind per hourmiles 9.1	9.7

The Maximum monthly mean height of the Barometer was in November, 1889, and was .....inches 30.249

The Minimum ,, ,, in January, 1886, and was 29.844

The Maximum yearly mean height of the Barometer was in
1884, and wasinches 30.057
The Minimum ,, ,, in 1893, and was ,, 30.007
The greatest monthly range of the Barometer was in
January, 1886, and was 1.201
The least ,, ,, in August, 1883, and was 0.188
The highest reading of the Barometer, during 5 years, was
on January 26th, 1887, and was 80.627
The lowest ,, ,, on 17th, January 1886, and was 29.155
Extreme range 1 472
The highest temperature was on July 20th, 1889, and was 104.1
The lowest ,, ,, February 20th, 1891 87.7
The highest mean temperature of a month was in August,
1887, and was
The lowest ,, , February, 1891, and was 49.5
The greatest monthly mean weight of vapour, in a cubic foot of airgrains August, 1855 7.9
The least ", ", January and February, 1891, and wasgr 8.0
The highest observed Dew point was on the 30th August,
1885, and was
•
The lowest ,, ,, 19th January, 1891, and was 28.6
The greatest fall of rain in a month, was in December, 1889,
and wasinches 8.952
The greatest number of days on which rain fell in one monthdays January, 1889 24
The highest temperature registered in sunshine was on the
20th July, 1889, and was 158.8
The lowest temperature registered on ground was on the
25th January, 1891, and was
The highest observed sea temperature was on the 5th August,
1887, and was 85·0
The lowest ,, ,, 28rd January, 1891, and was 56 0
The smallest mean amount of cloud observed in one month
was in August, 1890, and was 0.0
The greatest ,, ,, in December, 1898, and was 7.1

## NOTES FOR THE SEPARATE MONTHS.

#### ANUARY.

The Dew-point ranged between 54 0° on the 11th and 29 0° on the 23rd.

In Sunshine, the highest reading was 106.50 on the 19th.

On ground, the lowest reading was 36.5° on the 6th.

Thunderstorms passed on the 4th, 13th and 16th.

Hail fell on the 2nd, 3rd, 4th, 5th, 17th, 18th, 22nd and 24th.

Total Rainfall since last June 21.386 inches;

the average of 5 years, 14.795 inches.

Pressure has been unusually low, and rainfall nearly double the average.

#### TEBRUARY.

The Dew-point ranged between 32 7° on the 8th & 54.7° on the 28th.

In Sunshine, the highest reading was 122.1° on the 26th.

On Ground, the lowest reading was 36.3° on the 8th.

Lightning was seen on the 4th and 28rd.

Total Rainfall since last June, 23:154 inches

the average of 10 years, 16.882 inches

# March.

The Dew-point ranged between  $56.6\,^{\circ}$  on the 17th and 34 8° on the 20th.

In Sunshine, the highest reading was 129.2 on the 25th.

On Ground, the lowest reading was 88.0° on the 22nd.

Thunderstorms passed on the 2nd.

Lightning was seen on the 7th and 25th.

Total Rainfall since last June 25.422 inches;

the average of 10 years, 17.778 inches

#### APRIL.

The Dew-point ranged between 38.7° on the 12th and 60.8° on the 28rd.

In Sunshine, the highest reading was 134·1° on the 28th. On Ground, the lowest reading was 41·9° on the 18th. Lightning was seen on the 9th.

Total Rainfall since last June 25 669 inches; the average of 10 years, 18 546 inches.

#### MAY.

The Dew-point ranged between  $51.6\,^{\circ}$  on the 14th and  $62.9\,^{\circ}$  on the 21st.

In Sunshine, the highest reading was 187.3 on the 31st.

On Ground, the lowest reading was 47.0° on the 8th.

Total Rainfall since last June 25.816 inches;

the average of 10 years, 19.307.

#### JUNE.

The Dew-point ranged between  $56.3\,^{\circ}$  on the 3rd and  $68.7\,^{\circ}$  on the 24th.

In Sunshine, the highest reading was 141.4° on the 26th. On Ground, the lowest reading was 54.5° on the 10th. Thunderstorms passed on the 2nd and 10th. Hail fell on the 2nd.

#### JULY,

The Dew-point ranged between  $57.6^{\circ}$  on the 1st and  $73.1^{\circ}$  on the 28th.

In Sunshine the highest reading was 146.9° on the 14th.

On Ground, the lowest reading was 60.8° on the 20th.

On the 29th, at 10-30 a.m., a few heavy drops of rain fell, not enough to measure.

#### AUGUST.

The Dew point ranged between 59.7° on the 1st, and 74.0° on the 29th.

In Sunshine, the highest was 148.8° on the 31st. On Ground, the lowest reading was 60.8 on the 11th. Lightning was seen on the 6th.

#### SEPTEMBER.

The Dew-point ranged between  $51.6\,^{\circ}$  on the 25th at 2-0 p.m., and  $75.8\,^{\circ}$  on the 20th at  $8.0\,$  a.m.

In Sunshine, the highest reading was 147.9° on the 20th.

On Ground, the lowest reading was 60.0° on the 6th.

Total Rainfall since last June '030 inches on August 6th.

The hottest month of this year, and hotter than any previous September of last ten years. Total absence of rain never before recorded in last ten years. High dew-point has made weather very trying

#### OCTOBER.

The Dew-point ranged between  $71.9^{\circ}$  on the 1st and  $53.2^{\circ}$  on the 30th.

In Sunshine, the highest reading was  $144.6^{\circ}$  on the 2nd. On Ground, the lowest reading was 51 0° on the 27th.

Thunderstorms passed on the 20th, 21st, 22nd, 23rd and 28th.

Lightning was seen on the 3rd, 24th, 29th and 30th. Total Rainfall since last June 3:232 inches;

the average of 10 years, 4.537 inches.

#### NOVEMBER.

The Dew-point ranged between  $67\cdot2^{\circ}$  on the 9th and  $47\cdot3^{\circ}$  on the 20th.

In Sunshine, the highest reading was 127.2 on the 23rd. On Ground, the lowest reading was 48.1° on the 26th. Thunderstorms passed on the 18th, 14th, and 17th.

Lightning was seen on the 5th, 9th, 10th, 11th, 15th, 16th, 18th, 30th.

Total Rainfall since last June 6.706 inches; the average of 10 years, 7.842 inches.

The month has been marked by an unusually variable barometer. The sky has been unusually overcast, whilst the rainfall for the month only slightly exceeds the average.

#### DECEMBER.

The Dew-point, ranged between 59.2° on the 1st and 35.4° on the 30th.

In Sunshine, the highest reading was 126.2° on the 3rd.

On Ground, the lowest reading was 87.5 on the 30th.

The Sea has fallen to 61.0°.

Thunderstorms passed on the 1st, 6th, 7th, 8th, 20th and 22nd Lightning was seen on the 5th, 23rd, 25th, 26th, 28th and 29th. Hail fell on the 7th, 8th and 22nd.

Total Rainfall since last June 14:080 inches;

the average of 10 years, 11.495 inches.

The month has been unusually overcast and rainy, with much less than the average amount of wind.

#### NOTES FOR THE YEAR.

The Dew-point ranged between 29.0° on the 28rd January, and 75.8 on the 20th September.

In Sunshine, the highest reading was 148.80 on the 31st Aug.

On Ground, the lowest reading was 36.30 on the 8th Feb.

Thunderstorms passed on 20 days.

Lightning was seen on 26 days.


Hail fell on 12 days.

55/5742 JUNE 1922 5882

STONYHURST COLLEGE OBSERVATORY.

Results of Abeteorological

Magnetical Observations,



さん 5 伊立 JUN 9 1922 | タスルノ

STONYHURST COLLEGE OBSERVATORY.

Results of Meteorological

Magnetical Observations,

. .

# STORWHUME TIME

**JLLEG** 

Y.

With FATHER INTERES.

CINFLIET

S

**AGNETICA** 

· AND

# SOLAR OBSERVATIONS


BY THE

REV. W. SIDGREAVES, S.J., F.R.A,S.

1894.


CLITHEROE:

PRINTED BY PARKINSON & BLACOW, TIMES OFF



# TABLE OF CONTENTS.

								Dana
								Page
Introductio	n -	-	-	-	-	•	-	õ
Monthly M	eteorolog	cical Tal	oles	-	-	-	-	8
Yearly Met	eorologic	al Sumn	nary		-		-	32
Dates of O	ccasional	Phenon	nena	-	-	-	-	34
Summary o	f Solar C	bservat	ions	-	-	-	-	36
Dates of Sc	lar Draw	ings, et	c.		-	•	•	37
Total Amor	ant of Su	nshine r	ecorde	ed on eac	ch day	-	-	38
Monthly Ta	ables for	each ho	ır of 1	ecorded	Sunsh	ine	-	40
Observation	ns of Upp	er Clou	ds (Ci	rrus)		-	-	42
Magnetic R	eport—							
1. Absolu	ite Value	s of the	Elem	ents of T	`errestr	ial Mag	netism	44
2. Magne	etic Distu	ırbances		-		•		<b>5</b> 0
List of Pres	sents rece	eived	-	-	-	-	•	51
Appendix.	Observa	tions ta	ken at	St. Igna	atius' C	ollege,	Malta	65



#### INTRODUCTION.

The work of the Meteorological and Magnetical department of the Observatory has been carried on as described in the introduction to the report of 1892. It was there mentioned that the recording apparatus of the Robinson Anemometer had not been working satisfactorily. It was sent to R. Munro, Engineer, of London, on April 9th, and was replaced by another of the same dimensions on August 5th. The usual wind-synopsis is, therefore, wanting in our weather reports of these and the intervening months.

The annual inspection of the Meteorological instruments belonging to the Board of Trade, was made on the 18th and 19th of September, by Mr. Baker, of the Kew

Observatory.

The heavy gale of December 22nd, gave us our highest recorded velocity, at 72 miles an hour. The details of the storm are given in the December report.

page 31.

The scale co-efficient of the Bifilar magnetometer was tested again in October, as in the previous year, and was found to have suffered no appreciable change. The exact value of one centimeter displacement of the spot of light upon the photographic paper

is now, 1894, 0,000512 C.G.S. units and was in 1893, 0.000511 ,, and in 1892, 0.000515 ,,

The most remarkable disturbance of the magnets during the year occurred on November 13, beginning abruptly at 2 p.m. A comparison with the Kew record of the same disturbances shows that the changes of force

and direction were much greater at Stonyhurst than at Kew, from 3 p.m. to midnight. At 8-15 p.m. a very sudden increase of horizontal force was shown by the Bifilar magnetometer, the spot of light moving off through 6 o centimeters and back again in five minutes, and continuing its rapid movement, responding to decreasing force, through 4.6 centimeters in another two minutes, when it left the the cylinder and did not return for 20 minutes. If we suppose that the rest of this movement as closely resembled that of the smaller oscillation at Kew, as the recorded part of it, the complete swing of the light-spot, from maximum to minimum of force, would be through 15.2 centimeters in 12 minutes, just three times that of the Kew curve. The Unifilar magnetograph shows also considerably greater changes of direction at Stonyhurst than at Kew.\* Smooth curves drawn through the oscillations would show, in general, westerly deflection corresponding with increase of horizontal force; but many of the quicker oscillations show decrease of force with westerly deflection.

The subject has been mentioned, informally, at a meeting of the Royal Astronomical Society; and it is hoped that the means may be found by one or more of the Scientific Societies for the multiplication of Magnetic Observatories, with the object of determining, for the greater disturbances, the terrestrial position of maximum effect. To know this, is a necessary step for the advancement of our knowledge about the causes of these unexplained storms; and a single instrument of simple make, the Unifilar magnetograph, at each station would be enough for the purpose.

The interruption of the Solar Chromospheric measurements, mentioned in our report of last year, has led to its discontinuance, on the grounds that the work is being carried on at Rome under much more favourable conditions by Professor Tacchini, and that in the varying state of our own inconstant climate, the average length of the chromospheric line C appears to be as much a measure of the transparency of our atmosphere as of the depth of the Solar chromosphere.

<sup>\*</sup>The Bifflar instruments at the two observatories are practically of the same sensibility, the one at Kew being a trifle more sensitive. The Uniflar at Kew is more sensitive than the Stonyhurst instrument in the proportion of 11 3: 8.7.

The drawings of the Sun spots and faculæ have been continued as formerly, notwithstanding the completeness of the series of photographic pictures of them collected at Greenwich; because there is reason to believe that the visual and photographic images are not identical.

Our conclusions from a study of the Solar Drawings, made during 1889, the year of least spot-frequency, of the magnetic curves of the same period, and of our recent photographs of the spectra of Sun-spots and faculæ, have been given in a communication to the Royal Astronomical Society, published in the November number of the

Monthly Notices.

The entire collection of Sun spot drawings is now under examination, with the object of testing the Wilson Theory of "Cavities." The work of mapping the spectra of the brighter stars from the photographic plates, obtained with the old & inch-objective of the Equatorial telescope, is nearly complete. The results of both these studies will also be communicated to the R. A. S. when ready.

The stellar work of the Father Perry-Memorial-objective has been carried on without the loss of any available clear night, and the large number of photographs of the spectra of stars, made during the year, shows our gain in time by the greater aperture. But only a few of these plates will be of service for future study; all the work having been expended upon a long series of experiments connected with the perfection of our small photo-spectrograph. photographs have been from the beginning stronger, and have extended further into the violet end of the spectrum, than was possible with the 8 inch glass; but it is only recently that the sharpness of the definition has been brought up to match the delicate markings on the photographs given by the old objective. These experiments and their results will be given in detail when complete. it may be mentioned here, to guard against misinterpretation, that in our method of photographing the spectra of stars, without a slit, it was not expected that the greater light power and longer focal length of the new glass would give as perfect definition as the weaker instrument when employed upon a star of sufficient brightness.

# Stonyburst Observatory.

Lat. 58° 50′ 40° N. Long. 9m. 52s. 68w. Height of the Barometer above the sea 381ft.

# METEOROLOGICAL REPORT.

# JANUARY, 1894.

Results of Observations taken during the Month.	Mean for the
	47 years.
Mean Reading of the Barometer 29.327	29-439
Highest ,, on the 3rd 30.241	<b>30·281</b>
Lowest ,, on the 20th 28.824	28.587
Range of Barometer Readings 1.417	1.694
Highest Reading of a Max. Therm. on the 11th 52.8	51.6
Lowest Reading of a Min. Therm. on the 5th 100	20.4
Range of Thermometer Readings 42.8	31.2
Mean of all the Highest Readings 42.9	42.2
Mean of all the Lowest Readings 31.3	32·5
Mean Daily Range 11 6	9.7
Deduced Monthly Mean (from Mean of Max.	
and Min.) 36.9	87·1
Mean Temperature from Dry Bulb 37.4	37·1
Adopted Mean Temperature 37.2	<b>37·1</b>
Mean Temperature of Evaporation 35-6	35.9
Mean Temperature of Dew Point 33-3	<b>33</b> ·8
Mean elastic force of Vapour 0·191 in	0·195in
Mean weight of Vapour in a cub. ft. of air 2.2gr	2·4 gr
Mean additional weight required for saturation 0.4gr	0·4 gr
Mean degree of Humidity (saturation 1.00) 0.86	0.86
Mean weight of a cubic foot of air 547.4gr	549 5 gr
Fall of rain 4-617 in	4·141 in
Number of Days on which rain fell 28	19.8

JANUARY, 1894.									
No. of days in the month on which the prevailing wind was		NE	Е	SE	s	sw	w	NW	
		1	6	7	2	7	6	1	
Mean Velocity in miles per hour	7.9	9.3	10-1	14·1	18:0	16·3	18.8	4.8	
Total No. of miles for each Direction	189	222	1452	2372	863	2739	2710	114	
<b>6</b> 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					•				

The total No. of miles registered during the month was 10661.

The max. Velocity of the wind was 45 miles per hour. Direction

S by E. on the 29th at 9 p m.

Mean amount of Cloud (an overcast sky being indicated by 10.0) 8.3 In the month of January, the highest reading of the Barom-

eter during 47 years, was on the 18th in 1882, and was 30.480 The lowest 26th, 1884 27.803 The highest Temperature 599 7th, 1887 The lowest 15th, 1881 4.6 The highest adopted mean temperature of the month, 1875 42.5 The lowest 29.21881....

January opened this year, as last year, with a very cold week. The coldest period of the frost covered the three days, 5th, 6th, and 7th; during which the highest temperature was 27°, the lowest 10°, and the mean temperatures approximately 19°, 20°, and 21°. The barometer stood high during the first 4 days; it then fell below the annual mean, and remained low for the rest of the month, with short oscillations, never reaching 29°7 inches, and only 5 times rising above 29°5. Ground frost on 17 days. Snow on 10 days. Hail on 3 days.

# FEBRUARY, 1894.

		-,	77					- 1	
Results of Observations take	n dur	ing th	e Mon	th			an for last 7 years		
Mean Reading of the Baromet	er			. 29	482	2	9 · 506		
Highest ,, or	n th	e 18t	h	. 30	116	8	0.064		
Lowest ,, or	n th	e 11t	h	. 28·	376	2	8 • 681		
Range of Barometer Readings				. 1	740	ļ	1.383		
Highest Reading of a Max. Th	erm.	on tl	he 7t]	h 4	5 <b>3</b> ·6		<b>52</b> ·1		
Lowest Reading of a Min. The	h s	23.5		2z 4					
Range of Thermometer Reading	ngs			. 1	30·1		29.7		
Mean of all the Highest Read	lings			. 4	<b>1</b> 5·6		44.3		
Mean of all the Lowest Reading	ngs			. :	33· <b>7</b>		33.6		
Mean Daily Range				. :	11.9		10.7		
Deduced Monthly Mean (from and Min )					39· <b>8</b>		38-4		
Mean Temperature from Dry					39·9		38.4		
Adopted Mean Temperature					39·6		38.4		
Mean Temperature of Evapor					37.9	36.9			
Mean Temperature of Dew Po					35.7		34.7		
Mean elastic force of Vapour					·210iı	0.	. 193in		
Mean weight of Vapour in a cu					2·4g		2.4gr		
Mean additional weight require					0.4g	1	0.4gr		
Mean degree of Humidity (satu					)·86		0.87		
Mean weight of a cubic foot				,	17.6gı	r 54	1		
Fall of Rain					783ir		556in		
Number of days on which Rai					28	7 "	17.2		
		- ••					11.2		
No of days in the month on	N	NE	E	SE	s	sw	w	NW	
which the prevailing wind was	0	8	2	1	2	8	12	0	
Mean Velocity in miles per hour	0	4.0	6.6	9.2	11.3	17.5	18.4	0	
Total No. of miles for each Direction	0	291	315	220	542	3358	5299	0	

The total number of miles registered during the month was 10025.

The max. Velocity of the wind was 59 miles per hour. Direction
W., at 5 a.m., on the 12th.

#### FEBRUARY, 1894.

Mean amount of Cloud (an overcast sky being indicated by 10.0) 8.1 In the month of February, the highest reading of the Barometer during 47 years, was on the 11th, in 1849, and was 30.452									
The lowest	,,	6th, 1867			28.208				
The highest Ter	nperature	8th, 1877	,,		<b>58·3</b>				
The lowest	,,	18th, 1892	,,		8·1				
The highest adopted mean temperature of the month, 1869									
The lowest	,,	,,		5	28 6				

A wet month, with nearly double the average rainfall. The heaviest fall, 1½ inch, occurred on the 10th, preceding the gale of 11th, 12th. The barometer reached its lowest reading 28 376 between the rain and the wind storms; but the weather had been generally rough from the 5th Ground frost on 18 days. Snow on 3 days. Aurora borealis seen on 2 days.

## MARCH, 1894.

Results of Observations taken	duri	ng the	mont	h.			ean fo last year	
Mean Reading of the Baromet	er		•••••	<b>2</b> 9·4	477	2	9·474	
Highest ,,	on t	he 23	rd	30	091	3	0 083	
Lowest ,,	on th	ne 13	th	28	<b>370</b>	2	8-685	
Range of Barometer Readings			•••••	1.1	721	1.398		
Highest Reading of a Max. Th	erm.	on th	ie 271	h 6	5.3		<b>57</b> ·2	:
Lowest Reading of a Min. Th	erm.	on th	ie 161	h 2	5.0		22.4	
Range of Thermometer Readings 40.3								1
Mean of all the Highest Readings 52.9								:
Mean of all the Lowest Readings 34.7								,
Mean Daily Range		13.2	:					
Deduced Monthly Mean (from and Min.)	2.8		39.7					
Mean Temperature from dry b	39.9							
Adopted Mean Temperature	1	39.8						
Adopted Mean Temperature								,
Mean Temperature of Dew I	oint			8	37-7		35⋅4	
Mean elastic force of Vapour	••••		•••••	0:	<b>2</b> 26 ir		0·205in	
Mean weight of Vapour in a cul					2.6gr	1	2.4	77
Mean additional weight required	lfors	satur	ation		0.6g1	_		
Mean degree of Humidity (sat					.82	0.85		
Mean weight of a cubic foot of	fair		•••••	54	3.7g1	1		
Fall of Rain	,	• • • • • •	•••••	8.	902 ir		3.094	- 1
Number of days on which Ra	in fe	eli	•••••	•••	14		17.5	}
No. of days in the month on which the prevailing wind was	N	NE	E	SE	s	sw	w	NW
which the prevailing wind was	0	6	8	1	2	4	14	1
Mean Velocity in miles per hour	0	6·1	4.5	7.1	18-1	16.6	13.5	2.5
Total No. of miles for each Direction.	0	876	322	170	867	1590	4580	59

The total number of miles registered during the month was 8414. The max. Velocity of the wind was 47 miles per hour. Direction S.S.W., on the 1st, at 9 a.m.

#### MARCH, 1894.

Mean amount of Cloud (an overcast sky being indicated by 10 0) In the month of March, the highest reading of the Barometer during 47 years, was on the 6th, in 1852, and was .. 30.401 The lowest .. 28.199 31st, 1860 The highest Temperature ... 25th, 1871 68 0 •• The lowest 6th, 1886 11.5 The highest adopted mean temperature of the month, 1871.. 44.0 The lowest 1855 and 1892 ... 85-6

An average month except for the temperature, which was 8.2 above the mean. The rainfall was nearly all in the first half of the month, with a generally low barometric pressure; the latter half being fine with high barometer readings.

Ground frost on 23 days. Snow once. Hail on 5 days. Fine Aurora borealis seen on the 30th.

APR	11,	109	,4· 					
Results of Observations taken	n dur	ing tl	ae Mo	nth.		1	last 7 year	-
Mean Reading of the Baromet	er .			. 29	448	2	9-48	5
Highest ,, o	n the	30th	١	. 29	945	2	9-969	)
Lowest ,, o	n the	16th	٠	. 28	839	2	8-804	Į.
Range of Barometer Readings				. 1:	106	ı	1.165	5
Highest Reading of a Max. The	erm. c	on the	e 11tl	n 6	8.6	1	66-2	}
Lowest Reading of a Min. The	rm. c	n the	e 19tl	a 8	1.1	1	28.1	
Range of Thermometer Reading	ngs .			. 8	7.5	1	38-1	
Mean of all the Highest Read	ings.			. 5	7.9		<b>55</b> ·9	)
Mean of all the Lowest Reading	ıgs .			. 4	0.1		37.8	}
Mean Daily Range				. 1	7.8		18-1	
Deduced Monthly Mean (from and Min.)	Mea	an of	Max		7.5		44-4	ı
Mean Temperature from Dry	Bulb			. 4	7-6	ł	44.6	;
Adopted Mean Temperature					7.6		44.5	
Mean Temperature of Evapora					<b>4</b> ·6	l	41.7	
Mean Temperature of Dew Po	int .		<b></b> .	. 4	1.3	l	38-1	
Mean elastic force of Vapour			• • • •	0.	260in		0.235	in
Mean weight of Vapour in a c					8·0gr		2.7	ØŦ.
Mean additional weight required	d for	satur	ation	1	0 7gr		0.7	•
Mean degree of Humidity (sat	urati	on 1	<b>0</b> 0)	. 0	·79		0.80	•
Mean weight of a cubic foot of	f air.			. 53	7-9gr		542·0	err
Fall of Rain				1.9	925 in	1	2.258	-
Number of Days on which rai					18		14-6	;
No. of days in the month on	N	NE	E	SE	s	sw	w	NA
which the prevailing wind was	2	11	5	8	4	8	2	0
Mean Velocity in miles per hour	7.0	14.2	9.8	15.0	14.9	6.1	3.2	

Anemograph dismounted.

The numbers in the table are the means of eye observations taken daily at 8, 9, and 10 a.m. noon, 2, 4, and 9 p m.

Total No. of miles for each Direction

#### APRIL, 1894.

Mean amount of	Cloud (an ov	ercast sky being	indicate	ed by 10·0)	6.9
In the month of during 47 yea	April, the l	ighest reading one 17th, in 1887	of the B	arometer	80 251
The lowest	,,	20th, 1868	19		28·358
The highest Ter	mperature	14th, 1852	,,	• • • • •	<b>74</b> ·1
The lowest	,,	13th, 1892	,,		20.8
The highest adop	oted mean ter	nperature of the	month,	865	48 5
The lowest	,,	,,	1	879	40.7

The mean temperature shows a comparatively warm month; but it was a degree less than in April of last year, while the rainfall was an inch more on fewer days. The general changes of barometric pressure are shown by three wave crests about the 5th, 20th, and 30th, with low hollows about the 16th and 26th. Ground frost on 12 days. Hail on one day. Lunar halo on one day.

# MAY, 1894.

Results of Observations taken	duri	ng the	Mor	th.			an for last year	
Mean Reading of the Baromete	r			29.5	32	29	505	
Highest ,, on t	the <b>2</b> 4	4th		30.0	44	29.944		
	he 2	8th		29.0	92	28	3·9 <b>4</b> 0	
Range of Barometer Readings.				0:9	52	1.004		
Highest Reading of a Max. The	erm. c	on th	e <b>2</b> 5tl	h 64	4		71.9	
Lowest Reading of a Min. The	rm. c	on th	e 20t	h 27	70	31.3		
Range of Thermometer Readi	ngs .			37	7.4		<b>4</b> 0· <b>6</b>	
Mean of all the Highest Reading	3∙9		59.7					
Mean of all the Lowest Reading	3.6		42.0					
Mean Daily Range	3.3		17.7					
Deduced Monthly Mean (from								
and Min.)					3-1	49.0		
Mean Temperature from Dry E					7.0	49.5		
Adopted Mean Temperature				-	6.6	49.3		
Mean Temperature of Evapora					2.8	46.1		
Mean Temperature of Dew Po					<b>8</b> ∙6	42.5		
Mean elastic force of Vapour					233in	0. <b>276i</b> n		
Mean weight of Vapour in a cub					2·7gr	1		
Mean additional weight require					1·0gr			
Mean degree of Humidity (sat			,		74	0.76		
Mean weight of a cubic foot of	f air.	• • • •	• • • • •	54	0·6gr		5 <b>37</b> ·0	gr
Fall of Rain					L58in	:	2 635	in
Number of days on which Rain	n fell	• • • •	• • • • •	•	22		15.4	:
No. of days in the month on	N	NE	E	SE	s	sw	w	NW
which the prevailing wind was	_	-	-					
	4	8	1	<b>2</b>	0		9	2
Mean Velocity in miles per hour	5.0	9.4	10.0	12.3	0	13·2	14.3	13.0
Total No. of miles for each Direction						,		
A	nh D	·						

Anemograph Dismounted.

The numbers in the table are the means of eye observations taken daily at 8, 9, and 10 a.m. Noon, 2, 4, and 9 p.m.

### MAY, 1894.

Mean amount of Cloud (an overcast sky being indicated by 10.0) 7									
In the month of May, the highest reading of the Barometer									
during 47 years, was on	the 22nd in 1855,	and wa	s	30.124					
The lowest ,,	28th, 1877	,,	•••••	28.559					
The highest Temperature	19th, 1864	**	• • • • • • • • • • • • • • • • • • • •	82.5					
The lowest ,,	4th, 1855	,,	• • • • • • • • • • • • • • • • • • • •	23.5					
The highest adopted mean	temperature of th	e month	,1848	55·1					
The lowest ,,	,,		1855	<b>45 0</b>					

A cold wet month, beginning with a high but falling barometer. The falling continued till the 10th, when a fairly steady rise set in, and settled at a high pressure state from the 16th to the 25th with fine but cold weather. Ground frost on 13 days. Snow on one day. Hail on one day.

# JUNE, 1894.

						- 3-			
Results of Observations take	a dur	ing the	Mon	th.		i	an for last 17 year	•	
Mean Reading of the Barom	eter		••••	29	577		29.54	<b>41</b>	
Highest ,, or	the	30th	• • • •	30	033	1	29.89	94	
Lowest ,, or	ı the	2nd		29	161	1	29.05	33	
Range of Barometer Reading	gs			0.	872	0.861			
Highest Reading of a Max. Ti		77	3						
Lowest Reading of a Min. Th		38	۰8						
Range of Thermometer Read	ings		• • • • •	4	3.9		<b>3</b> 8	•5	
Mean of all the Highest Read	ings			. 6	5.7		65	·7	
Mean of all the Lowest Read	ings			. 4	7-6		47	.9	
Mean Daily Range				1	8.1		17	-8	
Deduced Monthly Mean (from and Min)	4·9		55	.0					
Mean Temperature from Dry	Bulk	·	• • • •	5	4.2	55.0			
Adopted Mean Temperature.			• • • •	. 5	4-6		55·O		
Mean Temperature of Evapo	ratio	n		. 5	1.1		52·O		
Mean Temperature of Dew P	oint			. 4	7.8	<b>4</b> 8· <b>6</b>			
Mean elastic force of Vapou	r			. 0.	330 in	0 <sup>.</sup> 85 <b>4</b> in			
Mean weight of Vapour in a cub	o. ft. c	of air			3.8gr	ł	3 <sup>.</sup> 9gr		
Mean additional weight required	l fors	atura	tion.	• •	1·1gr	0.9gr			
Mean degree of Humidity (sat	uratio	on 1	00) .	. 0	.77	1	0.79		
Mean weight of a cubic foot of	air			53	2·4g1		581·2	gr	
Fall of Rain				. 34	625 in	1	3.622	2in	
Number of days on which R	ain f	ell	••••	•	18		16.2	3	
No. of days in the month on	N	NE	E	SE	s	sw	w	NW	
which the prevailing wind was	1	6	1	1	1	9	7	4	
Mean Velocity in miles per hour	ŏ·2	10.3	7.4	3-6	6.3	15.8	8.7	12-	
Total No. of miles for each direction						_			
				<u></u>	<u> </u>	<del></del>	<u> </u>	·	

Anemograph Dismounted.

The numbers in the table are the means of eye observations taken daily at 8, 9, and 10 a.m. Noon, 2, 4, and 9 p.m.

#### JUNE, 1894.

Meanamount	of Cloud (an ove	ercast sl	ky bein	g indicated	l b <del>y</del> 10 <sup>.</sup> 0	7.7
In the month during 47 y	of June, the h	ighest r e 15th,	eading in 187	of the Ba 4, and was	romete:	r 30·219
The lowest	,,	23rd,	1893	**	••••	28 <sup>.</sup> 813
The highest	Temperature	18th,	1893	,,	•••••	88.7
The lowest	,,	17th,	1892	**	•••••	84.1
The highest ac	dopted mean ter	nperatu	re of t	he month,	1858	<b>59</b> ·0
The lowest	11		<b>&gt;</b> ,	1856 and	1860	<b>52</b> ·2

The first half of the month was wet, with lower readings of the barometer and thermometer. Fine and warm weather came with the generally higher pressure in the second half. But only the last five days showed a steady high barometer; and these were very warm days, the maximum temperatures of the air increasing daily from 71°·2 to 79°·5.

	រូបរ	LY,	189	)4.				•				
Highest	Results of Observations tak	en du	ring	the M	onth			last	;			
Lowest	Mean Reading of the Barome	ter			29	447		2 <b>9</b> ·50	2			
Range of Barometer Readings	Highest ,, on the 1st29 955 29 879											
Highest Reading of a Max. Therm. on the 1st 80.5   178.8     Lowest Reading of a Min. Therm. on the 13th 43.2   42.1     Range of Thermometer Readings	Lowest ,,	on t	he 12	8th	28	870	1 :	28-99	1			
Lowest Reading of a Min. Therm. on the 13th 43·2   Range of Thermometer Readings	Range of Barometer Readings		•••••		1·	085		0.88	8			
Range of Thermometer Readings       37.8       36.7         Mean of all the Highest Readings       70.2       67.8         Mean of all the Lowest Readings       51.3       50.7         Mean Daily Range       18.9       17.1         Deduced Monthly Mean (from Mean of Max. and Min.)       59.0       57.7         Mean Temperature from Dry Bulb       58.2       57.8         Adopted Mean Temperature       58.6       57.8         Mean Temperature of Evaporation       55.4       54.8         Mean Temperature of Dew Point       52.6       52.1         Mean elastic force of Vapour       0.396 in       0.389 in         Mean weight of Vapour in a cubic ft. of air       4.4gr       4.5gr         Mean additional weight required for saturation       1.1gr       1.0gr         Mean degree of Humidity (saturation 1.00)       0.80       0.82         Mean weight of a cubic foot of air       526.9gr       527.3gr         Fall of Rain       4.329in       4.224in         Number of days on which Rain fell       18       18.1         No. of days in the month on which the prevailing wind was       N       N       E       SE       S. SW       N       NW         No. of miles for each       10.3       11.4	Highest Reading of a Max. T	herm	ı. on	the 1	st 8	30·5	1	78-	8			
Mean of all the Highest Readings       70·2       67·8         Mean of all the Lowest Readings       51·3       50.7         Mean Daily Range       18·9       17·1         Deduced Monthly Mean (from Mean of Max. and Min.)       59·0       57·7         Mean Temperature from Dry Bulb       58·2       57·8         Adopted Mean Temperature       58·6       57·8         Mean Temperature of Evaporation       55·4       54·8         Mean Temperature of Dew Point       52·6       52·1         Mean elastic force of Vapour       0·396 in       0·389 in         Mean weight of Vapour in a cubic ft. of air       4·4gr       4·5gr         Mean additional weight required for saturation       1·1gr       1·0gr         Mean degree of Humidity (saturation 1·00)       0·80       0·82         Mean weight of a cubic foot of air       526·9gr       527·3gr         Fall of Rain       4·329in       4·224in         Number of days on which Rain fell       18       18·1         No. of days in the month on which the prevailing wind was       N       N       E       SE       S       Sw       N       N         No. of miles for each       10·3       11·4       11·6       8·6       5·0       13·4       21·2	Lowest Reading of a Min. Th	erm.	on tl	ne 18	th 4	13.2		42.	L			
Mean of all the Highest Readings       70·2       67·8         Mean of all the Lowest Readings       51·3       50.7         Mean Daily Range       18·9       17·1         Deduced Monthly Mean (from Mean of Max. and Min.)       59·0       57·7         Mean Temperature from Dry Bulb       58·2       57·8         Adopted Mean Temperature       58·6       57·8         Mean Temperature of Evaporation       55·4       54·8         Mean Temperature of Dew Point       52·6       52·1         Mean elastic force of Vapour       0·396 in       0·389 in         Mean weight of Vapour in a cubic ft. of air       4·4gr       4·5gr         Mean additional weight required for saturation       1·1gr       1·0gr         Mean degree of Humidity (saturation 1·00)       0·80       0·82         Mean weight of a cubic foot of air       526·9gr       527·3gr         Fall of Rain       4·329in       4·224in         Number of days on which Rain fell       18       18·1         No. of days in the month on which the prevailing wind was       N       N       E       SE       S       Sw       N       N         No. of miles for each       10·3       11·4       11·6       8·6       5·0       13·4       21·2	Range of Thermometer Readi	ngs	•••••		8	37·8		86.	7			
Mean of all the Lowest Readings.       51·8       50.7         Mean Daily Range       18·9       17·1         Deduced Monthly Mean (from Mean of Max. and Min.)       59·0       57·7         Mean Temperature from Dry Bulb       58·2       57·8         Adopted Mean Temperature       58·6       57·8         Mean Temperature of Evaporation       55·4       54·8         Mean Temperature of Dew Point       52·6       52·1         Mean elastic force of Vapour       0·396 in       0·389 in         Mean weight of Vapour in a cubic ft. of air       4·4gr       4·5gr         Mean additional weight required for saturation       1·1gr       1·0gr         Mean degree of Humidity (saturation 1·00)       0·80       0·82         Mean weight of a cubic foot of air       526·9gr       527·3gr         Fall of Rain       4·329in       4·329in         Number of days on which Rain fell       18       18·1         No. of days in the month on which the prevailing wind was       N       NE       E       SE       S w       N w         No. of miles for each       10·3 11·4 11·6 8·6 5·0 18·4 21·2 0       0						70· <b>2</b>		67:	3			
Mean Daily Range       18·9       17·1         Deduced Monthly Mean (from Mean of Max. and Min.)       59·0       57·7         Mean Temperature from Dry Bulb       58·2       57·8         Adopted Mean Temperature       58·6       57·8         Mean Temperature of Evaporation       55·4       54·8         Mean Temperature of Dew Point       52·6       52·1         Mean elastic force of Vapour       0·396 in       0·396 in         Mean weight of Vapour in a cubic ft. of air       4·4gr       4·5gr         Mean additional weight required for saturation       1·1gr       1·0gr         Mean degree of Humidity (saturation 1·00)       0·80       0·82         Mean weight of a cubic foot of air       526·9gr       527·3gr         Fall of Rain       4·329in       4·329in         Number of days on which Rain fell       18       18·1         No. of days in the month on which the prevailing wind was       N       NE       E       SE       S       SW       NW         Mean Velocity in miles per hour       10·3 11·4 11·6 8·6 5·0 18·4 21·2 0       0         Total No. of miles for each       10·3 11·4 11·6 8·6 5·0 18·4 21·2 0       0						1.3			-			
Deduced Monthly Mean (from Mean of Max. and Min.)						8.9						
Mean Temperature from Dry Bulb.       58.2       57.8         Adopted Mean Temperature       58.6       57.8         Mean Temperature of Evaporation       55.4       54.8         Mean Temperature of Dew Point       52.6       52.1         Mean elastic force of Vapour       0.389 in       0.389 in         Mean weight of Vapour in a cubic ft. of air       4.4gr       4.5gr         Mean additional weight required for saturation       1.1gr       1.0gr         Mean degree of Humidity (saturation 1.00)       0.80       0.82         Mean weight of a cubic foot of air       526.9gr       527.3gr         Fall of Rain       4.329in       4.224in         Number of days on which Rain fell       18       18.1         No. of days in the month on which the prevailing wind was       NRE       E       SE       SW       NW         No. of days in miles per hour       10.3       11.4       11.6       8.6       5.0       13.4       21.2       0         Mean Velocity in miles for each       10.3       11.4       11.6       8.6       5.0       13.4       21.2       0	Deduced Monthly Mean (from	m Me	an o	f Ma	x.	9.0			-			
Adopted Mean Temperature       58.6       57.8         Mean Temperature of Evaporation       55.4       54.8         Mean Temperature of Dew Point       52.6       52.1         Mean elastic force of Vapour       0.389 in       0.389 in         Mean weight of Vapour in a cubic ft. of air       4.4gr       4.5gr         Mean additional weight required for saturation       1.1gr       1.0gr         Mean degree of Humidity (saturation 1.00)       0.80       0.82         Mean weight of a cubic foot of air       526.9gr       527.3gr         Fall of Rain       4.329in       4.224in         Number of days on which Rain fell       18       18.1         No. of days in the month on which the prevailing wind was       NE       E       SE       SW       NW         Mean Velocity in miles per hour       10.3       11.4       11.6       8.6       5.0       13.4       21.2       0         Total No. of miles for each       10.0       <	Mean Temperature from Dry	Bull	o		5	8.2	ļ					
Mean Temperature of Evaporation       55.4       54.8         Mean Temperature of Dew Point       52.6       52.1         Mean elastic force of Vapour       0.389 in       0.389 in         Mean weight of Vapour in a cubic ft. of air       4.4gr       4.5gr         Mean additional weight required for saturation 1.1gr       1.0gr         Mean degree of Humidity (saturation 1.00)       0.80       0.82         Mean weight of a cubic foot of air       526.9gr       527.3gr         Fall of Rain       4.329in       4.224in         Number of days on which Rain fell       18       18.1         No. of days in the month on which the prevailing wind was       NE       E       SE       S       SW       NW         Mean Velocity in miles per hour       10.3       11.4       11.6       8.6       5.0       13.4       21.2       0         Total No. of miles for each       10.0	•					8-6	1					
Mean Temperature of Dew Point       52.6       52.1         Mean elastic force of Vapour       0.389 in       0.389 in         Mean weight of Vapour in a cubic ft. of air       4.4gr       4.5gr         Mean additional weight required for saturation 1.1gr       1.1gr       1.0gr         Mean degree of Humidity (saturation 1.00)       0.80       0.82         Mean weight of a cubic foot of air       526.9gr       527.3gr         Fall of Rain       4.329in       4.224in         Number of days on which Rain fell       18       18.1         No. of days in the month on which the prevailing wind was       NE       E       SE       S       SW       NW         Mean Velocity in miles per hour       10.3       11.4       11.6       8.6       5.0       13.4       21.2       0         Total No. of miles for each       10.0 <td< td=""><td>•</td><td></td><td></td><td></td><td></td><td>5.4</td><td></td><td></td><td></td></td<>	•					5.4						
Mean elastic force of Vapour       0.389 in         Mean weight of Vapour in a cubic ft. of air       4 4gr         Mean additional weight required for saturation       1 1gr         Mean degree of Humidity (saturation 1 00)       0.80         Mean weight of a cubic foot of air       526 9gr         Fall of Rain       4 329in         Number of days on which Rain fell       18         No. of days in the month on which the prevailing wind was       N         Near Velocity in miles per hour       10 3 11 4 11 6 8 6 5 0 13 4 21 2 0         Total No. of miles for each       10 3 11 4 11 6 8 6 5 0 13 4 21 2 0	•					2.6	1					
Mean weight of Vapour in a cubic ft. of air       4·4gr       4·5gr         Mean additional weight required for saturation       1·1gr       1·0gr         Mean degree of Humidity (saturation 1·00)       0·80       0·82         Mean weight of a cubic foot of air       526·9gr       527·3gr         Fall of Rain       4·829in       4·224in         Number of days on which Rain fell       18       18·1         No. of days in the month on which the prevailing wind was       N       NE       E       SE       S       SW       NW         Mean Velocity in miles per hour       10·8       11·4       11·6       8·6       5·0       18·4       21·2       0         Total No. of miles for each       10·8       11·4       11·6       8·6       5·0       18·4       21·2       0	<u> </u>					396 ir		-	•			
Mean additional weight required for saturation       1 lgr       1 0gr         Mean degree of Humidity (saturation 1 00)       0 80       0 82         Mean weight of a cubic foot of air       526 9gr       527 3gr         Fall of Rain       4 829in       4 224in         Number of days on which Rain fell       18       18:1         No. of days in the month on which the prevailing wind was       N       NE       E       SE       S       SW       NW         Mean Velocity in miles per hour       10 8       11 4       11 6       8 6       5 0       18 4       21 2       0         Total No. of miles for each	<del>-</del>						1					
Mean degree of Humidity (saturation 1 00)       0 82         Mean weight of a cubic foot of air       526 9gr         Fall of Rain       4 829in         Number of days on which Rain fell       18         No. of days in the month on which the prevailing wind was       N         Near Velocity in miles per hour       10 8 11 4 11 6 8 6 5 0 18 4 21 2 0         Total No. of miles for each	•					•	1		_			
Mean weight of a cubic foot of air						·			-			
Fall of Rain :	• • • • • • • • • • • • • • • • • • • •			•								
Number of days on which Rain fell	_					-	1		•			
which the prevailing wind was  1 4 8 2 2 9 10 0  Mean Velocity in miles per hour 10 8 11 4 11 6 8 6 5 0 18 4 21 2 0  Total No. of miles for each												
Mean Velocity in miles per hour 10 3 11 4 11 6 8 6 5 0 13 4 21 2 0  Total No. of miles for each		N	NE	E	SE	s	sw	w	NW			
Total No. of miles for each	which the prevailing wind was	1	4	8	2	2	9	10	0			
	Mean Velocity in miles per hour	10.8	11 4	11.6	8-6	5.0	18.4	21.2	0			
Direction	Total No. of miles for each Direction											

Anemograph dismounted.

The numbers in the table are the means of observations taken daily at 8, 9, and 10 a.m., noon, 2, 4, and 9 p m.

#### JULY, 1894.

	nt of Cloud (an o h of July, the hi	•	•	•	0) 7.5
	years, was on t	•			80·112
The lowest	,,	15th, 1877	,,		28·5 <b>64</b>
The highest	Temperature	22nd, 1873	,,		88· <b>2</b>
The lowest	"	1st, 1857	19	• • • • • •	<b>36</b> ·0
The highest	adopted mean ter	nperature of the	month,1	852	63·0
The lowest	,,	**	1	888	54 5

The high barometric pressure at the end of last month fell steadily at an average rate of 0.1 inch, to the lowest reading of the month on the 12th. Rain fell on four of these days to the amount of 1.16 inch; but no rain fell on the 10th or 11th, and only 0.2 inch fell during the low pressure condition from the 10th to the 14th inclusive. The barometer remained fluctuating below 29.5 till the 22nd, and between 29.5 and 29.72 the rest of the month.

# AUGUST, 1894.

Mean Reading of the Barometer	ara 88
Highest       " on the 29th 29 854       29 88         Lowest       " on the 15th 28 898       28 94         Range of Barometer Readings	
Lowest       ", on the 15th 28 898       28 94         Range of Barometer Readings 0 961       0 98         Highest Reading of a Max. Therm. on the 8th 68 9       77         Lowest Reading of a Min. Therm. on the 20th 40 0       41	5
Range of Barometer Readings 0.961 0.98 Highest Reading of a Max. Therm. on the 8th 68.9 Lowest Reading of a Min. Therm. on the 20th 40.0 41	
Highest Reading of a Max. Therm. on the 8th 68.9  Lowest Reading of a Min. Therm. on the 20th 40.0  41	7
Lowest Reading of a Min. Therm. on the 20th 40 0 41	8
	0
Pance of Thermometer Readings 28-0 RE	2
Tranke of Thermometer Teamings 50.9   00	8
Mean of all the Highest Readings 64 1 67	2
Mean of all the Lowest Readings 49.8 56	4
Mean Daily Range	8
Deduced Monthly Mean (from Mean of Max. and Min.)	1
Mean Temperature (deduced from Dry Bulb) 55.7 57	_
Mean Temperature (abduced from 21) 2012)	_
Adopted Mean Temperature         55.6         57           Mean Temperature of Evaporation         58.2         54	_
Mean Temperature of Dew Point	•
	37in
-	gr
Mean additional weight required for saturation 0.8gr 0.9	_
Mean degree of Humidity (saturation 1.00) 0.84 0.8	-
Mean weight of a cubic foot of air	_
Fall of Rain	_
Number of days on which Rain fell 23 19	
No of down in the month on N NE E SE S SW W	N
No. of days in the month on N NE E SE S SW W which the prevailing wind was	
which the prevaining wind was 4 2 0 0 0 10 15	
Mean Velocity in miles per hour 6.8 6.2 0 0 0 9.8 11	7
	- -
Total No. of miles for each   649   491   0   0   0   2350   420	9

The total number of miles registered during the month was 7699.

The max. Velocity of the wind was 30 miles per hour.

Direction W.S.W. on the 15th at noon.

#### AUGUST, 1894.

Mean amount of C	loud (an o	vercast sky bein	g indicate	d by 10 (	) 8· <b>9</b>
In the month of A	August, the	highest reading	of the Ba	rometer	
during 47 years	, was on tl	he 21st, in 187 <b>4</b>	, and was		30.114
The lowest	,,	81st, 1876	,,		<b>2</b> 8·555
The highest Temp	perature	2nd, 1868	11		88.0
The lowest	,,	13th, 1887	,,		33.4
The highest adopt	ed mean ter	mperature of the	month, 1	857 &'84	61.0
The lowest	,,	**	18	848	<b>52</b> ·5

A very wet month. Over an inch of rain fell on the 1st and 14th, nearly an inch on the 2nd and 8th, and over \( \frac{1}{2} \) an inch on the 12th, 19th, and 25th. The barometer remained generally low till the 24th, when it rose above 297 inches for the first time, and remained steady with finer weather to the end of the month. The weather generally was colder than would appear from the mean temperature, the highest temperature in the shade being 8° below the average maximum, and the solar rediation thermometer showing a mean daily maximum only 3° higher than that of April.

SEPTEM	<b>1</b> BE	R,	189	4.						
Results of Observations taken	n duri	ng the	Mont	h.			an fo last 47 yea			
Mean Reading of the Baro	mete	r		29	773	:	29.518	3		
Highest ,, on t	he 8	30th		30	130	8	30-020	3		
Lowest ,, on t	7									
Range of Barometer Readin	gs .			0.4	787	1	1.175	2		
Highest Reading of a Max. Th	erm.	on th	ie 15	h 6	$9 \cdot 2$	1	72.4	Ļ		
Lowest Reading of a Min. The	erm.	on th	e 271	h 3	1.0		36.4	L		
Range of Thermometer Read	ings			8	8.2	İ	36 (	)		
Mean of all the Highest Read	ings.			. 6	2.1		62:	3		
Mean of all the Lowest Read	ings			. 4	4.4	ļ	46.	•		
Mean Daily Range				. 1	7.7	]	<b>1</b> 5·3	3		
Deduced Monthly Mean (from and Min.)					<b>2</b> ·0		53.4	L		
Mean Temperature from dry bulb 52 0								54·O		
Adopted Mean Temperature 52.0								53· <b>7</b>		
Mean Temperature of Evapor	ation	٠		. 4	8.6		50.9			
Mean Temperature of Dew Po	int .			. 4	5.1		48.3			
Mean elastic force of Vapour	r			. 0	301in	d	0.338	3in		
Mean weight of Vapour in a cul	b. ft.	of air	·		3·4gr	·	4·0gr			
Mean additional weight require	ed for	r satı	ıratio	n	1∙0gr	1	0.8	gr		
Mean degree of Humidity (s	atura	tion	1.00	) 0	·78		0.82	3		
Mean weight of a cubic foot	of ai	i <b>r</b>		. 53	0.0gr	-	532-4	gr		
Fall of Rain				. 0	801ir	1	4.599	in		
Number of Days on which r	ain f	ell	• • • •	•	6		17.8	)		
No. of days in the month on	N	NE	E	SE	s	sw	w	NW		
which the prevailing wind was	12	9	3	0	0	1	4	1		
Mean Velocity in miles per hour	5.2	5.7	8.5	0	0	5.4	7.8	12:		
	<b></b>									

The total number of miles registered during the month was 4525. The max. Velocity of the wind was 24 miles per hour. Direction E.N.E., on the 22nd, at 10 p.m.

Total No. of miles for each Direction 130 750 294

### SEPTEMBER, 1894.

Mean amount of C	Cloud (an ove	rcast sky being indica	ted by	10.0)	5.8
In the month of Someter during	September, t 17 years, was	he highest reading of on the 15th, in 1851,	the E	Bar- s <b>8</b>	0.274
The lowest	,,	2nd, 1883	,,	2	8.323
The highest Tem	perature	6th, 1868	,,	•••	85.0
The lowest	**	25th, 1885, and 30	th, 188	8	<b>29</b> ·8
The highest adopt	ed mean tem	perature of the month	ı, 1865		<b>59</b> ·1
The lowest	,,	,,	1863		<b>50</b> ·9

A remarkably fine and dry month; but with a mean temperature below the average, owing to the Northerly winds all through the month. The mean reading of the barometer was \( \frac{1}{4} \) inch above the average, and was nearly equal to the highest reading of August. The rainfall was only one-fifth of the average. Ground frost on 4 days. Hail on one day.

### OCTOBER, 1894.

Results of Observations taken during	ng the	Montl	1.			last 7 year					
Mean Reading of the Barometer		••••	.29	485	2	9-42	3				
Highest ,, on the	8	30-01	5								
Lowest ,, on the	2	8· <b>63</b> 9	•								
Range of Barometer Readings	1.376	3									
Highest Reading of a Max. Therm. on the 11th 63.0 64.2											
Lowest Reading of a Min. Therm. on the 21st 25.5											
Range of Thermometer Readings	••••		8	7.5		85	2				
Mean of all the Highest Readings			E	5.2		54-0	3				
Mean of all the Lowest Readings			4	1.0		41-0	3				
Mean Daily Range	•••••	•••••	1	4.2		13-	)				
Deduced Monthly Mean (from Meand Min.)		•••••	4	7.1		47:	2				
Mean Temperature from Dry Bull	b	•••••	4	7.2		47-1	7				
Adopted Mean Temperature				<b>17</b> ⋅2	1	47.4	4				
Mean Temperature of Evaporation 46·0											
Mean Temperature of Dew Point	Ī	42· <b>9</b>									
Mean elastic force of Vapour .			. 0	295 in		0.27	6in				
Mean weight of Vapour in a cub. ft.	of air	• •••		3 · 4g1	-	8.2	gr				
Mean additional weight required for	satur	ation	•••	0.4g1	-	0.0	6gr				
Mean degree of Humidity (satura	tion	1· <b>0</b> 0).	0	.92		0.84	Ĺ				
Mean weight of a cubic foot of air	r		58	38·7g1	1	587-4	l gr				
Fall of Rain	•••••		4	217ir	ı	5.067	7 in				
Number of days on which Rain fe	il	••••	•	15		21.7	7				
No. of days in the month on N	NE	E	SE	s	sw	w	NW				
which the prevailing wind was 7	11	1	1	2	4	8	2				
Mean Velocity in miles per hour 7.0	6·1	10.6	8.7	10.8	10.7	6.8	2-0				
Total No. of miles for each Direction	1599	255	209	887	1028	492	94				
The total number of miles registe The max. Velocity of the wind w S.W., on the 24th at 10 p.m.	red d as 42	uring mile	the per	mon hour	th wa	as 57 irecti					

#### OCTOBER, 1894.

Mean amount of Cloudan (overcast sky being indicated by 10.0) 7.9 In the month of October, the highest reading of the Barometer during 47 years, was on the 5th, in 1884, and was .... 30-306 The lowest 19th, 1862 The highest Temperature 9th. 1869 72.8 The lowest 24th, 1892 22.8 The highest adopted mean temperature of the month, 1861 & 76 51.6 The lowest 1880.... 43.1

The high barometric pressure of last month was maintained till the 17th of October. when a decided fall commenced; but the northerly winds prevailed up to the 23rd, when the mercury went down rapidly before a moderate gale of wind on the 24th, and heavy rain fell on the 23rd and three following days, to the amount of 2.8 inches.

Ground frost on 5 days. Hail on one day.

# NOVEMBER, 1894.

Mean Reading of the Barometer       29·320         Highest       on the 80th       30·058         Lowest       on the 14th       28·502         Range of Barometer Readings       1·632       1·490
Lowest ,, on the 14th28·502 28·563  Range of Barometer Readings 1·632 1·490
Range of Barometer Readings 1.632 1.490
)
Highest Reading of a Max. Therm. on the 2nd 62.0 55.7
Lowest Reading of a Min. Therm. on the 30th 29.0 25.4
Range of Thermometer Readings 38.0 30.3
Mean of all the Highest Readings 52.1 47.1
Mean of all the Lowest Readings 40'5
Mean Daily Range
Deduced Monthly Mean (from Mean of Max. and Min.)
Mean Temperature from Dry Bulb 45.1 41.6
Adopted Mean Temperature 45.5 41.4
Mean Temperature of Evaporation 44.2 39.2
Mean Temperature of Dew Point 42.6 87.9
Mean elastic force of Vapour 0.274in 0.229 in
Mean weight of Vapour in a cub. ft. of air 3-1gr 2-6 gr
Mean additional weight required for saturation 0.5gr 0.4 gr
Mean degree of Humidity (saturation 1.00) 0.90 0.87
Mean weight of a cubic foot of air 540 7gr 544 9gr
Fall of Rain 8-546 in 4-281 in
Number of days on which Rain fell 20 19-6
No. of days in the month on NEESES SWWN
which the prevailing wind was 0 0 4 0 11 11 4
Mean Velocity in miles per hour 0 0 9.4 0 13.9 7.5 14.1
Total No. of miles for each 0 0 906 0 3676 2087 1352

The total number of miles registered during the month was 8021. The max. Velocity of the wind was 42 miles per hour. Direction S. by E., on the 14th, at 2 a.m.

#### NOVEMBER, 1894.

Mean amount of Cloud (an overcast sky being indicated by 10.0) 8.3 In the month of November, the highest reading of the Barometer during 47 years was on the 12th, in 1857, and was .. 80.850 11th, 1891 The lowest ...27.938 The highest Temperature 2nd, 1894 62-0 The lowest 17th, 1861 19.1 The highest adopted mean temperature of the month, 1881 47.0 1851 86.7 The lowest

A warm November with a mean temperature 4 '1 above the average. The mean temperature of the first three days was above the mean temperature of last August. The barometer remained low until the 17th; it reached its lowest dip on the 14th, with an inch of rain on the 13th, and then started on a steady rise from 28:57 on the 14th to 29:97 on the 21st, and remained high through the rest of the month.

#### DECEMBER, 1894.

Results of Observations taken	duri	ng th	в Мо	nth,			n for last year	
Mean Reading of the Baromet	er			29.5	24	2	9·461	
Highest ,, on	the	27tl	ı	30.2	<b>24</b> 6	3	0.076	
Lowest ,, or	the	22n	đ	28.4	82	2	8.595	
Range of Barometer Readings				1.7	64		1 • 481	
Highest Reading of a Max. The				h 5	3 4		53.0	
Lowest Reading of a Min. The					5∙0	Ì	20.1	
Range of Thermometer Reading	ngs			. 2	8·4		<b>32</b> ·9	
Mean of all the Highest Read	ings			4	6· <b>2</b>		43.0	ı
Mean of all the Lowest Readi	ings			3	5·1	1	32.8	
Mean Daily Range				. 1	1.1		10-2	:
Deducted Monthly Mean (from	n Me	an of	Max	۲.				
and Min.)					0.7		<b>37</b> -9	<b>)</b>
Mean Temperature from Dry	Bulb			4	0.5	į	38.6	;
Adopted Mean Temperature.				4	0.6	ļ	38.8	;
MeanTemperature of Evapora	tion			3	90	l	<b>36</b> 7	•
Mean Temperature of Dew Po	oint			3	7.0	Į.	34.9	)
Mean elastic force of Vapour.				0	219in		0:208	in
Mean weight of Vapour in a cu	b. ft.	of air			2.5g		2.4	lgr
Mean additional weight require	ed for	r satı	ırati	o <b>n</b>	0.4g1	-	0.4	lgr
Mean degree of Humidity (satu	uratio	on 1.0	00)	0	·87	١.	0.87	,
Mean weight of a cubic foot of	of air	r		54	7·1g1	1	548·8	igr
Fall of Rain				5.	114in	4	5.257	in
Number of days on which Rain	ı fell	••••			19		18.9	)
No. of days in the month on	N	NE	E	SE	s	sw	w	NW
which the prevailing wind was	2	4	0	4	1	2	14	4
Mean Velocity in miles per hour	6.4	3.6	0	14.4	6.5	8-4	12:4	13.7
Total No. of miles for each Direction	307	359	0	1381	156	403	4156	1315
(T) - 4 - 4 - 1		• •				-		

The total number of miles registered during the month was 8.077. The max. Velocity of the wind was 72 miles per hour. Direction W. by S., on the 22nd, at 9.10 a.m.

#### DECEMBER, 1894.

Mean amount of Cloud (an overcast sky being indicated by 10-0) 6-9 In the month of December, the highest reading of the Barometer during 47 years, was on the 22nd, in 1849, and was 80.878 The lowest 8th. 1886 .. .... 27.350 The highest Temperature 9th, 1876 58.1 The lowest 24th, 1860 6.7 The highest dopted mean temperature of the month, 1857 .... **44**·6 The lowest 1878 30.3

The barometer began a rather rapid fall on the 3rd, and then remained in an unsteady state, oscillating moderately about the mean height until the 16th, when the changes became greater :-29 8 inches on the 16th, 28 9 on the 18th, 29 8 on the 20th, and 28 5 on the 22nd. With the last depression came the heavy gale of wind, the severest recorded by the Robinson anemograph, since it was mounted in 1867. A more rapid fall of the Mercury, set in at 4 p.m. on the 21st, to the lowest reading 28 50 at 7 a.m. on the 22nd, two hours before the gale was at its height, at 72 miles an hour. It was already blowing strongly at midnight, and freshened to a moderate gale (42 miles per hour) at 1 a.m., steadily increasing to a strong gale (58 miles) at 6 a.m., which it maintained till 4 p.m., rising to nearly hurricane speed at 9 a.m., and keeping up 60 miles and over between 8 a.m. and 2 p.m., with a rapidly rising barometer.

The barometer stood at 30 inches on the 25th, and continued to rise to 301 on the 28th, when another fall set in with another westerly gale, having two maxima of velocity at 50 miles an hour,

one at 9 p.m. and the other at the following 7 a.m.

	Hall.	22, 28, 80 1, 13, 24, 27 4, 11, 18, 14, 16 4, 26 4, 26 4, 26 29 18, 14 15, 18, 28, 29
NOMENA.	Snow.	2—5, 7, 8, 26, 28—80 1, 14, 17 20 29
ASIONAL PHE	Hoar Frost.	22 26 20 21 10, 11, 18
DATES OF OCCASIONAL PHENOMENA.	Frost.	1-9, 22-24, 26, 28-31 1, 5, 6, 12-15, 17-26, 27, 28 1, 3-5, 7-11, 18, 15, 18, 22-27, 29-30 1, 15, 18, 20-24, 26, 27, 29, 30 1, 5, 8, 10, 18, 17, 20-23, 25, 26, 31 27-30 2, 4, 18, 21-28 12, 18, 16, 21, 28-30 1-9, 16, 20, 21, 26-41
	1894.	January February March April May July August September October November December

			<del> </del>
	Solar Halo.	18	
MENA.	Lunar Halo.	11 16 8	
PHENO	Lightning.	7, 8, 17, 24, 25 25 5 6 11:	t 9-80 р.m. :0 2 в.m.
DATES OF OCCASIONAL PHENOMENA.	Thunder.	17 12 2, 3, 4, 9, 25, 28 1, 26, 27, 30 17 2, 6, 7, 9, 18, 25, 26 18 5, 18 7, 10, 11	Aurora Borealis, February 28, 28, at 9-30 p.m. ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
S OF 0	Fog	8, 22 7, 22, 28, 29, 10, 14 28, 31	Aurora Boreal "" "" Rainbows, Oc. "No
DATE	Heavy Rain	80 1, 5, 12 2, 8, 18 1,2, 8, 13 1,2, 8, 12, 14, 19, 25 23, 24, 25, 26 7, 10, 13, 15, 17, 18, 21	
	1894.	January February March April May June July August September October November	

# SUMMARY OF SOLAR OBSERVATIONS.

Number of Days of Observation in Each Month.

1894.	January	March	April	May	une	July	August	September	October	November	December	Totals
Recorded	200	58	56	27	28	27	23	25	22	17	13	270
Amount of Sunshine expressed in hours	14.7	158.2	141.2	205 6	178.8	194.6	6.06	138.2	62.6	41.7	81.6	1881.6
Number of Sun Drawings 104 inches to diameter	10	14	13	14	11	6	10	18	10	4	10	120
Other Drawings and Notes										20		10

onflone discontinued this year

Dec	84.4	}		-					<b>‡</b>							Ŧ			97
Nov.	17.5	5			-		-61											66	_
October	<b>&amp;</b> &			<del>9</del> <del>7</del>	1 :	#	98.	\$	•		-20	•	<b>?</b>			•	.43	1	_
Sept.	<del>1,</del>	<b>3</b> \$ \$	ž	67.	ģ	9	ë ë	3	88.			.65		68.	38.	68.	÷ ÷	4	
August			.72				<b>‡</b>		æ			ţ	<b>;</b>			8	ĝ		
July	46	# ,	68.		8	94.						89						7	.44
June	0 <del>1</del>	•	. <del>1</del> .			-67	¥8.	3	88		.76	. <del></del>				4;	ð č		
May	-72		.20			.71			87.	P		99	2		69	38.	98:	÷	88 & 69
April	<b>3</b> 3	<b>4</b> 4	7.	<b>-</b>	8	· <del>1</del> 8		68	,	5	÷ 8	}							
March					99.	24.		<b>57</b> -	·39	5		97	ş <u>ç</u>	.62	.46	43	<b>1 5</b>	<b>‡</b>	69.
February	i i	8		.20			.53	ļ.			<b>÷</b> ÷			99.		.67			
January	ņ	45		-47			œ.	4.	Ę	\$		47	13.		.43			‡	
1884 4	H 60 2	o -41 x0	9 2	ထင	2	1181	13	111	16	: 82	61 S	25.0	3 8	27 %	88	22	8 8	8	31

χ.	17	1.0	0	8. 4.	2.0	9.9	5.4	•	4.8	0	0.4	20.0	•
DAY.	16	0.8	•	<b>6.4</b>	6.9	0	6-11	•	8.4	2.2	9.	3.6	8.8
H	15	0.8	0	9.8	0	0	1.4	0	2.6	<b>0.4</b>	6.7	8.2	1.2
ЕАСН	14	0	4.8	8.8	0	0	9.9	11.3	0	8.7	8.4	0	0
	18	9.6	7.8	7.7	•	8.9	8.4	8.2	8.7	6.5	0	5.8	0
NO	12	÷.	2.0	1.0	2.1	10.7	9.4	10.7	0	8.7	0	0	0.8
ED	11	8.8	0	8	8.	2.0	<u>ئ</u>	9.1	1.8	1.7	3.7	2.2	0
RD)	10	4.0	0	1.7	1.1	3.7	0	4. 85	1.4	8.2	0	1.8	0
CO	6	0	1.4	•	4.9	÷.	0	8.	8.8	9.6	3.0	0	0
OF SUNSHINE RECORDED	8	0	8.9	3.1	9.2	9.0	2.4	6.2	3.5	2.0	5.9	4.3	<b>3.4</b>
	7	0	0	6.5	8.0	2.6	12.2	0.9	2.1	0	0	0	0
	9	8.3	0	3.5	0.0	11.8	11.3	10.2	2.9	7.2	9∙4	1.6	0
	<b>10</b>	0	0.5	0	10.0	2.9	0	8.5	2.0	0.9	0	2.0	0
	4	1.7	0	4.9	4.7	11.1	•	8.7	1.8	8.9	2.4	8.7	1.4
	က	1.8	4.4	3.0	8.7	3.4	0	12.2	2.0	9.6	2.1	1.2	1.7
l .	61	2.8	0	4.6	2.9	0	0	0	5.3	0	8.9	2.0	•
TOTAL AMOUNT	-	2.7	₹.0	0	8.8	10.8	10.4	14.7	0	5.4	4.8	0	1.7
	<b></b>	١.											
AL	Month									÷		į	
TOT	F	January	February	March	April	May	June	July	August	September	October	November	December

						•	9							
DAY.	Per centage each month.		17.8	17.4	41.7	84·0	42.7	86.3	89.3	20·8	86.7	19.0	16.9	18·1
ЕАСН	Monthly Total.		44.7	48.5	153.2	141.2	902	178.8	194-6	e 96	188-2	62-6	41.7	81.6
ONO	81		4.3	:	<b>*</b>	:	8.7	:	7.8	2.0	:	8.0	:	5.9
	80		5.5	:	9.4	2.4	8.1	18.7	2.2	0	<b>9.</b>	, 10	<del>ب</del>	7.0
E	88		1.8	:	8.7	0	9.2	12.3	10.7	4.8	8.5	0	1:1	8.0
RD	88	İ	8.8	2.4	9.2	7.8	4-6	13.8	3.4	8.5	4.7	8.0	0	•
RECORDED	27	İ	0	3.7	9.6	1.8	2.8	13.8	1.1	0	9-6	0	0	<del>بر</del> ق
	98	İ	2.4	•	10.2	8.0	69	1.2	8.4	•	7.0	0	•	•
VE inued.	23	İ	8.0	0	8.7	3.4	6.0	•	2.7	1.6	1.8	1.7	0	•
HINE (Continued.)	22	İ	0	80	9.6	3.0	12.5	8. 8.	1.5	1.3	8.	:	6.0	•
SUNSHINE (Continued	88	Ì	6.9	•	0.6	6.1	6.3	•	&	0	0:1	0	0	•
$\mathbf{s}$	22		0	2.2	3.9	11.4	11.8	÷.	ğ.	11.2	1.9	30.00	0	0
OF	- F		8.0	0	e. 0	11.7	10-7	12.3	8. 6.	80	9.7	8. 8.	0.5	0
Ţ	8	İ	0	8.2	6.5	12.0	8	6.4	2.01	9.8	•	63 65	•	4.6
AMOUNT	19		0	9.9	8.2	2.2	1.8	10.6	7.8	0	1.0	0	1.2	6.0
MO	18	İ	•	0	5.5	8.9	2.6	1.4	2.9	1.0	0	8.0	0	•
		İ	•			•	•	•	•	•	•	,		ı
TOTAL	Month.		January -	February -	March -	April .	May -	]une	July	August -	September	October -	November	December -

	7					to	_				-		
8.8	•	•	•	•	•	•	•	•	•	•	•	•	0
7-8	0	0	0	0	8.4	<b>6</b>	<b>8</b>	0	0	0	0	0	9.1
2-9	0	0	0	9.0	10.6	13.2	9.4	3.4	0.5	0	0	0	86.8
5.6	0	0	1.2	8.9	11.1	18.4	18.2	7.4 5.9	4.2	•	0	0	82.9 54.8
27	0	1.6	7.6	11.2	13.5	14.2	15:1	7.4	9.8	1.8	0	0	
78	1:2	8.1	16.2	9.81	14.2	15.0	16:3	8.7 7.8	1.8	4.5	2.0	0	100.2
2.8	3.2	6.9	17.4	Ç9	18.5	18.4	17.8	8.7	10.5	4.2	6.5	4.1	121.1
1-2	9.9	8.7	18.3	13-0	18.7	11 6	14.5	9.01	10.9	9.4	7.4	2.9	129.2
12-1	901	2.8	18.3	14:1	6-41	18.4	9.81	2.6	12.7	8.1	8.6	9.9	144.5
1-12	10.2	8.2	18.9	6.9	7.11	12.2 18.4 11 5 18.4 15.0 14.2	15.5	9.6	15.4	9.8	7.4	6.5	147.1
0-111	8.0	5.8	18.0	8.9	16.1		4.4	7.7	9.91	10.2	4.6	9.9	185-5
9-10 10-11 11-12 12-1	8.7	0.9	15.8	9-81	9.21	13.5 11.8	16.5	9.2	18:3	7.3	4.1	<b>62</b>	125.1
8-9	0	9.8	13.6	9.2 12.5 13.6 16.8 16.9 14.1 12.0 12.2 13.6	15.6 16.8 17.5 17.5 16.1 17.4 14.9 18.7 18.5 14.2		6.8 14.0 15.2 16.5 14.4 15.5 18.5 14.5 17.8 16.8 15.1 18.2	5.5 5.2 7.6 7.7 9.6 9.7	2.6 12.4 18.8 18.3 15.6 15.4 12.7 10.9 10.5 7.8	3.2	1.2	8.0	79.9 100.8125.1185.0147.1144.5129.2121.1100.2
7-8	0	0.5	9.9	6.6	8.91	11.8 13.8 11.7	14.0	2.2	12.4	1.9	0	0	6.62
2-9	0	0	9.0	ဇ္	9.91	8:11	9	2.5	9.6	0	0	0	43.4
2-6	0	0	•	•	œ œ	7.7	9.7	8.0	0	0	•	0	21.9 42.4
4-5	0	0	•	0	1.0	8.0	1.0	0	0	0	0	0	8.8
	<u> </u>	•	•	•	•	•	•	•	•		•		•
it ti		•						•		•	•		١.
Local apparent time.	January	February	March -	April -	May -	June -	July -	August	September	October	November	December	Total

#### OBSERVATIONS OF UPPER CLOUDS (CIRRUS)

Date.			Cloud.		Wind.		Direction of Lower
1894.		G. M. T.	Direction.	V'locity (0-6)	Direction.	Force (0—12)	Clouds.
January	, 1	9am	NW	3	NNE	2	NE
, ,	10	Noon	S	2	SEbE	4	sw
,,	11	11-0am	S	2	s	7	S
,,	15	10-15am	sw	2	ŝwья	1	1
,,	25	11-20am	s	1	SW b W		w
,,	28	9-10am	E	1	WbS	7	w
,,	30	Noon	E	2	sw	6	sw
,,	31	9-15a.m	SE	3	WbS	Ö	sw
Februar	ry 5	4-15pm	w	1	wsw	0	sw
,.	19	7-40am	EbS	2	SEBE	2	sw
,.	19	10-15am	EbN	2	SSE	3	sw
,,	20	8-35am	N	2	SbW	1	sw
,,	20	3.5pm	NEBE	1	EbS	ō	šw
March	8	4-0pm	EbN	3	wsw	3	EbN
	10	8-15am	E	8	WbS	4	wsw
,,	11	9am	EbN	2	wsw	6	SWbW
,,	13	4pm	NE	3	wsw	4	SW b W
,,	14	Noon	EbS	2	Wbs	5	w
,,	16	3-15pm	WNW	ī	NW	2	NW
April	5	7-30am	wsw	2	Lost	ĺ	
.,	8	9-30am	N i	2	Lost	l .	SbE
,,	9	5-30pm	WNW	2	s	8	s
,,	10	8-15am	NWbN	1	SE	Ō	
11	10	Noon	NNW	2	S	3	s
,,	ΙĬ	5-40pm	SE	2	EbN	8	S b W
,,	17	3pm	NNW	2	wsw	ĭ	s
,,	23	9am	NW	3	EbN	ī	E
,,	24	5-30pm	S	3	S	2	S b W
"	25	3-30pm	w	2	w	i i	sw
,,	26	5 15pm	E	3	s ·		w
May	4	5-30pm	SE	3	w	3	NW
,,	17	9-30am	w	2	NE	1	NE
,,	18	10am	N	2	NE	1	
,,	25	9am	sw	2	w	1	
,,	26	7-30am	s	3	NW	2	N
,,	30	11-30am	w	2	sw	1	s
June	11	9am	SEDE	3	NWbW	3	w
٠,,	12	2pm	NW	2	w	1	w
,,	14	7-30am	s	2	w	ī	NWbW

#### OBSERVATIONS OF UPPER CLOUDS (Continued)

Dat	te		Cloud.		Wind		Direction of Lower
1894		G. M. T.	Direction.	V'locity	Direction.	Force. (0—12).	Clouds.
June	16	7-30am	NWbW	2	NWbW	0	sw
•	21	Noon	WNW	2 2	SWbW	0	sw sw
,,	27	Noon	NW b N	2 2	NE NE	1	N N
,,	- 1	Noon	M D M	2	NE	1	
July	5	Noon	S	2	sw	1	SWbS
,,	10	2pm	SE b S	2	sw	1	SWbN
,,	11	4pm	SE	2	>w	5	sw
,	18	5-40pm	NW	3	w	2	NWbW
,,	19	9-15am	NW	2	NWbW	2	W
,,	22	9-45am	SW b W	2	W	1	SW bW
,,	30	9-30am	NW	1	NEBE	0	N
Augus	t 22	5-30pm	SE b S	1	wsw	0	
Sept.	6	4pm	NEbE	3	NbE	0	NW
٠,,	12	Noon	SW b W	1	NE	1	NE
•••	25	7-30am	w	3	ENE	2	NE
,,	26	8-15am	SW b W	2	NNE	1	NE
"	26	10-30am	sw	2	NNE	1	NEbN
Octobe	er 8	8-45am	NW	2	NEbN	0	
,,	20	7-30am	sw	3	NEbN	1	
,,	25	1-40pm	NE	2	wsw	4	sw
Nov.	1	9-20am	NEBE	2	s	5	sw
,,	6	Noon	EbN	3	wsw	8	SWbN
"	13	3-45pm	N	2	sw	2	sw
11	14	8am	s	3	sw	1	
,,	16	Noon	SEbS	2	ssw	2	
,,	17	12-30am	NEbN	3	$\mathbf{s}$	5	SbE
,,	21	8-45am	N	2	WbS	1	W
,,	24	12-30am	ŝW	2	ENE	2	E
Dec.	5	2-40pm	w	2	NEbE	0	sw b w
"	12	8-50am	NW	2	w	2	sw
"	16	9-30am	NW	2	N	2	N
"	19	9-20am	NW	2	NWbW	6	sw
,,	23	10 40am	NW	1	WbS	8	WNW

### Monthly Magnetical Observations taken at the

College Observatory, Stonyhurst, 1894.

THE Horizontal, Vertical, and Total Forces are calculated to English measure; one foot, one second of mean solar time, and one grain being assumed as the units of space, of time, and of mass.

The Vertical and Total Forces are obtained from the absolute measures of the Horizontal Force, and of the Dip.

In the observations of Deflection and Vibration, taken each month for absolute measure of Horizontal Force, the same magnet has always been employed.

The moment of inertia of the magnet with its stirrup, for different degrees of temperature, and the co-efficients in the corrections required for the effects of temperature and of terrestrial magnetic induction on the magnetic moment of the magnet, were determined at the Kew Observatory by the late Mr. Welsh.

The moment of inertia of the magnet with its stirrup, using the grain and foot as the units of mass and of linear measure is 5.27308. Its rate of increase for increase of temperature is 0.00073 for every 10° of Fahr.

The weight of the magnet with its stirrup is approximately 825 grains, and the length of the magnet is nearly 8.94 inches. The moment of inertia was determined, independently of the weight and dimensions, by the method of vibration, with and without a known increase of the moment of inertia.

The temperature corrections have always been obtained from the formula  $q(t^o-35^o+q'(t^o-35^o)^2)$ , where  $t^o$  is the observed temperature and 35° Fahr. the adopted standard temperature. The values of the co-efficient q and q' are respectively 0.0001128 and 0.000000436

The induction co-efficien  $\mu$  is 0 000244.

The correction for error of graduation of the Deflection bar at 1-0 foot is + 0-00004 ft, at 1-3 + 0-000064 ft.

The observed times of vibration are entered in the Table without corrections.

The time of one vibration has been obtained each month from the mean of twelve determinations of the time of 200 vibrations.

The angles of deflection are each the mean of two sets or readings.

In deducing from these observations the ratio and product of the magnetic moment m of the magnet, and the earth's horizontal magnetic intensity X, the induction and temperature corrections have always been applied, and the observed time of vibration has been corrected for the effect of torsion of the suspending thread; but no correction has been required for the rate of the chronometer, or for the arc of vibration, the former having been always under 1.5s and the latter never over 50'.

The average deflection of the magnet caused by a twist of the torsion circle through 90° has been about 11'6 of arc.

In the calculations of the ratio—, the third and subsequent X

terms of the series 1  $+\frac{P}{r^2}+\frac{Q}{r^4}$  &c., have always been omitted.

The value of the constant P was found to be-0.00217.

The Declination observations have been taken once a week

#### OBSERVATIONS OF DECLINATION AND DIP.

					·		
Month	G.M.T.	WEST DE	CLINATION	Dip.	G.M.T.		
	Civil Day	Observations	Monthly Mean.		CIVIL DAY.		
	D. H. M.	01 #	0 1 "	0 1 "	D. H. M.		
	2 16 10 9 16 5	19 5 39 18 49 84	18 52 2	69 6 14	OF 10 10		
Jan.	15 16 20 22 16 5 29 16 5	18 54 84 18 52 29 18 37 54	18 52 2	09 6 14	25 12 <b>43</b>		
	5 16 5 13 16 10	18 44 34 18 47 49					
Feb.	19 16 15 26 16 0	18 37 44 18 20 54	18 37 45	69 7 21	21 10 50		
March	5 16 0 12 16 0	18 45 54 18 49 24	18 50 24	69 4 44	15 16 18		
	19 16 0 26 16 0	18 52 24 18 58 54			15 16 16		
April	3 16 0 9 16 0 16 16 0 23 16 10	18 52 59 18 49 44 18 41 34 18 50 59	18 44 14	69 2 14	18 16 <b>3</b> 0		
	30 16 10 7 16 5	18 25 54 18 35 54	)				
May	14 16 10 21 16 10 28 16 15	18 46 39 18 45 24 18 49 10	18 44 17	69 6 3	19 16 4		
	4 15 45 11 16 10	18 45 10 18 45 9					
June	18 15 45 25 16 5	18 52 49 18 44 54	18 48 33	69 4 27	14 16 30		

#### OBSERVATIONS OF DECLINATION AND DIP.

(Continued.)

Монтн	G.M.T	West Declina	ATION		Dip.		G.	м.7	· ·
MONTH	CIVIL DAY		nthly ean.		DIF.		Civi	L D	AY.
July	D. H. M. 2 16 15 9 15 50 17 16 10	10 4/ 44	46 20	68	, 56	" 31	D. 23	н. 11	м. 53
August	23 12 40 6 16 15 21 16 15 28 16 25	18 34 54	39 39	68	47	33	17	16	18
Sept.	3 16 10 11 16 5 24 16 10	18 42 14 18 41 59 18 46 14	13 29	69	5	34	21	11	15
Oct.	1 15 55 8 16 15 16 16 0 22 16 5 29 16 15	18 50 29 18 56 5 18 36 49 18 40 4 18 41 9	14 55	69	6	23	17	10	48
Nov.	5 16 5 12 16 0 19 16 0 26 16 0	18 45 34 18 44 14 18 42 14 18 36 4	12 2	68	58	6	14	12	7
Dec.	3 16 10 18 16 0 31 16 40	18 34 24 18 31 49 18 41 39	35 57	69	0	36	20	11	23
Yearly Mean.		18	44 8	69	2	9			

# OBSERVATIONS OF VIBRATIONS AND DEFLECTIONS FOR ABSOLUTE MEASURE OF MAGNETIC FORCE.

Month.	G. M. T. (Civil Day).	Temp.	Time of one vibration.	G. M T.	Тетр.	Observed Deflection at 1.0 ft. at 1.3 ft.
	D. н. м.	0		р. н. м.	•	0 1 4
Jan.	15 11 20	46.5	5.9693	$15  \begin{cases} 12 & 35 \\ 12 & 38 \end{cases}$	45·8 45·8	12 7 6 5 29 15
Feb.	20 11 11	36.9	5.9711	$20  \left\{ \begin{matrix} 12 & 28 \\ 12 & 32 \end{matrix} \right.$	37·1 36·8	12 5 54 5 28 25
Mar.	15 10 84	48.2	5.9723 -	$15  \begin{cases} 11 & 50 \\ 11 & 50 \end{cases}$	50·1 49·9	12 6 22 5 28 50
Apr.	17 9 57	50.4	5.9778	17 {11 14 11 16	53·4 53·6	12 3 37 5 27 38
May	19 10 10	48.1	5.9842	$19  \left\{ \begin{matrix} 11 & 42 \\ 11 & 46 \end{matrix} \right.$	49·0 49·0	12 5 46 5 28 38
June	<b>14</b> 10 19	<b>5</b> 9· <b>5</b>	5.9783	14 {\frac{11}{11}} \frac{28}{32}	60·5 60·7	12 4 37 5 28 23
July	28 9 34	57 3	5 • 9856	23 {\begin{pmatrix} 10 & 20 \\ 10 & 40 \end{pmatrix}	59·3 60·2	12 5 45 5 28 40
Aug.	17 10 12	56 3	5.9880	17 {11 38 11 30	57·3 56·9	12 3 15 5 28 10
Sept.	21 8 0	<b>52·0</b>	5.9860	$21 \begin{cases} 9 & 45 \\ 9 & 48 \end{cases}$	55·5 56·0	12 5 4 5 28 7
Oct.	16 12 5	52.2	5.9871	$16  \begin{cases} 10 & 38 \\ 10 & 19 \end{cases}$	46·8 47·8	12 6 18 5 28 47
Nov.	18 8 53	<b>4</b> 6 · <b>4</b>	5.9748	18 {11 8 10	49·2 50·0	12 3 34 5 27 50
Dec.	19 10 32	45·8	5.9837	19 {11 35 11 45	53·1 53·9	12 2 9 5 27 51

MAGNETIC INTENSITY.

BI	RITISH	UNITS		C. 0	G. S. UN	ITS.
	X or horizontal force.	Y or vertical force.	Total Force.	X or Horizontal Force.	Y or Vertical Force.	Total Force.
Jan	3.7178	9·7381	10· <b>42</b> 37	0·171 <del>4</del>	0-4490	0.4606
Feb	3.7206	9.7547	10· <b>44</b> 00	0.1716	0.4498	0.4814
Mar	3·71 <b>44</b>	9.7163	10.4021	0.1713	0.4480	0.4796
April	3.7174	9·7031	10.3909	0.1714	0.4474	0.4791
Мау	3.7117	9.7204	10.4050	0·1711	0.4482	0·4798
June	3.7183	9.7239	10.4105	0.1714	0.4484	0.4800
July	3.7111	9-6386	10.3284	0.1711	0.4444	0.4762
Aug	3.7136	9.5709	10-2660	0.1712	0.4413	0.4733
Sept	3.7100	9.7119	10.3964	0.1711	0.4478	0.4794
0a	<b>3·712</b> 5	9·7255	10-4100	0.1712	0.4484	0.4800
Nov	3.7243	9.6862	10.3775	0.1717	0 4466	0.4785
Dec	8·719 <del>4</del>	9-6944	10.3835	0.1715	0.4470	0.4788
Means	<b>3·715</b> 9	9.6987	10.3862	0·1713	0.4472	0·4789
	٠					

# OBSERVATIONS OF VIBRATIONS AND DEFLECTIONS FOR ABSOLUTE MEASURE OF MAGNETIC FORCE.

Month.	G. M. T. (Civil Day).	Temp.	Time of one vibration.	G. M T.	Тетр.	Observed Deflection at 1.0 ft. at 1.3 ft.
	D. H. M.	0		D. H. M.	. •	0 1 4
Jan.	<b>1</b> 5 11 <b>2</b> 0	46.5	5.9693	$15  \begin{cases} 12 & 35 \\ 12 & 38 \end{cases}$	45·8 45·8	12 7 6 5 29 15
Feb.	20 11 11	36.9	5.9711	$20  \left\{ \begin{matrix} 12 & 28 \\ 12 & 32 \end{matrix} \right.$	37·1 36·8	12 5 54 5 28 25
Mar.	15 10 34	48.2	5·9723 •	$15  \begin{cases} 11 & 50 \\ 11 & 50 \end{cases}$	50·1 49·9	12 6 22 5 28 50
Apr.	17 9 57	50.4	5.9778	17 {\frac{11}{11}} \frac{14}{16}	53·4 53·6	12 3 37 5 27 38
May	19 10 10	48.1	5.9842	$19  \left\{ \begin{matrix} 11 & 42 \\ 11 & 46 \end{matrix} \right.$	49·0 49·0	12 5 46 5 28 38
June	14 10 19	59·5	5.9783	14 {\frac{11}{11}} \frac{28}{32}	60·5 60·7	12 4 37 5 28 23
July	23 9 34	57 3	5.9856	23 {\begin{array}{c ccccccccccccccccccccccccccccccccccc	59·3 60·2	12 5 45 5 28 40
Aug.	17 10 12	56 3	5.9880	17 {11 38 11 30	57·3 56·9	12 3 15 5 28 10
Sept.	21 8 0	52.0	5.9860	$21 \begin{cases} 9 & 45 \\ 9 & 48 \end{cases}$	55·5 56·0	12 5 4 5 28 7
Oct.	16 12 5	52.2	5.9871	16 \bigg\{ \bigg\{ 10 & 38 \\ 10 & 19 \end{array} \]	46·8 47·8	12 6 18 5 28 47
Nov.	13 8 53	46.4	5.9743	13 {11 8 11 10	49·2 50·0	12 3 34 5 27 50
Dec.	19 10 32	45 · 8	5.9837	19 {11 35 11 45	53·1 53·9	12 2 9 5 27 51
l	· 	<u> </u>	'	····	1	<u> </u>

#### MAGNETIC INTENSITY.

BI	RITISH	UNITS	•	C. 0	G. S. UN	ITS.
	X or horizontal force.	Y or vertical force.	Total Force.	X or Horizontal Force.	Y or Vertical Force.	Total Force.
Jan	3.7178	9·7381	10.4237	0·1714	0.4490	0.4806
Feb		9.7547	10.4400	0.1716	0.4498	0·4814 0·4796
Mar April	3·7144 3·7174	9·7163 9·7081	10·4021 10·3909	0·1713 0·1714	0·4480 0·4474	0.4791
May	3.7117	9.7204	10·4050	0·1711	0.4482	0.4798
June	3.7183	9.7239	10.4105	0·1714	0.4484	0.4800
July	8.7111	9.6386	10.3284	0.1711	0.4444	0.4762
Aug	3.7186	9·5709 9·7119	10·2660 10·3964	0·1712 0·1711	0·4418 0·4478	0·4733 0·4794
о <del>а</del>		9.7255	10 3304	0.1712	0.4484	0.4800
Nov	3.7243	9.6862	10:3775	0·1717	0 4466	0.4785
Dec	3.7194	9-6944	10:3835	0.1715	0.4470	0.4788
Means	3.7159	9.6987	10:3862	0·1718	0.4472	0.4789
					•	

#### DATES OF MAGNETIC DISTURBANCES, 1894.

The disturbances are divided generally into three classes, small, moderate, and greater; these are indicated by the initial letters of the classes, and the letter c denotes calm. Very great disturbances are marked vg. The days are reckoned astronomically, from noon to noon. The asterisk signifies that the record was partly or wholly lost, according as it stands with or without an initial letter.

			.—									
Монтн.	Jan.	Feb.	March	April	May	June	July	August	Sep.	Oct.	Nov.	Dec.
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	С	s	m	s	m	m	m	s	s	s	s	s
2	S	S	S	S	m	S	g	С	S	s	s	s
3	g	S	С	s	S	S	S	s	S	С	s	С
4	s	S	S	S	m	S	s	m	S	m	S	С
5	s	S	С	S	S	S	s	S	S	C	С	m
6	S	S	S	m	S	S	s	S	s	S	s	m
7	S	S	С	m	S	S	S	S	S	S	s	s
8	C	C	S	S	· s	S	S	S	S	S	s	s
9	S	S	S	S	S	g	s	S	m	С	s	s
10	S	С	S	С	S	g	S	S	m	С	S	С
11	m	С	С	С	S	m	С	S	m	s	s	s
12	s	S	С	m	S	S	S	S	s	С	С	s
18	s	С	С	m	m	m	S	m	s	s.	vg	m
14	C	С	S	s	m	m	S	m	vg	S	m	S
15	C	S	S	С	m	m	S	m	S	S	m	m
16	C	S	S	С	S	m	m	С	S	m	m	s
17	C	s	S	g	S	m	m	С	S	S	m	s
18	C	S	S	m	S	m	m	С	m	S	g	s
19	C	S	S	m	S	m	m	vg	g	s*	m	s
20	C	m	С	m	S	m	vg	m	g	S	S	s
20 21 22 23 24	S	vg vg vg*	ın	s	m	m	s	S	m	s	С	s
22	S	vg_	m	С	S	m	S	s	m	S	С	s
28	S	vg*	m	S	S	S	s	s	S	С	m	S
24	S	m	S	s	S	S	m	S	S	S	m	С
25	S	vg	m	m	S	S	m	m	S	m	m	s
26	S	m	S	m	S	S	m	m	S	S	S	С
27	C	S	С	S	m	S	s	s	S	m	S	s
28 29 30 31	S	g	С	S	S	S	m	S	С	С	S	s
29	S		С	m	m	S	m	S	S	S	s	s
9U	S		vg	m	m	m	S	S	S	m	s	s
91	s		m		m		S	S		m		С
/ c	- 10	5	10	5	0	0	1	4		6	4	
. <u>ရ</u> ( န	- 19	15	14	13	20	15	18	19	1 20	18	16	6
E m	- 'i	3	6	11	11	13	10	7	6	7	8	21 4
Totals	. i	i	ŏ	î	0	2		ó	2	ó	1	0
「 ( vg	- ō	4	ĭ	ō	ŏ	ő	1 1	i	1	ŏ	1	0
	-1 0			U	U	<u> </u>	1	1.	1	U	1	<u>u</u>

#### PRESENTS RECEIVED.

Greenwich Observations, 1891	Royal Observatory
Greenwich Spectroscopic and Photo	
graphic Results, 1891	,,,
Greenwich Five year Catalogue of 258 fundimental stars for 1891	•
Report of the Meteorological Council,	**
1892—3	Meteorological Office
Harmonic Analysis of Hourly Meteor-	motoriological cinco
ological Observations, by Lieut.	
General R. Stracy, F.R.S.	,,
Meteorological observations at stations	
of the second order for the year	
1889	,,
Ellis on air	,,
The Meteorological Record, by W.	
Marriott, F. R. Met. Soc.	**
Quarterly Weather Reports, 1894 -	***
Monthly ,, 1894 - Weekly ,, 1894 -	**
Daily 1904	**
The climatalogy and physical features	,1
of Maryland	
Meteorological observations during the	••
solar eclipse, Aug. 19th, 1887	
made at Chlamostino, Russia -	,,
Annual report of the Director of Cin-	<i>"</i>
cinnati Observatory	,,
Beobachtungen der Temperatur des	
Erdbodens im Tifliser Physik-	
alischen Observatorium im	
Jahre, 1884, '85, '90, von J.	
Mielberg	"
Meteorologic Lyonnaise 1887, '88, '89,	
'90, par M. Ch. André - Rapporta Annuale delli Osservatorio	,,
Marittimo di Trieste, 1889, '90,	
'91, dal Edwardo Mazelle -	
Contributions to Meteorology	**
The Solar Parallax and its related	,,
constants, including the figure	
and density of the earth	,,
•	

American Daily Weather Charts, 1874,	
'75, '76	Meteorological Office
Anleitung zur Anstellung Meteorol-	. •
ogischer Beobachtungen und	
Sammlung von Hilfstafeln, von	
Dr. Carl Jelinek	
Cartes des Vents sur la Côte Est de	"
l'Amerique du Sud de L'Ama-	
zone a La Plata	
Quarterly Returns of the Registrar	"
General	Registrar General
R.S. proceedings	Royal Society
Monthly Notices of the Royal Astro-	Royal Society
monthly Notices of the Royal Astro-	Daniel Ante Con
nomical Society, 1894	Royal Astr. Soc.
Journal of the British Astronomical	Dutit to A str. Assoc
Association, 1893	British Astr Assoc
Memoirs of the B.A.A.	
Report of the Kew Committee, 1893 -	Kew Observatory
Report of the British Association for	
the advancement of Science, 1893	British Association
Edinburgh Circulars	Royal Obs. Edii burgh
Meteorology of Ben Nevis, 1394	Observatory
Radcliffe Observatory Catalogue of	
6424 Stars for the Epoch 1890,	
by Edward James Stone, F.R.S.,	
&c., &c.,	••
Meteorological Observations, Rousden	••
Observatory, 1893, by Cuthbert	
E. Peek, M.A., F.S A, &c	,,
Report of Liverpool Observatory.	,,
1842-8 by W. F. Plummer.	
Report of Liverpool Observatory, 1832-8, by W. F. Plummer, M.A., F.R.A.S.	
Southport Metereological Report, 1893,	**
by Joseph Baxendell, F.R. Met.	
Soc	
Meteorology of Bradford for 1893, by	**
J. Landsborough M. Inst. C.E.,	
&c., and A. E. Preston, M. Inst.	
C.E., &c.	,,
Report of Wolsingham Observatory,	
1893, by the Rev. T. H. E. C.	
Espin, B.A., F.R.A.S.	A
Art of Re-touching by J Hubert - Explanatory notes on the System of	Author
Explanatory notes on the System of	
Weather Forecasting, by D.	
Dewar	19
The Heat of the Sun, by the Rev. A.	
L. Cortie, S.J., F.R.A.S.	• •
Apparatus to determine the directions	
and angular movements of	
Clouds, by Col. M. M. Pomort-	
zeff	,,

Liquid Atmospheric Air, by Prof.	
Dewar, F.R.S	Author
The Distance of the Nebulæ, by Miss	
A. M. Clerke	••
Astronomy in relation to geography,	
by Thomas Weir	**
Remarks on the best methods of deter-	
mining the positions of the Planets by Observation, by	
David Gill, L L D., F.R.S	1,
The New Astronomy, an account of	,,
Astro-Photography, by R. G.	
Iohnson FRAS	<b>3</b> •
On the Limits of Vision, by the same On the mounting for the Specula of Reflecting Telescopes, by the	,,
On the mounting for the Specula of	
Reflecting Telescopes, by the	
same	11
The source of Solar Heat, by M. A.	
Veeder, M.D Solar Electrical Energy not transmit-	,,
ted by Radiation, by the same.	
Report of the Joint Solar Eclipse Com-	. 11
mittee, by Dr. A. A, Common,	
Secretary	,,
Thunder and Hail Storms over Eng-	,,
land and South of Scotland,	
July 8th, 1893, by W Marriott,	
F.R. Met. Soc	,,
Photographs of Stars, Star Clusters	
and Nebulæ, by Isaac Roberts,	
D. Sc. F.R.S.	***
The Distribution of Stars of Type III.	
and of Stellar Spectra in space, by Rev. T. E Espin, M.A., &c.	
The Vaster Forces in Meteorology	**
and Astronomy (with diagrams)	
by W. Tinsley	,,
The Typhoons of the year, 1893,	,,
by F. S. Chevalier, S.I.	*,
The Spectrum Changes in & Lyræ, by	
J. Norman Lockyer, C.B., F.R.S.	,,
Preliminary report on the results	
obtained with the Prismatic	
Cameras during the lotal	
Eclipse of the Sun, April 16th,	
1893, by the same	,,
Address to the Mathematical and Phy-	
sical Section of the British Association, by Prof. A W.	
Rücker, F.R.S.	
Spectra of the great Nebulæ in Orion	,,
1	
•	

and other well-known Nebulæ	
by W. W. Campbell	Author
Experimental Investigation on the	
effective temperature of the Sun	
made at Daramona. Streete Co.,	
Westmeath, qy W. E. Wilson,	
M.R.I.A., and P. L. Gray, B,	Authors
Sc., A.R.C.S The Celestial Intelligences	Rev. W. Flemming
The Medical Officer's Report for the	Mev. W. Plemming
County Palatine of Lancaster,	
1893	Edward Sergeant, M.D.
Studi Storici intorno alla Bussola	——————————————————————————————————————
Nautica parte 1-11, del P.	
Timoteo Bertelli Barnabita •	Charles Davidson, Esq.
Appunti Storici intorno all'Antica	-
"Rosa Nautica" Italiana, di P.	
T. Bertelli	**
Appunti intorno ad una memoria sulla	
Scoperta Della Declinazione	
Magnetica fatta da Cristoforo Colombo, del P. T. Bertelli -	
Four Photographic plates showing sun-	**
spots Faculæ and Chromosphere	M. H. Deslandres
Two Photographic plates of the Solar	MI. II. DOGMING
Corona during the Total Solar	
Eclipse, April 16, 1893 · -	A de la Baume-Pluvinel
Knowledge -	Editor
The British Journal of Photography -	,,
British Rainfall, 1898, by G. J.	
Symons, F.R.S.  Monthly Meteorological Magazine, by	,,
the same	
Monthly Weather Review, 1893-4, by	11
John Eliot, M.A	Met. Office, Calcutta
Indian Meteorological Memoirs, Vol.	•
VI., by the same	31
Rainfall Data of India, 1893, by the	
same	"
Meteorogical Observations recorded at	
the Seven Stations in India,	
1893, by the same Report on the Administration of the	,,
Meteriological Department of	
the Government of India in	
1893-4, by the same	**
Indian Weather Review Annual Sum-	••
mary 1893, by the same	19
Brief Sketch of the Meteorology of	
the Bombay Presidency 1893-4.	Bombay Observatory
Magnetical and Meteorological Observations made at the Government	
vacious made at the Government	

Observatory, Bombay, 1891-92-	
93	Bombay Observatory
Cape Heliometer Observations 1881-83	Royal Obs. Cape
Report of H.M. Astronomer at the	Royal Obs. Cape
Cape of Good Hope, for	
1879-89-92-93	,,
Annual Report of the Director of the	,,
Royal Alfred Observatory, for	. •
the year 1891-2	Mauritius Observatory
Meteorological Observations taken	•
during the year 1892-93	,,
Record of Melbourne Observations,	
July 1892-93	Melbourne Observatory
Meteorological Observations at Ade-	_
laide Observatory, and other	
places in South Australia and	
the Northern territory, during	
the years 1886-7, by Sir C.	A 1.1.11. O1
Madras Meridian Circle Observations,	Adelaide Observatory
1880-81-82	Madrae Observatory
Observations and researches at Hong	Madras Observatory
Kong Observatory, by W.	•
Doberck	Hong Kong Observatory
Catalogue of Stars for the Epoch,	frong Rong Observatory
January 1st, 1692 from Obser-	
vations by the Great Trigono-	
metrical Survey of India, under	
the direction of Col. H. R. Thu-	
illier, and Col. G. Strahan -	Survey Off., India
Report of Mr. Tebbutt's Observatory	,
N.S. Wales for the year 1893,	
by John Tebbutt, F.R.A.S., &c.	Tebbutt's Observatory
Pilot Charts, 1894	U.S. Naval Observatory
The average tracks of storms over the	•
Northern Hemisphere	,,
Report of the Superintendent, 1892-93	,,
Observations made during the year	
1889	,,
Magnetic Observations 1892, by Prof.	
Stimson J. Brown	,,
Meteorological Observations and Results, 1889	
The Solar Faculæ, by George E. Hale	Vanue of Astro Dhan Oh
Spectroscopic Notes from the Ken-	Kenwood Astro-Phys Obs
wood Observatory, by the same	
Observatory Report for the year 1893-4	Yale University
Monthly Weather Review, 1894	Met. Office, Toronto
General Meteorological Register, 1893	· ·
Report of the Meteorological Service	**
of the Dominion of Canada,	•

	•	
	1889, by G. Carpmael, M.A.,	
ŀ	F.R.A.S	Met. Office, Toronto
	Transactions of the Astronomical and	
	Physical Society of Toronto for	
	the year 1893, including Fourth	
	Annual Report	The Society
	Unification of the Astronomical, Civil.	
	and Nautical days (report of the	
	Joint-Committee of the Cana-	
	dian Institute, and the Astro-	
	nomical and Physical Society of	
	Toronto)	Joint-Committee
	Transactions of the New York Acad-	Joint Commission
	emy of Science	New York Academy
	Memoirs of the National Academy of	New Tork scacemy
	Sciences, Vol. IV	Nickianal Academy
	Sciences, vol. 1v	National Academy Smithsonian Institution
	Smithsonian Report, 1891	Smithsonian Institution
	Records and results of Magnetic Obser-	
	vations made at the charge of	
	"Bache Fund" of the National	
	Academy of Sciences from 1871	•
	to 1876, under the direction of	
	J. E. Hilgard	U. S. C. and G. Survey
	Magnetic Variations off the coasts of	
	California and Mexico, 1774—	
	1790, by David Davidson -	,,
	Variation of latitude at San Francisco,	
	1891-2, according to observations	
	of Prof. George Davidson -	,,
	Determinations of Gravity, and of the	
	Magnetic Elements in connec-	
	tion with the U.S. Expedition	
	to the West Coast of Africa.	•
	1889-1890, by E. D. Preston -	**
	Collection of Results for Declination,	
	Dip, and Intensity, from obser-	
	vations made by the U.S. Coast	
	vations made by the U.S. Coast Survey between 1833 and July,	
	1882, by Charles Schott	••
	Directions for measurement of Teres-	1)
	trial Magnetism, by the same -	
	Report upon Magnetic Observations	11
	Report upon Magnetic Observations made at the U.S. Polar Station	
	Ooglaamie, Point Barrow, Alaska	
	1991 99 92 by the same	
	1881 82-83, by the same - The Magnetic work of the Greely Arctic	,,
	Expedition, 1881—84, by the same	**
	Magnetic Dip and Intensity, with their	
	Secular Variation and Geograph-	
	ical Distribution in the United	
	States Report for 1885, by the	
	same	,,
_		

Secular Variation of the Magnetic	
Declination in the United States	
and at some Foreign Stations.	
Report, by the same	U. S. C. and G. Survey
The value of the "Arcano dei Mare,"	0. 0. 0
with reference to our knowledge	
of the Magnetic Declination in	
the earlier part of the seven	•
teenth century, by the same	••
Secular Variation of the position of the	
Agonic Line of the North	
Atlantic, and of America between	
the Epochs 1500 and 1900 A.D.	
by the same	,,
Historical Review of the work of the	
Coast and Geodetic Survey in	
connection with Terrestrial	
Magnetism, by the same -	,,
Distribution of the Magnetic Declina-	••
tion of the United States for the	
Epoch, 1890, by the same -	••
Culminations and Elongations and	,,
Azimuths at Elongation of	
Polaris for the years 1889—1910	•
by the banks	**
On the Secular Variation and annual	
change of the Magnetic Force	
at stations on the West coast of	
Africa, and at some islands in	
the N. and S. Atlantic Report,	
by C. A. Schott, Observations	
by E. D. Preston	17
Results of Magnetic Observations	
recorded at Los Angeles,	
California, 1882-1889. Part	
I., Absolute Measures. Part II.,	
Differential Measures Magnetic	
Declination. Part III., Differ-	•
ential Measures Horizontal In-	
tensity. Report, by Charles A.	
Schott. Observations by Mar-	
cus Baker and staff	
Terrestrial Atmospheric Absorption of	,,
the Photographic Rays of	Tiels Observedown
Light, by J. M. Schaeberle -	Lick Observatory
Publications of the Lick Observatory,	•
Vol. II., 1894-	**
Physical Observations of Mars, by	A11 1 01
Dr. James E. Keeler, Sc.D.	Allegheny Observatory
Spectroscopic Observations of Nebulæ,	
by the same	**
•	

Elementary Principles governing the	•
Efficiency of Spectroscopes for	
Astronomical purposes, by the	
	Allochony Observatory
same-	Allegheny Observatory
On the Spectra of the Orion Nebula	
and the Orion Stars, by the	
same	19
New York Meteorological Observations	•
Central Park	New York Observatory
Annual Tables Daily and hourly for	now roth observatory
the year 1893-	,,
The Photochronograph applied to	
measures of Double Stars and	
Planets, by the Rev. J. G.	
Hagen, S.J.	Georgetown Col. Obser.
The Photographic Zenith Telescope,	
by the same	
Suggestions regarding the application	
of the Photochronograph, by	
the same	,,
Proceedings of Haverford College	
Observatory, 1892	Haverford Col. Obs.
Report of the Ohio Weather and	
Crop Service 1893-4	•
Observations Météorologiques faites á	
Tananarive, par le R. P. E. Colin, S.J. Vol. IV., 1892	
Colin, S.J. Vol. IV., 1892 -	L'Observatoire
Bulletin Mensuel de l'observatoire de	
Zi-ka wei 1892-3	,,
Bulletin Mensuel de l'observatoire	•
Météorologique de l'université	
d'Upsal. Vol. XXV., par Dr.	•
TT TYLL-base A TTLLA-base Asset	
H. Hilderbrand Hildebrandsson	**
Annuaire de l'observatoire Municipal	
de Montsouris pour l'année de	
1894 (analyse et Travaux 1892)	,,
Rapport Annuel sur l'état de	•
l'observatoire de Paris 1893 par	
M. F. Tisserand	
Annales de l'Observatoire Météor-	"
alorique du Mont Plane Vol	
ologique du Mont-Blanc. Vol.	
I., par J. Vallot	
Observations faites à l'instrument des	
passages établi dans le premier	
vertical, par D. I. Doubiago -	L'Observatoire Impérial
,,	de Kasan
Resultate der Beobachtungen in Kasan	
1992-93 von A. M. Kowalski -	
Organization de l'étude elimetériens	**
Organisation de l'étude climatérique	
spéciale de la Russie et problèmes	
de la météorologiè agricole, par	•
A. Klossovsky	**
	•


Annales de l'observatoire Magnétique	
de Copenhague 1892, par Adam	Institut Météorologique
Paulsen	de Danemark
Expédition Danoise. Observations faites	
à Godthaab, par le même -	••
Observations Météorologiques Sué-	
doises publiées par L'Académie	,,
Royale des Sciences de Suéde	
Vol. 31 et 32, 1889-90	L'Académie Royale
Le Spectre de l'étoile variable $\beta$ Lyræ,	
par A. Belopolsky	L'Auteur
Sur le renversement de la Raie D 8 du	
spectre Solaire, par le même -	**
Notice sur le spectre de $\beta$ Lyræ, par	
le même	91
Déterminations Magnétiques faites en	,,
France en 1891 et 1892, par M.	
Th. M. Moureaux	**
Observations Magnétiques faites à	•
l'observatoire de Parc St. Maur	
en 1891 et 1892, par le même -	••
Typhons de 1892, par le R. P. S.	
Chevalier, S.J	<b>))</b>
De l'emploi des photogrammètres pour	
mesurer la hauteur des nuages,	
par Ph. Akerblom	**
Essai sur les variations de latitude, et	
calcul des constantes de la Nuta-	
tion, Aberration, Aberration	
Systématique, Nutation diurne,	
Parallaxe de la Polaire, par F.	
Folie	***
Du Sens et de la période du move-	
ment eulérien par le même	**
Observations faites à l'observatoire	
Météorologique de l'université Impériale de Kazan 1894, par	
Dimitry Goldhammer	
Sur deux grandes protubérances du	,,
Sentembre 1908 observées à	
Septembre, 1898, observées à Kolocsa, par R. P. J. Fényi, S. J.	
Note sur une protubérance excessive-	. ,,
ment grande observée le 3	
October, 1892, par le même	••
Agrandissements de Photographies	
Lunaires (from the Lick nega-	
tive), par W. Prinz -	22 .
Positions Apparentes des Taches	
Solaires photographiées a Poul-	•
koro, par B Hasselberg dans les	7.
Années 1881—1888	99

Images spéciales du soleil données par	
les rayons simples qui corres-	
pondent aux raies noires du	
Spectre Solaire, par M. H.	F.14
Deslandres	L'Auteur
The Solar Faculæ, by the same -	**
Recherches Photographiques sur les	
Flammes de l'atmosphère So-	
laire, par le même	**
Sur l'enregistrement des éléments va- riables du Soleil, par le même -	
Appareils enregistreurs de l'atmos-	99
phère Solaire, par le même	
Recherches sur les mouvements de	"
l'atmosphère solaire, par le	
même	
Recherches nouvelles sur l'atmosphère	"
solaire, par le même	••
Sur une protubérance remarquable, par	,,
le même	••
Résultats nouveaux sur l'hydrogène	
obtenus, par l'étude spectrale	
du soleif. Rapprochements	
avec l'étoile nouvelle du Cocher;	
par le même	•
Sur l'observation de l'éclipse totale de	
soleil du 16 avril faite à Foun-	
diougue. (Sénégal) par le même.	19
Recherches sur le mouvement radial	
des astres avec le sidérostat de	
l'observatoire de Paris, par le	•
même	••
Transformation du grand télescope de	
l'observatoire de Paris pour	
l'étude des vitesses radiales des	
astres.—Résultats obtenus, par	
le même Spectre du pôle négatif de l'azote, Loi	34
générale de répartition des raies dans les spectres des bandes,par	
le même	
Loi de répartition des raies et des	,,
bandes communes à plusieurs	
spectres de bandes. Analogie	
avec la loi de succession des sons	
d'un corps solide, par le même -	
Spectre de bandes ultra-violet des	11
composés hydrogénés et oxy-	
génés du carbone ; par le même	,,
Propriété fondamentale commune aux	,,
deux classes de spectres. Ca-	
ractères distinctifs de chacune	
	_

des electes - Westerland - 4-2-	
des classes. Variations pério- diques à trois paramètres, par le	
même	L'Auteur
Contribution àla recherche de la	
couronne Solaire en dehors des	
éclipses totales; par le même -	,,
L'Expression du nombre des classes	••
déduite de la transformation des	
fonctions elliptiques, par le P.	
De Seguier, S.J	**
Distribution annuelle des orages à la	
surface du globe terrestre, par	
A. Klossovsky	**
Observations du soliel, par M. J.	
Guillaume ·	**
Astronomie, par R. P. J. D. Lucas, S.J.	**
Annalen des Physikalischen Central—	
Observatoriums Herausgegeban von H. Wild Mitglied der	•
von H. Wild Mitglied der Kaiserlichen Akademie der	
Wissenshaften und Director des	
Physikalischen Observatoriums	
Theil 1 und 11, Jahrgang 1892 -	Das Observatorium
Analele Institutului Meteorologic al	
Romănia 1891 publicate de stefan	
C. Hepites 1892	,,
Buletinul Observatiunilor Meteorol-	••
igici din Romania 1892 Von	
Demselben	,,
Publicationen des Astrophysikalischen	
Observatoriums Zu Potsdam	
Neunter Band, von H. G. Vogel	,,,
Observations made at the Magnetical	
and Meteorological Observatory	
in Batavia, by Dr. J. P. Van der	
Stok, Vol xv., 1892	**
Ergebnisse der Beobachtungen an den	
Stationen II. und III. Ordnung	
im Jahre 1893 durch Wilhelm von Bezold Direktor am Köni-	
glich Preussischen Institut	Das Institut
Bericht über die Thätigkeit des Köni-	~ and amounted
glich Preussischen Meteorologi-	
schen Instituts im Jahre 1893,	
Von Demselben	**
Ergebnisse der Niederschlags-	••
Beobachtungen im Jahre 1892,	
Von Demselben	,,
Ergebnisse der Magnetischen Beobach-	
tungen in Potsdam in den Jahren	
1890 and 91 Von Demselben	••
Ergebnisse der Beobachtungen an den	
Stationen II. und III. Ordnung	

<del></del>	
im Jahre 1894, Von Demselben Bericht über die Thätigkeit im Königl.	Das Institut
Sächsischen Meteorologischen Institut, awf das Jahr 1893, Von	• • •
Dr. Paul Schreiber - Ergebnisse der Meteorologischen	**
Beobachtungen im Jahre 1893,	
Von Demselben	>>
Ergebnisse der Meteorologischen Beobachtungen im Reichsland	
Elsass—Lothringen im Jahre	
. 1892. Von Dr. Hugo Hergesell -	Der Verfasser
Über das spectrum von β Lyrze, Von H. C. Vogel	•
Über den Newen Stem im Fuhrmann,	15
Von Demselben	,,
Astronomische Mittheilungen, Von. A. Wolfer	
Untersuchungen über die wahrschein-	"
lichste Bahn des Cometen, 1825,	
1, und, über seine Identitat mit Cometen, 1790, III, Von Paul	
Martin	,,
Der Tornado bei Novska von A.	**
Mohorovičic	***
Über den Lichtwechsel Von & Lyræ	
nach, Beobachtungen des Hon. J. Plassman, Von E. Lindemann	,,
Magnetische Beobachtungen an der	
Unterelbe, 1898, Von A. Shüch Ueber die Bestimmung der Inclination	91
awf Reisen mit dem Erdinductor	
Von K. Schering	<b>99</b>
Die Venus Durchgänge 1874 and 1882 Bericht über die Deutschen	
Beobachtungen, Von. A. Anwers	
Vorsitzendem der Commission	Die Commission
Beobachtungen von Sonnenflecken und Protuberanzen auf der	
Universitätssternwarte zu Char-	
kow veröffentlicht, von Prof. G.	<b>51</b> 6. 1.
Lewitzky Publicationen der v Kuffner' schen	Die Sternwarte
Sternwarte in Wien III.	
Band Herausgegelien von Dr.	
Leo de Ball Astronomische Mittheilungen von der	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Königlichen Sternwarte zu	
Göttingen, von Dr. Wilhelm Schur	
Annuario del Observatorio Astronomia	"
co Nacional de Tacubaya año	
xiv. 1894-95	Observatorio

<del></del>	
Boletin de Observaciones de Tacubaya Observaciones Magnéticas y Meteoro- lógicas del R. Coll., de Belen en	Observatorio
la Habana Observaciones Verificadas 1892-93	"
Observatorio de Manila	
Angles del Instituto y Observatorio de	"
Anales del Instituto y Observatorio de Marina de San Fernando Año	
1892	·
	*
Almanaque Náutico por 1896, San	
Fernando	,,
El clima de la ciudad de México.	
Breve reseña, por Mariano Bár-	
cena Dir. del Observatorio	
Meteorológico Central	,,
Observaciones Meteorológicas del Col.	• •
Cat. Puebla 1893	
Registro de Observaciones Meteoro-	"
lógicas 1894 Observatorio del	
Estado de Veracruz	"
Resúmen de las Observaciones Mete-	
orológicas, 1894, Observatorio Central de México	
Central de México	11
Anales de la Oficina Meteorológica	
Argentina. Tomo IX.	••
Publicazioni della Specola Vaticana	
Fasciolo IV., 1894	Specola Vaticana
Bollettino Mensuale dell oss. Central	•
del R. Coll. Carlo Alberto in	
Moncalieri, 1893—4	Osservatorio
Sull' Origine e Fondazione di Roma	0 0002 1 0,00010
Dissertazione dell'avv Gio. Batt.	
Lugari, letta all'accademia Pon-	
tificia di Archeologia il 29 Aprile,	T1 antono
Part iii., ed ultima	Il autore
S. Bonifazio e S. Alessio sull'Aventino,	
dal medesimo	,,
Dissertatio ad Legem unicam codicis	
De Thesauris, dal medesimo-	,,
8. Sirio primo vescovo di Paria, dal	
medesimo	,,
Alcune considerazioni sui differenti	
metodi fino ad oggi adoperati	
nel calcolare la velocità di pro-	
pagazione del terremoto andal-	
uso del 25 dicembre, 1884. Nota	
del dott. G. Agamennone -	
	**
Velocità superficiale di propagazione	•
delle onde cismiche, in occa-	
sione della grande scossa di ter-	
remoto dell'Andalusia 25 dicem-	
bre 1884, dal medesimo	,,
Annuaire de la Société Météorologique	
de France	La Société
J	



#### **APPENDIX**

### **RESULTS**

OF

### METEOROLOGICAL OBSERVATIONS

TAKEN AT

ST. IGNATIUS' COLLEGE, MALTA

BY THE

REV. J. DOBSON, S.J.

1894.

### ST. IGNATIUS' COLLEGE,

Lat. 85° 55' N. Long. 14° 29' E. Barometer Readings reduced to 82° F. at sea level.

#### METEOROLOGICAL REPORT.

JANUARY, 1894.

Results of Observations taken during the Month.	Average 10 yrs
Mean Reading of the Barometerinches 30.076	30.056
Highest ,, on the 16th ,, 30.329	30.425
Lowest ,, on the 3rd ,, 29.672	29.578
Range of Barometer Readings 0.657	0.847
Highest Reading of a Max. Therm. on the 25th 63.8	64.9
Lowest Reading of a Min. Therm. on the 18th 42.0	41.8
Range of Thermometer Readings 21.8	23·1
Greatest Range in 24 hours on the 25th 18.6	18.4
Mean of all the Highest Readings 59 1	59.0
Mean of all the Lowest Readings 47.4	48·6
Mean Daily Range 11.7	10.4
Mean Temperature (deduced from Max. & Min.) 52-6	5 <b>3</b> ·1
Mean Temperature (deduced from Dry Bulb) 52.4	52·9
Adopted Mean Temperature 52.5	5 <b>3</b> ·0
Mean Temperature of Evaporation 48-6	48.7
Mean Temperature of Dew Point 46.0	45·6
Mean elastic force of Vapourinches 0.311	0.306
Mean weight of Vapour in a cub. ft. of air grains 8.5	3.5
Mean additional weight required for saturation ,, 0.7	0.9
Mean degree of Humidity 82	80
Mean weight of a cubic foot of air grains 542.7	542·5
Fall of raininches 3.995	3·59 <del>4</del>
Number of Days on which rain fell 19	13
Mean amount of Cloud (an overcast sky=10) 7.2	5.0
Total number of miles of Wind indicated 5747	8500
Mean Velocity of Wind per hourmiles 7.8	11:4
	-

#### FEBRUARY.

Results of Observations taken during the Month	Average 10 y
Mean Reading of the Barometerinches 80.091	80.020
Highest ,, on the 3rd ,, 30.434	80.320
Lowest ,, on the 20th ,. 29.812	29.623
Range of Barometer Readings , 0.622	0.697
Highest Reading of a Max. Therm. on the 28th 64.8	67.1
Lowest Reading of a Min. Therm. on the 16th 42.8	41.7
Range of Thermometer Readings 22 0	25.4
Greatest Range in 24 hours on the 28th 17.8	19.6
Mean of all the Highest Readings 58.7	60.1
Mean of all the Lowest Readings 49.9	48.9
Mean Daily Range 8-8	11.2
Mean Temperature(deduced from Max. & Min.) 53.3	53.5
Mean Temperature (deduced from Dry Bulb) 54.2	53.8
Adopted Mean Temperature 58.8	53.6
Mean Temperature of Evaporation 49.8	49.5
Mean Temperature of Dew Point 47.1	46.6
Mean elastic force of Vapourinches 0.324	0.819
Mean weight of Vapour in a cub. ft. of air grains 8.7	8.6
Mean additional weight required for saturation ,, $0.8$	0.8
Mean degree of Humidity 84	82
Mean weight of a cubic foot of airgrains 541.5	5 <b>4</b> 0·8
Fall of Raininches 4.400	2.087
Number of days on which Rain fell 8	10
Mean amount of Cloud (an overcast sky=10) 6.5	4.7
Total number of miles of Wind indicated 9813	7675
Mean Velocity of Wind per hourmiles 14.6	11.8

#### MARCH.

Results of Observations taken during the month.	Average 10 yrs.
Mean Reading of the Barometer inches 29 982	29-989
Highest ,, on the 29th ,, 30.817	80-368
Lowest ,, on the 31st ,, 29.601	29.496
Range of Barometer Readings 0.716	0.867
Highest Reading of a Max. Therm. on the 14th 68.3	74.7
Lowest Reading of a Min. Therm. on the 29th 41.7	42-9
Range of Thermometer Readings 26.6	<b>3</b> 1·8
Greatest Range in 24 hours on the 29th 20-1	28·1
Mean of all the Highest Readings 62.0	63-3
Mean of all the Lowest Readings 51.2	50.8
Mean Daily Range 10.8	12.5
Mean Temperature (deduced from Max. & Min.) 55.8	56.2
Mean Temperature (deduced from Dry Bulb) 54 0	55·6
Adopted Mean Temperature 54.9	55.9
Mean Temperature of Evaporation 50.0	51-9
Mean Temperature of Dew Point 46.1	48.7
Mean elastic force of Vapourinches 0.312	0.345
Mean weight of Vapour in a cub. ft. of air grains 3.5	3.9
Mean additional weight required for saturation ,, 1.2	1·1
Mean degree of Humidity	79
Mean weight of a cubic foot of airgrains 538.5	537-0
Fall of Raininches 1 490	0.896
Number of days on which Rain fell 11	7
Mean amount of Cloud (an overcast sky=10) 5.8	44
Total number of miles of Wind indicated 7322	8175
Mean Velocity of Wind per hourmiles 9.8	10-9

APRIL.

Results of Observations taken during the Month,	Average 10 yrs.
Mean Reading of the Barometerinches 29.975	29.925
Highest ,, on the 15th ,, 30.219	30.256
Lowest ,, on the 3rd ,, 29.577	29.499
Range of Barometer Readings, 0.642	0.757
Highest Reading of a Max. Therm. on the 22nd 72.5	77.1
Lowest Reading of a Min. Therm. on the 7th 47.0	48.0
Range of Thermometer Readings 25.5	29.1
Greatest Range in 24 hours on the 26th 19-6	22.1
Mean of all the Highest Readings 66.8	67.4
Mean of all the Lowest Readings 53.9	54·3
Mean Daily Range 12.9	18-1
Mean Temperature (deduced from Max. & Min ) 59.4	59.9
Mean Temperature (deduced from Dry Bulb) 598	59.6
Adopted Mean Temperature 59-8	59-8
Mean Temperature of Evaporation 56.4	55.6
Mean Temperature of Dew Point 58.8	52.1
Mean elastic force of Vapour ,,,,,inches 0.415	0.389
Mean weight of Vapour in a cub. ft. of air grains 4.7	4:4
Mean additional weight required for saturation ,, 10	1.4
Mean degree of Humidity	77
Mean weight of a cubic foot of air grains 582.1	581.0
Fall of Raininches 1513	0.768
Number of Days on which rain fell 8	6
Mean amount of Cloud (an overcast sky=10) 5.6	4.3
Total number of miles of Wind indicated 7502	8473
Mean Velocity of Wind per hourmiles 10.4	11.8

#### SEPTEMBER.

Results of Observations taken during the Month.	Average 10 yr
Mean Reading of the Barometerinches 30.054	30.064
Highest ,, on the 12th ,, 30.245	80.246
Lowest ,, on the 30th ,, 29 837	29.849
Range of Barometer Readings 0.408	0-397
Highest Reading of a Max. Therm. on 5th & 14th 95.8	92.2
Lowest Reading of a Min. Therm. on the 23rd 65.0	62-9
Range of Thermometer Readings 30.8	29.3
Greatest Range in 24 hours on the 5th 29.0	23.0
Mean of all the Highest Readings 87.3	82-6
Mean of all the Lowest Readings 71.6	68.5
Mean Daily Range	14-1
Mean Temperature (deduced from Max & Min) 78.6	74-7
Mean Temperature (deduced from Dry Bulb) 76.6	74.5
Adopted Mean Temperature 77.6	74.6
Mean Temperature of Evaporation 71.8	68-9
Mean Temperature of Dew Point 68.4	64-8
Mean elastic force of Vapourinches 0.694	0.615
Mean weight of Vapour in a cub. ft. of air grains 7.0	6.7
Mean additional weight required for saturation,, 2.8	2.6
Mean degree of Humidity 76	1 72
Mean weight of a cubic foot of airgrains 514.2	517:3
Fall of Raininches 0.234	1.375
Number of Days on which rain fell 1	5
Mean amount of Cloud (an overcast sky=10) 2.1	2.4
Total number of miles of Wind indicated 5901	5630
Mean Velocity of Wind per hourmiles 8.2	7:8

#### **OCTOBER**

Results of Observations taken during the Month.	Average 10 yrs
Mean Reading of the Barometerinches 30:114	80:045
Highest ,, on the 23rd ,, 80·191	30.274
Lowest ,, on the 3rd ,, 29.831	29.727
Range of Barometer Readings ,, 0.360	0 547
Highest Reading of a Max. Therm. on the 19th 90 1	87.4
Lowest Reading of a Min. Therm. on the 15th 59.4	55.7
Range of Thermometer Readings 30 7	31.7
Greatest Range in 24 hours on the 4th 201	19-6
Mean of all the Highest Readings 81.1	76·1
Mean of all the Lowest Readings 678	64.3
Mean Daily Range 18 3	11.8
Mean Temperature (deduced from Max. & Min.) 78.6	69.8
Mean Temperature (deduced from Dry Bulb) 72 6	68.4
Adopted Mean Temperature	68.9
Mean Temperature of Evaporation 68-5	64.2
Mean Temperature of Dew Point 65.8	60.7
Mean elastic force of Vapourinches 0.624	0.536
Mean weight of Vapour in a cub. ft. of air grains 6.8	5.8
Mean additional weight required for saturation,, 19	1.7
Mean degree of Humidity	77
Mean weight of a cubic foot of air grains 519.8	523·4
Fall of Raininches 1 622	8.018
Number of days on which Rain fell 4	8
Mean amount of Cloud (an overcast sky=10) 4.7	4.2
Total number of miles of wind indicated 5555	6802
Mean Velocity of Wind per hourmiles 7.5	9.2

#### NOVEMBER.

Results of Observations taken during the Month.	Average 10 y
Mean Reading of the Barometerinches 80.066	30-076
Highest ,, on the 22nd ,, 30.236	30-328
Lowest ,, on the 10th ., 29.585	29.727
Range of Barometer Readings, 0.651	0-601
Highest Reading of a Max. Therm. on the 1st 78.6	76.)
Lowest Reading of a Min. Therm. on the 25th 52.5	49.0
Range of Thermometer Readings 26.1	27-1
Greatest Range in 24 hours on the 8th 19-1	18.5
Mean of all the Highest Readings 70 6	68.0
Mean of all the Lowest Readings 58.5	56.9
Mean Daily Range 12-1	11.1
Mean Temperature (deduced from Max. & Min.) 63.4	61.7
Mean Temperature (deduced from Dry Bulb) 62-3	61.2
Adopted Mean Temperature 62-8	61.5
Mean Temperature of Evaporation 58-1	56.9
Mean Temperature of Dew Point 51.3	53.8
Mean el stic force of Vapourinches 0-378	0-414
Mean weight of Vapour in a cub. ft. of air grains 4.8	47
Mean additional weight required for saturation., 1.3	1.3
Mean degree of Humidity 80	79
Mean weight of a cubic foot of airgrains 581 2	532-6
Fall of Raininches 4-559	3.305
Number of days on which Rain fell 16	10
Mean amount of Cloud (an overcast sky=10) 6.6	4.8
Total number of miles of Wind indicated 5277	6809
Mean Velocity of Wind per hourmiles 7-8	9.5

#### AUGUST.

Results of Observations taken during the Month	Average 10 yr
Mean Reading of the Barometerinches 30 031	80-010
Highest ,, on the 24th ,, 30.217	80-156
Lowest ,, on the 14th ,, 29.906	29.863
Range of Barometer Readings ,, 0.811	0.298
Highest Reading of a Max. Therm. on the 30th 95.2	97.0
Lowest Reading of a Min. Therm. on the 23rd 65.2	66.2
Range of Thermometer Readings 30.0	<b>30</b> ·8
Greatest Range in 24 hours on the 80th 24.8	26.2
Mean of all the Highest Readings 86 4	87.8
Mean of all the Lowest Readings 70.1	71.1
Mean Daily Range 16.3	16.2
Mean Temperature (deduced from Max. & Min.) 77.6	78 4
Mean Temperature (deduced from Dry Bulb) 77.2	78.4
Adopted Mean Temperature 77.4	78-4
Mean Temperature of Evaporation 70.9	71.4
Mean Temperature of Dew Point 66.8	66.7
Mean elastic force of Vapourinches 0.646	0-658
Mean weight of Vapour in a cub. ft. of air grains 6.2	7.0
Mean additional weight required for saturation, 3:1	3.8
Mean degree of Humidity 69	67
Mean weight of a cubic foot of airgrains 513.4	512.2
Fall of Raininches 0.000	0.000
Number of days on which Rain fell 0	0
Mean amount of Cloud (an overcast sky=10) 06	1.0
Total number of miles of Wind indicated 5862	5442
Mean Velocity of Wind per hourmiles 7.9	7.8

# Summary of Observations FOR 1894.

Results of observations taken during the Year	Mean of 10 years 1883—1892
Mean Reading of the Barometerinches 30-027	30.025
Highest ., on February 3rd 30-434	30.505
Lowest ,, on December 31st 29 490	29 354
Range of Barometer Readings 0.944	1.151
Highest Reading of a Max. Therm. on July 12th 96:3	99.3
Lowest Reading of a Min. Therm. on Mar. 29th 41.7	40.9
Range of Thermometer Readings 54.6	58.4
Greatest Range in 24 hours on the 5th Sept 29.0	28.9
Mean of all the Highest Readings 72.7	72.4
Mean of all the Lowest Readings 59 4	59-2
Mean Daily Range 13-3	13.2
Mean Temperature (deduced from Max. & Min) 65.2	64.9
Mean Temperature (deduced from dry bulb) 64.7	64.4
Adopted Mean Temperature 65.0	64.7
Mean Temperature of Evaporation 60.2	59.7
Mean Temperature of Dew Point 56.4	56.0
Mean elastic force of Vapourinches 0:474	0.449
Mean weight of Vapour in a cub.ft. of air grains 5.1	5.1
Mean additional weight required for saturation,. 1.9	1.8
Mean degree of Humidity 78	76
Mean weight of a cubic foot of airgrains 527.6	528.0
Fall of raininches 25-159	19-204
Number of days on which rain fell 90	76
Mean amount of Cloud (an overcast sky 10) 4-6	3.5
Total number of miles of wind indicated 80037	84749
Mean Velocity of Wind per hourmiles 9.2	9.7

SINCE MAY, 1883.

The Maximum monthly mean height of the Barometer was in November, 1889, and was ......inches 30-249

The Minimum ,, ,, in January, 1886, and was 29-844

The Maximum yearly mean height of the Barometer was in
1884, and wasinches 30.057
The Minimum ,, ,, in 1890, and was 29 996
The greatest monthly range of the Barometer was in
· "
The least ,, ,, in August, 1883, and was 0.188
The highest reading, of the Barometer, was on January
26th, 1887, and was 30.627
The lowest ,, ,, on 17th Januarry, 1886, and was 29 155
Extreme range 1:472
The highest temperature was on July 20th, 1889, and was 104.1
The lowest ,, ,, February 20th, 1851 87.7
The highest mean temperature of a month, was in August,
1885, and was
M 1
The greatest monthly mean weight of vapour, in a cubic foot of airgrains August, 1885 7.9
The least " ,, January and February, 1891, and wasgr 8.0
The highest observed Dew point was on the 30th August,
1885, and was 78.7
The lowest ,, , 19th January 1891, and was 28.6
The greatest fall of rain in a month, was in December, 1889,
and wasinches 8.952
The greatest number of days on which rain fell in one monthdays January, 1889 24
The greatest fall of rain in a year was in 1889 and was inches 26.044
The smallest ,, ,, ,, 1888 ,, ,, 13.745
The greatest number of rainy days in a year was in 1894 and was 90
The least ,, ,, ,, 1882 ,, 40
The highest temperature registered in sunshine was on the
20th July, 1889, and was
The lowest temperature registered on ground was on the
25th Jannary, 1891, and was
The highest observed sea temperature was on the 5th August,
1887, and was
The lowest ,, ,, 23rd January, 1891, and was 56.0
The smallest mean amount of cloud observed in one month
was in August, 1890, and was 0.0
The greatest ,, ,, in January, 1894, and was 7.2

# Summary of Observations FOR 1894.

Results of observations taken during the Year	Mean of years 1883—18
Mean Reading of the Barometerinches 30 027	30:025
Highest , on February 3rd 30.434	<b>30</b> -50 <b>5</b>
Lowest ,, on December 31st 29 490	29.354
Range of Barometer Readings 0.944	1.151
Highest Reading of a Max. Therm. on July 12th 96.3	99-8
Lowest Reading of a Min. Therm. on Mar. 29th 41.7	40.9
Range of Thermometer Readings 54-6	58:4
Greatest Range in 24 hours on the 5th Sept 29.0	28.9
Mean of all the Highest Readings 72.7	72-4
Mean of all the Lowest Readings 59.4	59-2
Mean Daily Range 13.3	13-2
Mean Temperature (deduced from Max. & Min) 65.2	64.9
Mean Temperature (deduced from dry bulb). 64.7	64.4
Adopted Mean Temperature 65.0	64.7
Mean Temperature of Evaporation 60.2	59-7
Mean Temperature of Dew Point 56.4	56.0
Mean elastic force of Vapourinches 0.474	0.449
Mean weight of Vapour in a cub ft of air grains 5.1	5-1
Mean additional weight required for saturation,. 1.9	1.8
Mean degree of Humidity 78	76
Mean weight of a cubic foot of air grains 527.6	528-0
Fall of raininches 25.159	19-204
Number of days on which rain fell 90	76
Mean amount of Cloud (an overcast sky 10) 4.6	3.5
Total number of miles of wind indicated 80037	84749
Mean Velocity of Wind per hourmiles 9.2	9.7

SINCE MAY, 1883.

The Maximum monthly mean height of the Barometer was in November, 1889, and was .....inches 30.

The Minimum in January, 1886, and was ......

-7


STONYHURST COLLEGE OBSERVATORY.

Magnetical Observations,

•

# STONYHURST COLLEGE OBSERVATORY, LANCASHIRE.

# With FATHER SIDGREAVES' COMPLIMENTS.



• •



# STONYHURST COLLEGE OBSERVATORY.

# RESULTS

OF

METEOROLOGICAL, MAGNETICAL.

AND

SOLAR OBSERVATIONS

BY THE

REV. W. SIDGREAVES, S.J., F.R.A.S.

1895

CLITHEROE:

PRINTED BY PARKINSON AND BLACOW, TIMES OFFICE.

1896

	7
	1
·	
•	

# TABLE OF CONTENTS.

Introduction	••	••	••		5
Monthly Meteorological Tables	••	• •	••	•••	8
Yearly Meteorological Summary	••	• •			32
Dates of Occasional Phenomena	ı	••	••	• •	34
Summary of Solar Observations		••			36
Dates of Solar Drawings, etc.	••	••	••		37
Total Amount of Sunshine record	ded on ea	ch day	••		38
Monthly Tables for each hour of	recorde	l Sunshin	ie		40
Observation of Upper Clouds (C	Cirrus)	••			42
Magnetic Report—					
1. Absolute Values of the Elem	ents of T	errestrial	Magneti	sm	44
2. Horizontal Direction and I	orce dec	luced from	m the da	ily	
curves	••		••		<b>50</b>
3. Magnetic Disturbances	••				<b>52</b>
Lists of Presents received	••			• •	53
Appendix. Observations taken a	t St. Ign	atius' Col	lege, Ma	lta	<b>61</b>



#### INTRODUCTION.

The work of the Meteorological and Magnetical department has been carried on as described in the Introduction 1892. The weekly reports have been sent regularly to the Meteorological Office, and the monthly report to the Registrar General. Occasional special reports have also been supplied to applications.

The new Stonyhurst Sunshine Recorder, made by Messrs. Newton and Co., has been tested by comparisons with the Campbell Stokes Recorder of the Meteorological Office, and has been found to work very satisfactorily.

Two additions have been made to the Magnetic Report, compiled from the measures of the daily curves of Horizontal Direction and Force. These consist of the Monthly Means of the greatest and least measures of each day, and of the measures at 4-0 a.m. and 4-0 p.m. Highest and Lowest readings of each month and the resulting ranges are also entered, and the differences between the mean of the Highest and Lowest readings, and that of the readings at 4 a.m. and 4 p.m. All the figures in the table are entered without correction for temperature. The adopted annual mean is corrected for the diurnal range, the correction being taken from the Kew Reports 1891, 92, 93, 94; and is the mean of the range quoted in those years for the hours 4 a.m. and 4 p.m.

The scale value of the bifilar magnetometer was measured by the method of deflections, in May; and was found to be for one centimetre:—

in 1895, 0'000513 C.G.S. units. It was 1894, 0'000512 ,, 1893, 0'000511 ,, 1892, 0'000515 ,,

On October 12th, an accident occurred in the Magnetic Chamber, which resulted in a gas explosion. This seems to have shaken the base line reflector of the bifilar. A re-measurement of the scale value was made on February 10th, 1896, which gave the figure 0.000514, and showed that no further injury had been done.

The adopted reading of the bifilar base line is 0:16871 C.G.S., up to October 12, and the subsequent reading is 0:16945. These are the mean values obtained from the monthly absolute measures. The latter reading consequently depends upon three measures only: the former is the mean of the measures from January, 1892 to October, 1895.

The scale value of the Unifilar is 11 '28 per centimetre. And its base line value deduced from the weekly absolute measures at 4 p.m. is 17° 45'.7.

No reductions of the vertical force curves have been made; because, in the judgment of the Director, these curves, though of great value in connection with the character of disturbances, cannot be relied upon for accurate measurements.

The instruments for absolute measures of the Magnetic elements were compared in August with the instruments adopted as standards by the Physical section of the British Association for the advancement of science: with the object of co-ordinating the measures obtained at the several Magnetic Observatories of the United Kingdom. The results of these comparisons are expected at the next meeting of the same Association. It seems probable at present that our instruments, and notably those of the horizontal and vertical directions, are not free from a disturbing magnetic influence, residing either in the wooden boxes, or in the metal supports. The axles of the dipping

needles and the agate knife edges may also be faulty; but it has not been thought advisable to make any alterations before the complete report has been made out and discussed.

7

Drawings of the solar spots and faculae have been made on nearly all the days on which it was possible, without too great an expenditure of time in waiting for clear intervals. And, in connection with them, photographs of the H-K region of the solar spectrum have been taken with the grating spectrograph, with the object of observing how closely the double reversals by integrated solar light follow the disturbances of the solar surface.

A wave-length chart of the spectra of 43 of the brighter stars has been made from the photographs obtained with the old eight-inch Objective.

The spectroscopic experimental work with the Father Perry Memorial objective was not completely finished until the end of April. These experiments represent a large number of photographic stellar spectra; but they are of no value for measurements, having been taken with thirteen different collimators and seven different camera lenses. Several prisms have also been tried, but not all photographically. The finally adopted arrangement is a slitless spectrograph of one (or two) direct compound prisms of three components each, with a concave compound collimator to correct the dispersed photographic rays between D and H to parallelism.

A very satisfactory wave-length curve has been plotted for the one prism; and another for the two prisms will shortly be made.

A new series of photographs of the spectrum of  $\beta$  Lyrae has been made, 77 plates in all; and, of these, 39, or three good plates for each day of the light period, have been selected for measurement. The measurements were well advanced, but not complete at the close of the year.

WALTER SIDGREAVES, S.J.

method of deflections, it May;

The street of th

The control of the scale value o

to continue of the bifflar base line is and the subsequent real and the subsequent real are the mean unlines obtained from the measures. The latter reading approximate measures only: the following the measures from January, 1892 to 0

The content the Uniffic is 11 '28 per cent is 25 pe

To min the ordinal force curves have been seen in the judgment of the Director with the programment of the Director with the programment of disturbances, current be relied up

The instruments for absolute measures of the second second in August with the sandards by the Physical section as a sundards by the Physical section in the advancement of science of association for the advancement of science of association for the measures obtained kinds of the same dissociation. It seems probably that our instruments, and notably magnetic infin

needles and the agate knife edges may also be faulty; but
 it has not been thought advisable to make any alterations
 before the complete report has been made out and discussed.

Drawings of the solar spots and faculae have been made on nearly all the days on which it was possible, without too great an expenditure of time in waiting for clear intervals. And, in connection with them, photographs of the H-K region of the solar spectrum have been taken with the grating spectrograph, with the object of observing how closely the double reversals by integrated solar light follow the disturbances of the solar surface.

A wave-length chart of the spectra of 43 of the brighter stars has been made from the photographs obtained with the old eight-inch Objective.

The spectroscopic experimental work with the Father Perry Memorial objective was not completely finished until the end of April. These experiments represent a large number of photographic stellar spectra; but they are of no value for measurements, having been taken with thirteen different collimators and seven different camera lenses. Several prisms have also been tried, but not all photographically. The finally adopted arrangement is a slitless spectrograph of one (or two) direct compound prisms of three components each, with a concave compound collimator to correct the dispersed photographic rays between D and H to parallelism.

A very satisfactory wave-length curve has been plotted for the one prism; and another for the two prisms will shortly be made.

?

A new series of photographs of the spectrum of  $\beta$ . Lyrae has been made, 77 plates in all; and, of these, 39, or three good plates for each day of the light period, have selected for measurement. The measurements + not complete at the close of the

LTER SIDGREAVES, S.J.

# Stonyhurst Observatory.

Lat. 53° 50′ 40° N. Long. 9m. 52°.68. W. Height of the Barometer above the sea 381ft.

# METEOROLOGICAL REPORT.

JANUARY, 1895.

Besult of Observations taken during the Month.	Mean for the last 48 years.
Mean Reading of the Barometerinches 29:296	29.436
Highest ,, on the 30th ,, 30.222	30.280
Lowest ,, on the 14th ,, 28.511	28.585
Range of Barometer Readings ,, 1.711	1.695
Highest Reading of a Max. Therm. on the 2nd 44.2	51.4
Lowest Reading of a Min. Therm. on the 27th 15:1	20.3
Range of Thermometer Readings 29.1	31.1
Mean of all the Highest Readings 36.8	42.1
Mean of all the Lowest Readings 25.7	32.3
Mean Daily Range 11-1	9-8
Deduced Monthly Mean (from Mean of Max. and Min.)	36.9
Mean Temperature from Dry Bulb 31 5	37.0
Adopted Mean Temperature	87.0
Mean Temperature of Evaporation 29.7	35.8
Mean Temperature of Dew Point 25.6	33 6
Mean elastic force of Vapour 0-138	in 0·194in
Mean weight of Vapour in a cub. ft. of air 1.6	gr 2.4gr
Mean additional weight required for saturation 0.5	gr 0.4gr
Mean degree of Humidity (saturation 1.00) 0.79	0.86
Mean weight of a cubic foot of air 554 0	gr 549-6gr
Fall of Rain 2.800	in 4·113in
Number of days on which Rain fell 22	19.8

#### JANUARY, 1895.

No. of days in the month on	N	NE	E	SE	s	sw	w	NW
which the prevailing wind was	13	4	6	0	0	0	5	3
Mean Velocity in miles per hour	15.5	9·1	16-2	0	0	0	11.6	7.1
Total No. of miles for each Direction	4848	870	2837	0	0	0	1392	511

The total No. of miles registered during the month was 9958. The max. Velocity of the wind was 39 miles per hour. Direction E. on the 13th at 7 a.m. Mean amount of Cloud (an overcast sky being indicated by 10.0) 7.0 In the month of January, the highest reading of the Barometer during 48 years, was on the 18th in 1882, and was 30.480 26th, 1884 The lowest 27.803 The highest Temperature 7th, 1887 59.9 The lowest 15th, 1881 4.6 The highest adopted mean temperature of the month, 1875 42.5 The lowest 1881.... 29.2

#### TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average.

Mean barometric pressure	••	• •	_	0·140 inches
Monthly range ,,	••	••	+	0 016 ,,
Mean of highest temperatures	••	••	_	5·3 degrees
Mean of lowest ,,	••		_	6·6 ,,
Mean daily range ,,	••		+	1.8 ,,
Adopted mean temperature	••			5· <b>7</b> ,,
Total rainfall	••		_	1.313 inches

Frost every day except the 20th, on which day the lowest ground temperature was 33°. Snow on 14 days; hail on 5 days; lightning on the 24th; thunder on the 27th.

### FEBRUARY, 1895.

Results of Observations taken during the Month.							n for t last years.	
Mean Reading of the Barometer 29.704								)
Highest ,, o	n the	16th	1	30.1	88		30.067	7
Lowest ,, 0	n the	26th	ı	29.2	65	2	28-694	ı
Range of Barometer Readings.				0.8	23		1.373	3
Highest Reading of a Max. The	erm.	on th	e 24t	h 4	4∙3	i	52.0	) [
Lowest Reading of a Min. Th	erm.	on t	he 7t	h ·	8.0		22:	ı
Range of Thermometer Reading	ngs			. 3	6.3		29:	9
Mean of all the Highest Readi	ngs			. 3	6-2		44.	2
Mean of all the Lowest Reading	-				2 ·8		33.	4
Mean Daily Range				. 1	3· <b>4</b>		10:	8
Deduced Monthly Mean (from and Min.)					9·1		38:	2
Mean Temperature from Dry I	Bulb			. 2	8.8		38:	2
Adopted Mean Temperature					9-0		38	2
Mean Temperature of Evapora					7-0		36	7
Mean Temperature of Dew Po	int			. 2	1.2		34	5
Mean elastic force of Vapou	r			. 0.1	13 in		0.19	2in
Mean weight of Vapour in a cu	ıb. ft	. of :	air .		1·4gr	1	2.	4gr
Mean additional weight require					0·5gr		0.	4 gr
Mean degree of Humidity (sat	urati	on 1	00).	. 0.0	72		0.8	7
Mean weight of a cubic foot o	f air			. 56	4·4gr		548	9gr
Fall of Rain					53 in	1	3.49	3 in
Number of days on which R	ain f	ell	••••	•	6		16	9
No. of days in the month on	N	NE	E	SE	s	sw	w	иw
which the prevailing wind was	9	3	10	0	2	2	2	0
Mean Velocity in miles per hour	5.6	7.6	8.8	0	6.3	5-0	11.2	0
Total No. of miles for each Direction	1205	5 <b>4</b> 5	2123	0	301	240	536	0

The total number of miles registered during the month was 4950. The max. Velocity of the wind was 31 miles per hour. Direction E. by N., on the 16th, at 7-0 a.m.

### FEBRUARY, 1895.

Mean amount of Cloud (an overcast sky being indicated by 10.0) 6.0						
In the month of February, the highest reading of the Barome-						
ter during 48 years, was on the 11th, in 1849, and was 30 452						
The lowest	,,	6th, 1867	,,	• • • •	28.208	
The highest Tem	perature	8th, 1877	,,,		<b>58·3</b>	
The lowest	,,	18th, 1895	,,		8.0	
The highest adopted mean temperature of the month, 1869 44.0					<b>44</b> ·0	

#### TABLE OF DIFFERENCES.

1855....

28.6

The lowest

The signs + and - mean respectively above and below the monthly average.

Mean barometric pressure		 +	0.194 inches
Monthly range ,,	••	 _	0.450 ,,
Mean of highest temperatures	••	 _	8.0 degrees
Mean of lowest ,,	••	 _	10.6 ,,
Mean daily range ,,	••	 +	2.6 ,,
Adopted mean temperature	••	 _	9.2 ,,
Total rainfall		 	2.940 inches

Frost every day of the month. During the week from 7th to 13th, the ground temperatures were respectively 8°, 5°, 4°, 9°, 16°, 4°, and 8° Fahr. Hoar Frost on the 20th and 22nd. Snow on 11 days. Fog on the 23rd and 28th. Aurora Borealis on the 15th and 24th.

Results of Observations taken	durin	g the	Mon	ith.			n for last 3 year	
Mean Reading of the Baromete	r			29.2	41	2	9· <b>469</b>	
Highest ,, on th	ie 16	th		29.9	32	30	0.080	
Lowest ,, on th	e 28	th		28.1	94	2	8-675	
Range of Barometer Readings.				1.7	38		1· <b>40</b> 5	
Highest Reading of a Max. Ther.	on the	e 14th	& <b>20</b>	th 5	1-0		57.2	
Lowest Reading of a Min. The					1.7		22.3	
Range of Thermometer Reading	ngs.			32	3.8		34.9	
Mean of all the Highest Readi				48	3-1		47.2	
Mean of all the Lowest Read	lings			84	1.5		34.0	
Mean Daily Range				18	3.6		13.2	
Deduced Monthly Mean (from and Min.)	Mea	n of	Max.		)·3		<b>39</b> ·7	
Mean Temperature from Dry E	Bulb		• • • •	4(	0.0		39.9	
Adopted Mean Temperature .				40	)·2	i	39.8	
Mean Temperature of Evapora	ation	• • • •		38	3 <b>·</b> 5		37.9	
Mean Temperature of Dew Po	int .			30	3∙4		35.4	
Mean elastic force of Vapour.				0.2	15 in		0.205	in
Mean weight of Vapour in a cul	b. ft.	of ai	r		2.5gr		2.4	gr
Mean additional weight require	d for	satur	ation	1	0·4gr		0.5	gr
Mean degree of Humidity (satu	urati	on 1 ·	00)	0	·87		0.85	
Mean weight of a cubic foot of	air.			54	2 · 4gr		<b>546</b> ·6	gr
Fall of rain				4.8	865 in		3·12]	in
Number of Days on which rain	ı fell	•••	• • • • •		22		17.4	:
No. of days in the month on	N	NE	R	SE	s	sw	w	NW
which the prevailing wind was	7	0	2	1	2	7	9	3
Mean Velocity in miles per hour	7-0	0	8.1	13·1	11.7	10.5	11.0	10-
								<del> </del>

The total No. of miles registered during the month was 7353. The max. Velocity of the wind was 41 miles per hour. Direction N.W. by W., on the 24th at 2-0 p.m.

1161

Total No. of miles for each Direction.

0 | 391 | 315 | 560 | 1770 | 2371 | 785

#### MARCH, 1895.

	nt of Cloud (and h of March, th		, ,		•	) 8·1
ter during	48 years, was	on th	e 6th, in 1852	and wa	s	30.401
The lowest	,,		28th, 1895	,,		28 • 194
The highest	Temperature	,,	25th, 1871	. ,,		68-0
The lowest	,,	,,	6th, 1886	,,		11·5
The highest	adopted mean	tempe	rature of the	month, 1	871	<b>44</b> ·0
The lowest	,,		,, 188	55 and 18	92	<b>35·6</b>

#### TABLE OF DIFFERENCES.

The signs + and — mean respectively above and below the monthly average.

Mean barometric pressure			0.028 inches
Monthly range	••	+	0.833
Mean of highest temperature		+	0.9 degrees
Mean of lowest	••		۸.۲
,,,	••	+	,
Mean daily range ,,	••	+	0.4 ,,
Adopted mean temperature	••	+	0.4 ,,
Total rainfall	• •	+	1.244 inches

The lowest barometer reading for the month of March during the last 48 years was recorded on the 28th, when the mercury stood at 28·194 inches at 9-0 a.m. Frost on the 7th. An inch of rain fell on the 23rd. The aurora of the 13th was remarkable as a narrow belt of luminescence extending from east to west, a little north of zenith.

### APRIL, 1895.

AFK	ı Lo,	109	2.					
Results of Observations taker	duri:	ng the	Mont	h.			n for last year	
Mean Reading of the Barome	ter .	· · · · ·		29.	<b>4</b> 5 <b>5</b>	2	9·484	
Highest ,, o	n the	<b>12</b> tl	1	29	992	2	9-969	
Lowest ,,	n th	e 6th		28	775	2	8.804	
Range of Barometer Readings				. 1·	217	ļ	1·165	
Highest Reading of a Max. The	rm. c	n the	29th	ı 6	3.0		<b>66</b> ·1	
Lowest Reading of a Min. The	erm.	on th	e 7tb	1 2	26·5	İ	28.1	
Range of Thermometer Reading	ngs .			. 8	3 <b>6</b> ·5		38.0	
Mean of all the Highest Read	lings				6·2		<b>55</b> ·9	
Mean of all the Lowest Readi	ngs .			. 8	37· <b>4</b>		<b>37</b> ·8	
Mean Daily Range			<b></b>	. 1	8.8		18.1	
Deduced Monthly Mean (from	Mea	n of	Max.		- 0		44.5	
and Min.)					5.3		44.6	
Mean Temperature from Dry Bulb 45.3							44.5	
Adopted Mean Temperature 45 3							41.7	
Mean Temperature of Evaporation         42.5           Mean Temperature of Dew Point         39.3							38.2	
Mean Temperature of Dew Po					9 5 <b>241</b> ir		36°2 0·236	
Mean elastic force of Vapour				. 0		1		
Mean weight of Vapour in a cu				•	2·8g1	1	2.7	_
Mean additional weight require					0·7gı )·80		0·7 0·80	_
Mean degree of Humidity (sat			•					
Mean weight of a cubic foot o	aır	• • •	• • • • •		11 3gı 648ir	1	5 <b>4</b> 2·0	_
	· · · ·	• • • • •	• • • •			ľ	2.266	
Number of Days on which rai	n tell	•••	•••••	•	14	l	14-6	
No. of days in the month on	N	NE	E	SE	s	sw	w	NW
which the prevailing wind was	2	7	3	0	5	3	10	0
Mean Velocity in miles per hour	7.0	7.7	10.5	0	11.1	14.8	11.3	0
Total No. of miles for each Direction	336	1800	753	0	1333	1062	2718	0

The total number of miles registered during the month was 7502. The max. Velocity of the wind was 36 miles per hour. Direction W.S.W., on the 6th at 4 p.m.

#### APRIL, 1895.

Mean amount of In the month of	•	-	•	•	) 7.4
during 48 year	•		•		30.251
The lowest	,,	20th, 1868	,,		<b>28</b> · <b>35</b> 8
The highest Tem	perature	14th, 1852			<b>74</b> ·1
The lowest	,,	13th, 1892	**		20.8
The highest adop	ted mean te	mperature of t	he month,	1865	48.5
The lowest	,,	,,	1	879	40.7

#### TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average.

Mean barometric pressure	••	••		0.029 inches
Monthly range ,,	• •		+	0.052 ,,
Mean of highest temperatures	••	• •	+	0.3 degrees
Mean of lowest ,,	••	••	_	0.4 ,,
Mean daily range ,,	••	••	+	0.7 ,,
Adopted mean temperature	••	••	+	0.8 ,,
Total rainfall	••	••	+	0.382 inches

Frost on 12 days. Snow on the 3rd. Hail on the 24th Thunder on the 21st and 24th. Lightning on the 24th. Lunar halo on the 4th. Aurora on the 23rd.

# **-PI** 1505.

	er 22	and t	- Kor	121		b	for the ast years.
· a water believe	::: <b>:</b>				4,5	29	484
* . <del>! *</del>	= :	ne 25	<u></u>	. 24	into	29	-969
- X <del>21</del>	= :	ne fi	ı			<b>2</b> 8	804
in the time have	<b>.</b>			. 1	5.7	1	165
in the American Alberta	mi.	<b>m</b> 1	ne 295	±	<b>(: 3</b> )		66·1
a er kanta ta ha ha T	-	. 21	ine I:	÷	25 3		<b>2</b> 8·1
— Termine ken			· · · • •		56 F		<b>38</b> ·0
in the second se	<u> </u>	·		-	5 <b>/</b> 2		<b>55</b> ·9
has the little at west head				-	37.4		<b>37</b> ·8
has by here and			<b></b>	-	15.5		18:1
in a Partic Free Land		ar n	X.x				
the factor of th			• · · · •		<b>4</b> 5 <b>3</b>		44.5
			· · · · <del></del>		<b>4</b> 5 ·3		44.6
	•• ••		•••••		45 3		44.5
And Impressed a firm of Anni Temperature in Tev 3		٠. ت			12 5		41.7
				-	<b>3</b> 93		38-2
					<b>241</b> iz	-	236i
New wells of more security of the Control of the Co				•	2 8g		2·7g
					0.7g		0 7g
New James a Humilian sa	uu a	aar I	: 00	. (	0-90	•	0:80
Next terms a frametry so Next weight of a count to a	uura: o: au	33E 3	00	. (	0∻0 41 3gı	r 8	():80 342:0g
Next carre a framework so have when or a count to the fill that the control of th	uura: O au	33r 3		. (	0-90 41 <b>3</b> gr 648in	r 5	():80 542:0g 2:266ii
Next come a framery so been wearn or a count to a	uura: O au	33r 3	00	. (	0∻0 41 3gı	r 5	():80 342:0g
New carrier is humany as And which or a rubh to a r full is har Number of Dates or which ra	uura: O au	33r 3		. (	0-90 41 <b>3</b> gr 648in	r 5	0:80 542:0g 2:266ii 14:6
Next carre a framework so have when or a count to the fill that the control of th	nura: n an n iel	1		. 6	0-90 41 3gr 648ir 14	sw	0.80 542.0g 2.266ii 14.6
Now there is Francis on Man which or a cubic to the fact of Which of which rack of which rack of colors in the month of which the prevailing wind was	or arr	NE	E 2	. 6 . 5 . 2	0-90 41 3gr 648ir 14	sw 3	0·80 542·0g 2·266in 14·6 W . 2
Now there is humany as been when it is continued to have it the month of visit the prevailing wind was	or arr	NE 7-7	E 2	. 6 . 5 . 2	0-90 41 3gr 648ir 14	sw 3	0·80 542·0g 2·266in 14·6 W . 2
Near owners a Foundary of Mean which or a cubic to be full to Hear	or are	NE 7-7	E 2	. 6 . 5 . 2	0-90 41 3gr 648ir 14	sw 3	0·80 542·0g 2·266in 14·6 W . 2

## APRIL, 1895.

ean amoun	t of Cloud (an or	ercasi sky being	indican	al by 100	. 74
the month	n of April, the h	ighest reading o	of the Ra	crometer	
during 48	years, was on th	e 17th, in 1887.	. and w	<b>R</b> S	3, 25 <u>1</u>
he lowest	,,	20th, 1868	~		26 <b>3</b> 36
he highest	Temperature	14th, 1852	**		74 1
he lowest	,,	13th, 1892	**		<b>3</b> 0-8
he highest a	dopted mean ter	nperature of the	month,	865	48.5
he lowest	,,	**	18	379	407

#### TABLE OF DIFFERENCES.

The signs + and — mean respectively above and below the aonthly average.

dean barometric pressure	••	 _	0.029	inches
Conthly range ,,	••	 +	0.052	,,
Mean of highest temperatures	••	 +	0.3	degrees
Mean of lowest "	••	 -	0.4	**
Mean daily range ,,	••	 +	0.7	**
Adopted mean temperature	••	 +	0.8	**
Total rainfall		 +	0.382	inches
				7 270.0

Frost on 12 days. Snow on the 3rd. Hail on the 24th Thunder on the 21st and 24th. Lightning on the 24th. Lunar halo on the 4th. Aurora on the 23rd.

#### MAY, 1895.

M111	Ι,	1093	•						
Results of Observations take	n dur	ing tl	ле Мо	nth		1	an for last 8 year		
Mean Reading of the Barometer 29-695							9-509		
Highest ,,	on th	e 2no	1	30 5	217	2	9.950	r.	
Lowest ,,	on th	e 31s	t	29:	271	2	8 <i>-</i> 947		
Range of Barometer Readings				0.	946	l	1.003		
Highest Reading of a Max. The	erm. c	on the	30th	. 8	<b>0</b> ·5		<b>72</b> ·1		
Lowest Reading of a Min. The	rm. c	n th	e 1st	: 3	<b>2</b> ·6	l	31.3		
Range of Thermometer Reading	ngs .			. 4	7.9		<b>40</b> ·8	i	
Mean of all the Highest Read	ings.			6	<b>5</b> •0		<b>59</b> ·8	;	
Mean of all the Lowest Readi	ngs			4	3.5		42-1		
Mean Daily Range				. 2	1.5		17.7		
Deduced Monthly Mean (from					۰.		40 -		
and Min.)				_	2.5	1	49.1		
Mean Temperature from Dry Bulb					52·7		49.6		
Adopted Mean Temperature					2.6	İ	49.3		
Mean Temperature of Evaporation					48.1		46.1		
Mean Temperature of Dew Po					43·6 0·283 in		42.6		
Mean elastic force of Vapour						1	1		
Mean weight of Vapour in a cub					3.3gr		2.3	_	
Mean additional weight require					1 ·3gr	1	0.9	~	
Mean degree of Humidity (sat					.72		0.76		
Mean weight of a cubic foot of					7 ·0gr	1	537.0	_	
Fall of Rain					50 <b>0</b> in	Ч	2 596		
Number of days on which Rain	i fell.	••••	• • • • •		9	1	15.3		
No. of days in the month on	N	NE	E	SE	s	sw	w	NW	
which the prevailing wind was	8	4	5	0	3	2	7	2	
Mean Velocity in miles per hour	8.9	5.2	10.3	0	9.7	4.4	8.3	14.7	
Total No. of miles for each Direction	1705	497	1232	0	697	210	1392	708	
m									

The total number of miles registered during the month was 6441. The max. Velocity of the wind was 33 miles per hour. Direction N.W. by W., on the 15th, at 1 a.m.

## MAY, 1895.

Mean amount of C	loud (an ove	ercast sky being	indicat	ed by 10·0)	6.0
In the month of during 48 year	of May, the ars, was on t	highest reading the 2nd in 1895	g of the , and w	Barometer	80.217
The lowest	,,	28th, 1877	,,		28.559
The highest Te	mperature	19th, 1864	,,		82.5
The lowest	,,	4th, 1855	,,		23.5
The highest ad	opted mean	temperature of	the mo	nth, 1848	55.1
The lowest	19	,,		1855	<b>45 0</b>

#### TABLE OF DIFFERENCES.

The signs + and — mean respectively above and below the monthly average.

Mean barometric pressure	••		+	0·186 inches
Monthly range ,,	••	••		0.057 ,,
Mean of highest temperatures	••		+	5.2 degrees
Mean of lowest ,,	••		+	1.4 ,,
Mean daily range ,,	••	••	+	<b>3·</b> 8 ,,
Adopted Mean temperature	••		+	3.3 ,,
Total rainfall	••		_	2.096 inches

The highest barometer reading for the month of May during the last 48 years was recorded on the 2nd, the reading being 30 217 inches at 10-15 p.m. Frost on the 2nd and 3rd; thunder on the 24th, 25th, and 30th; Lightning on the 25th and 30th; lunar halos on the 5th, 7th, and 8th.

JUN	IE,	1895	<b>5</b> •						
Results of Observations taken during the Month.							Mean for the last 48 years.		
Mean Reading of the Barometer 29						2	29.544	ŀ	
Highest ,,	n th	e 24t	h :	. 30	049	2	29-897	7	
Lowest ,, on the 29th 29						2	9·03	5	
Range of Barometer Readings				. 0	887		0.862	}	
Highest Reading of a Max. The	erm. e	on th	e <b>25</b> tl	a 8	33· <b>2</b>		77-4	L	
Lowest Reading of a Min. The	rm. c	n the	15tb	. 8	6-3		38.7		
Range of Thermometer Read	ings			. 4	6.9	į	38.7	,	
Mean of all the Highest Read	lings			. 6	9.2	1	65.8	3	
Mean of all the Lowest Readi	ngs .			. 4	<b>5·8</b>		47.8	3	
Mean Daily Range	-				3.4	1	18:0	•	
Deduced Monthly Mean (from and Min.)	Mea	n of	Max	. 5	5·7		<b>55</b> ·0	)	
Mean Temperature from Dry				. 5	6.0	1	55.1		
Adopted Mean Temperature				. 5	5.9		55.0		
Mean Temperature of Evapor	ation			. 5	1.9	52.0			
Mean Temperature of Dew Po	int .	•••••		. 4	8.1	1	48.5		
Mean elastic force of Vapour					339 ir	1	0·354in		
Mean weight of Vapour in a	cub	. ft. d	of air	r	3-8g1	4	3∙9gr		
Mean additional weight require	d for	satu	ratio	n	1.2gr	-	gr		
Mean degree of Humidity (sa	atura	tion	1.00	) (	.76		0.79	)	
Mean weight of a cubic foot of	f air.			. 58	2·8g1	531·3gr			
Fall of Rain					123 in		8.618	in	
Number of days on which Rai	n fell	····	•••••		13		16.1		
No. of days in the month on	N	NE	E	SE	s	sw	w	NW	
which the prevailing wind was	1	1	4	0	2	2	20	0	
Mean Velocity in miles per hour	8.4	4.8	5.4	0	8.7	5-6	7.4	0	
Total No. of miles for each Direction.	81	103	518	0	417	270	3574	0	

The total number of miles registered during the month was 4963. The max. Velocity of the wind was 23 miles per hour. Direction W. on the 11th at 1 p.m.

#### JUNE, 1895.

Mean amount of	•		•	•
during 48 year	rs, was on the	e 15th, in 1874	, and was	. 30.219
The lowest	,,	23rd, 1893	,,	. 28 813
The highest Te	mperature	18th, 1893	,,	. 88.7
The lowest	,,	17th, 1892	,,	. 34 1
The highest ado	pted mean ten	nperature of th	e month, 1858.	. 59.0
The lowest	,,	,,	1856 and 1860.	. 52.2

#### TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average.

••		+	0.115 inches
••		+	0.025 ,,
••	••	+	3.4 degrees
••	••	_	2.0 ,,
••	••	+	5.4 ,,
••	••	+	0.9 ,,
	••		0.195 inches
			·· ·· + ·· ·· + ·· ·· + ·· ·· +

A heavy thunderstorm occurred on the 1st, accompanied with 1.118 inches of rain. Thunder was also heard on the 26th, 27th, 28th, 29th, and 30th. Lightning on the 1st, 29th, and 30th.

### JULY, 1895.

,	-,	,	J.					Į
Results of Observations takes	dur!	ing th	ье Мо	nth.		1	n for last 8 year	1
Mean Reading of the Barometer 29 410						2	9·499	
Highest ,, or	Highest ,, on the 6th 29.857						9 · 879	
Lowest ,, on the 21st 28.957							8-990	
Range of Barometer Reading	s			. O	9 <b>0</b> 0	(	0.889	
Highest Reading of a Max. Th	erm.	on th	ie 8th	1 7	7.0		<b>7</b> 8·8	
Lowest Reading of a Min. Ther.	on the	e <b>29</b> tb	& 31:	st 4	1.0		<b>42</b> ·1	
Range of Thermometer Readi	ngs .			. 3	6-0	1	36.7	
Mean of all the Highest Read	ings.		••••	. ε	8.8	1	67.8	
Mean of all the Lowest Read	ings.			. 4	8.9	1	50.7	
Mean Daily Range				. 1	9.4		17.1	
Deduced Monthly Mean (from and Min.)	ме:	an of	Max		6.7		57 · 7	
Mean Temperature from Dry	Bull	b		. 5	6·3	1	57.7	
Adopted Mean Temperature	•••••			. 5	6.5	1	57:7	
Mean Temperature of Evapora	ation			. 5	3· <b>4</b>		54.7	
Mean Temperature of Dew F	oint.	•••••		. 5	0.5	1	52.1	
Mean elastic force of Vapour		•••••	• • • • • •	. O·	<b>3</b> 68ir	1	0.389	in
Mean weight of Vapour in a cul	o. ft. 6	of air			4·1g	r	4.5gr	
Mean additional weight required	d for	satu	ration	1	1.0gr	-	1·0gr	
Mean degree of Humidity (sat	urati	on 1	00)	. 0	.80	1	0.82	
Mean weight of a cubic foot of	f air			. 52	8 · 3g1	-	5 <b>27</b> ·8	gr
Fall of Rain				. 5.	319ir	ւ	4·247in	
Number of days on which Ra	in fe	ll	•••••	•	20		18-1	
No. of days in the month on	N	NB	E	SE	s	sw	w	NW
which the prevailing wind was	3	0	0	0	8	7	18	0
Mean Velocity in miles per hour	6.8	0	0	0	7.4	8·1	11.8	0
Total No. of miles for each Direction	455	0	0	0	532	1366	5088	0

The total number of miles registered during the month was 7441.

The max. Velocity of the wind was 87 miles per hour.

Direction
W. by S., on the 14th at Noon.

#### JULY, 1895.

	t of Cloud (an ov of July, the hi	•	-	•	,	
during 48 y	ears, was on th	e 24th, in 1868	, and wa	s	30.112	
The lowest	19	15th, 1877	,,		<b>28</b> · <b>564</b>	
The highest	Temperature	22nd, 1873	,,	•••••	88·2	
The lowest	,,	1st, 1857	**	•••••	<b>36</b> ·0	
The highest adopted mean temperature of the month, 1852						
The lowest	,,	**	:	1888	<b>54</b> ·5	

#### TABLE OF DIFFERENCES.

The signs + and — mean respectively above and below the monthly average. Mean barometric pressure 0.089 inches Monthly Range 0.011 Mean of highest temperatures + 0.5 degrees Mean of lowest 1.8 Mean daily range + 2.3 Adopted mean temperature 1.2 1.072 inches Total rainfall + Thunder on the 1st, 2nd, 3rd, 7th, 21st and 26th. Lightning on the 1st, 2nd, 21st and 26th.

#### AUGUST, 1895.

,						Man	- 6 1		
Results of Observations taken during the Month					Mean for the last 48 years.				
Mean Reading of the Barometer 29.417							29.487		
Highest ,, on t	he 15	th .		29.8	317	2	9-883	'	
Lowest ,, on t	he 3r	d		28.8	846	2	8-944		
Range of Barometer Readings	s			0.9	971				
Highest Reading of a Max. The	erm.c	n the	17th	. 7	8.0				
Lowest Reading of a Min. The	rm. o	n the	24th	4	1.6	ļ			
Range of Thermometer Reading	ngs .			3	6.4		35.8	i	
Mean of all the Highest Reading	ngs .			6	8.9		67.2		
Mean of all the Lowest Reading	ngs .			5	1.6	ŀ	50.4		
Mean Daily Range	-			1	<b>7</b> ·3		16.8		
Deduced Monthly Mean (from	Mea	ın of	Max.			1			
and Min.)					8.6	Ì	57:1		
Mean Temperature (deduced f	rom 1	Dry 1	Bulb)	5	8.7	İ	57.5		
Adopted Mean Temperature	• • • • • •	• • • • • •		. 5	8.7	57:3			
Mean Temperature of Evapor	ation	ı		5	5.6	54·5			
Mean Temperature of Dew Po	int .			. 5	2.8	51.9		. '	
Mean elastic force of Vapour	••••	• • • • • • •		0.4	<b>401</b> in	0.388in		in ,	
Mean weight of Vapour in a cul	b. ft.	of air	·		4 ·4gr	·	4.3	gr	
Mean additional weight require	d for	satuı	ation	ı	1 ·0gr	-	0-9	gr	
Mean degree of Humidity (sat	urati	on 1	<b>0</b> 0)	. 0	·81	0.82			
Mean weight of a cubic foot of	f air.			. 52	5·1gr	-	<b>527</b> ·3	gr	
Fall of Rain	· • • • • • • • • • • • • • • • • • • •			5.	199 in		5.072	in	
Number of days on which Rai	n fel	١	• • • • •		21		19.1	.	
No. of days in the month on	N	NE	E	SE	s	sw	w	NW	
which the prevailing wind was		0	0	0	2	12	15	. 1	
Mean Velocity in miles per hour	4.3	0	0	0	11.5	9.7	8.8	30	
Total No. of miles for each Direction	102	0	0		550		3181	71	
The seal and benefit in		,							

The total number of miles registered during the month was 6710. The max. Velocity of the wind was 34 miles per hour. Direction W.S.W., at Noon.

#### AUGUST, 1895.

Mean amount of Cloud (an overcast sky being indicated by 10·0) 8·7								
In the month of August, the highest reading of the Barometer during 48 years, was on the 21st, in 1874, and was 30.114								
The lowest	,,	31st, 1876	,,		<b>2</b> 8·555			
The highest	Temperature	2nd, 1868	,,		88.0			
The lowest	,,	13th, 1887	,,	• • • •	<b>33·4</b>			
The highest a	dopted mean temp	perature of the mo	nth, 188	57 & '84	61.0			
The lowest	••	11	184	l8	$52 \cdot 5$			

#### TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average.

Mean barometric pressure......-..0.070 inchesMonthly range......+...0.032 ,,Mean of highest temperatures......+...1.7 degreesMean of the lowest......+...1.2 ,,Mean daily range......+...0.5 ,,Adopted mean temperature......+...1.4 ,,Total rainfall......+...0.127 ,,

1.320 inches of rain fell on the 26th. Thunder on the 3rd, 10th, 12th, 13th, 17th, 23rd, and 27th. Lightning on the 10th, 22nd, and 23rd.

#### SEPTEMBER. 1895. Mean for the Results of observations taken during the Month. last 48 years. Mean Reading of the Barometer ...... 29.521 Highest on the 20th .... 29 989 30.025 Lowest on the 11th .... 29-112 28.860 Range of Barometer Readings..... 0.877 1.165 Highest Reading of a Max. Therm. on the 9th 72.6 79.5 Lowest Reading of a Min. Therm. on the 21st 40.0 36.5 Range of Thermometer Readings ...... 36.1 39.5 Mean of all the Highest Readings..... 62.4 69.3 Mean of all the Lowest Readings ...... 47.0 50.0 Mean Daily Range..... 19.3 15.4 Deduced Monthly Mean (from Mean of Max. and Min.) ..... 58.4 53.5 Mean Temperature from dry bulb ..... 58.0 54.1 Adopted Mean Temperature ...... 58.2 53.8 Mean Temperature of Evaporation..... 55.0 51.0 Mean Temperature of Dew Point..... 52-1 48.3 Mean elastic force of Vapour..... 0.391in 0.339in Mean weight of Vapour in a cub. ft. of air..... 4.4gr 4.0gr Mean additional weight required for saturation . . 1·1gr 0.8gr Mean degree of Humidity (saturation 1.00).... 0.80 0.82 Mean weight of a cubic foot of air ...... 530 8gr 532-3gr Fall of Rain ..... 2.044in 4.545in Number of days on which Rain fell ..... 17.8 NE No. of days in the month on N E SE s sw NW which the prevailing wind was 0 5 1 0 0 12 Mean Velocity in miles per hour 0 4.2 3.5 0 3.8 6.1 9.0 0

The total number of miles registered during the month was 4645. The max. Velocity of the wind was 37 miles per hour. Direction W.S.W., at 3 p.m.

0 498 83 0

451 1023 2590

Total No. of miles for each

Direction

#### SEPTEMBER, 1895.

Mean amount o	f Cloud (an ove	ercast sky being indic	ated b	y 10 ·	0) 4.9
In the month o ometer durin	f September, 1 g 47 years, was	the highest reading o s on the 15th, in 1851,	of the and w	Bar- as	80·27 <b>4</b>
The lowest	**	2nd, 1883	,,		28.323
The highest Te	mperature	6th, 1868	,,	•••	<b>85</b> ·0
The lowest	**	25th, 1885, and 30	)th, 18	38	<b>29</b> ·8
The highest ado	pted mean ten	perature of the mon	th, 186	5	<b>59·1</b>
The lowest	,,	,,	186	В	<b>50</b> · <b>9</b>

#### Table of Differences.

The signs + and - mean respectively above and below the monthly average.

Mean barometric pressure		• •	+	0.182 inches
Monthly range ,,				0.288 ,,
Mean of highest temperatures		••	+	6.9 degrees
Mean of lowest ,,	••	••	+	3.0 "
Mean daily range ,,			+	<b>3</b> ·9 ,,
Adopted mean temperature	••	••	+	4·4 ,,
Total rainfall	• •	••		2.501 inches

Hoar frost on the 16th and 26th. Thunder on the 3rd and 10th. Lightning on the 3rd, 9th, 23rd, and 24th.

OCTOE	BER	, I	895.						
Results of Observations taken	durin	the l	Month				n for t last years		
Mean Reading of the Baromete	:г			29 - 4	110	29	)· <b>4</b> 23		
Highest , on	the	17th	1	30 · 1	l <b>61</b>	30	0-018		
Lowest ,, on	the	3rd		28.6	353	2	8· <b>63</b> 9		
Range of Barometer Readings.				1.8	508	ł	1·379		
Highest Reading of a Max. The	erm.	on th	e 1st	7	0.0		64.3		
Lowest Reading of a Min. Ther	m. o	n the	28th	1	<b>7</b> ·8	1	28.8		
Range of Thermometer Readin	ıgs .			5	$2\cdot 2$		35.5		
Mean of all the Highest Read	dings			5	2·1		54.5		
Mean of all the Lowest Read	ings			3	5.7		41.5		
Mean Daily Range				1	6.4	ļ	13.0	)	
Deduced Monthly Mean (from and Min.)			Max.	4	<b>2</b> ·9		47 ·1		
Mean Temperature from Dry	Bulk			4	2.6	ì	47.6		
Adopted Mean Temperature .				4	2.8		47.3		
Mean Temperature of Evapora	tion			4	0.3	}	45.1		
Mean Temperature of Dew Po	int .			3	<b>7·3</b>	ì	42.7	•	
Mean elastic force of Vapour				0.	<b>22</b> 3iı	1	0.278	in	
Mean weight of Vapour in a cui	b. ft.	of air			2.6g	r	3.1	gr	
Mean additional weight required	d for	satur	ation		0.6g	г	0.6	igr	
Mean degree of Humidity (satu	ıratio	on 1·(	00)	0	82	1	0.84	Ĭ	
Mean weight of a cubic foot	of a	ir	• • • • •	54	2.5g1	-	537-8	gr	
Fall of Rain				5.7	767 ir	1	5.081	lin	
Number of days on which Rai	n fell	١	••••		<b>2</b> 0		21.7	1	
No. of days in the month on	N	NE	E	SE	s	sw	w	N	
which the prevailing wind was	8	5	0	٠0	0	4	10		
Mean Velocity in miles per hour	5.7	4.5	0	0	0	6.8	11-1	6	
Total No. of miles for each	1098	535	0	0	0	656	2671	59	

The total number of miles registered during the month was 5553. The max. Velocity of the wind was 89 miles per hour. Direction W.S.W., on the 2nd at 5 p.m.

Direction.

#### OCTOBER, 1895.

Mean amount of (	loud(an ove	rcast sky being ind	icate	dby 10-0	6.7		
In the month of October, the highest reading of the Barometer during 48 years, was on the 5th, in 1884, and was 30.30							
The lowest	,,	19th, 1862	,,		<b>2</b> 8·1 <b>3</b> 9		
The highest Temp	perature	9th, 1869	,,	••••	<b>72</b> ·8		
The lowest	,,	28th, 1895	,,	••••	17.8		
The highest adopted mean temperature of the month, 1861 & 76 51							
The lowest	,,	**	18	395	<b>42</b> ·8		

#### TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average. Mean barometric pressure 0.013 inches Monthly range 0.129Mean of highest temperatures 2.4 degrees Mean of lowest 5.8 Mean daily range 8.4 + Adopted mean temperature 4.5 Total rainfall 0.686 inches

Both the minimum temperature 17.8° on the 28th, and the adopted mean temperature 42.8°, are the lowest recorded for the month of October for the last 48 years. Frost on 14 days. Snow on the 24th, 25th, and 26th. Hail on the 2nd and 3rd. Fog on the 25th. Thunder on the 2nd. Lightning on the 2nd and 25th. A fall of 1½ inches of rain on the 30th.

DECEN	<b>MBE</b>	R,	1895						
Results of Observations taken	Results of Observations taken during the Month.							he	
Mean Reading of the Barom	eter			29:	330	2	9-458	l	
Highest "	c	n the	27th	30.0	)21	30	0.075		
Lowest	or	the	16th	28.	540	2	8.594		
Range of Barometer Readings				1.4	181		1.481	i	
Highest Reading of a Max. Th	erm.	on t	he 5t	h 5	2.5	ļ	53.0		
Lowest Reading of a Min. The	rm.	on th	e 19t	h 2	3.0	l	20.1		
Range of Thermometer Readi	ngs			. 2	9·5		<b>32</b> ·9	1	
Mean of all the Highest Read					<b>4</b> ·0		43·0		
Mean of all the Lowest Reading	ngs			. 3	3.3		32.9	ì	
Mean Daily Range				. 1	0.7		10.1		
Deduced Monthly Mean (from and Min.)					8·7		37.9		
Mean Temperature from Dry					8.6	38⋅6			
Adopted Mean Temperature					8.7	38.3			
Mean Temperature of Evapor	ation	ı		. 3	<b>7</b> ·0	l	36.7		
Mean Temperature of Dew P	oint			. 3	4.7	İ	34.9		
Mean elastic force of Vapour	r			. 0.2	302 in		0.204	in	
Mean weight of Vapour in a	cub.	ft. e	of air	r	2·3gr		2·4	gr	
Mean additional weight require	d for	r satı	ıratio	n	0·4gr		0·4gr		
Mean degree of Humidity (sat	urati	on 1	00	.) 0	.86	İ	0.87		
Mean weight of a cubic foot of	air			54	4.9gr	ŀ	548 4	gr	
Fall of Rain					)05 in		5-278	_	
Number of days on which Ra	ain fe	ell	••••		18		18.9	)	
No. of days in the month on	N	NE	E	SE	s	sw	w	NW	
which the prevailing wind was	0	4	8	1	1	3	13	1	
Mean Velocity in miles per hour	0	5.7	12.4	12·1	19.8	11.6	15.2	30-8	
Total No. of miles for each Direction	0	546	2381	291	476	834	4728	740	

The total number of miles registered during the month was 9996. The max. Velocity of the wind was 49 miles per hour. Direction N.W. by W., on the 13th at noon.

#### DECEMBER, 1895.

Mean amount of Cloud (an overcast sky being indicated by 10.0) 8.3 In the Month of December, the highest reading of the Barometer during 48 years, was on the 22nd, in 1849, and was 30.378 The lowest 8th, 1886 .... 27.350 The highest Temperature 9th, 1876 58.1 The lowest 24th, 1860 6.7 The highest adopted mean temperature of the month 1857... 44.6 The lowest 1878 30.3

#### TABLE OF DIFFERENCES.

The signs + and -- mean respectively above and below the monthly average.

Mean barometric pressure		— 0·128 inches
•	••	·· — 0 120 inches
Monthly range ,,	• •	average range
Mean of highest temperatures	• •	·· + 1.0 degrees
Mean of lowest ,,	••	+ 0.4 ,,
Mean daily range ,,	• •	+ 0.6 ,,
Adopted mean temperatures	••	+ 0.4 ,.
Total rainfall	••	+ $0.732$ inches

Frost on 22 days. Snow on 5 days. Hail on 6 days. 1.000 inches of rain fell on the 4th. Fog on the 9th. Lightning on the 5th, 6th, and 12th. Aurora on the 7th.

#### AUGUST, 1895.

Results of Observations taken	dur	ing th	10 М	onth			n for the last years.	
Mean Reading of the Barometer					117	29	· <b>4</b> 87	
Highest ,, on th	ne 15t	h		29.8	317	29	9.883	
Lowest , on the	ne 3r	d		28.	346	28	3· <b>944</b>	
Range of Barometer Readings				0.9	971	(	0.939	
Highest Reading of a Max. The	rm.o	n the	17tb	. 7	8.0		77-0	
Lowest Reading of a Min. Ther					1.6		41.2	
Range of Thermometer Readin	ıgs .			3	6·4		35.8	
Mean of all the Highest Readir	igs .			6	8.9		67.2	
Mean of all the Lowest Readin					1.6		50.4	
Mean Daily Range	_				7·3		16.8	
Deduced Monthly Mean (from	Mea	n of	Max.					
and Min.)				_	8.6		57.1	
Mean Temperature (deduced fi					8.7	1	57·5	
Adopted Mean Temperature .				. 5	8.7		57.3	
Mean Temperature of Evapor				_	<b>5</b> ·6		<b>54</b> ·5	
Mean Temperature of Dew Po	int .	•••••	•••••	. 5	<b>2</b> ·8		51.9	
Mean elastic force of Vapour .	••••	• • • • • •		. 0.	<b>10</b> 1 in	· I	0.388	in
Mean weight of Vapour in a cul					4 ·4gr	1	4.3	gr
Mean additional weight require	d for	satur	atior	1	1 ·0gr	1	0-9	gr
Mean degree of Humidity (sat	urati	on 1	00)	. 0	·81	1	0.82	}
Mean weight of a cubic foot of	air.			. 52	5·1gr	·l	<b>527</b> ·3	gr
Fall of Rain						1	5.072	٠,
Number of days on which Rai	n fell	٠	· · · ·	•	21		19.1	L
No. of days in the month on	N	NE	E	SE	s	sw	w	N
which the prevailing wind was	1.	0	0	0	2	12	15	Γ
Mean Velocity in miles per hour	4.3	0	0	0	11.5	9.7	8.8	3
Total No. of miles for each Direction	102	0	0	0	550	2806	3181	7

The total number of miles registered during the month was 6710. The max. Velocity of the wind was 34 miles per hour. Direction W.S.W., at Noon.

#### AUGUST, 1895.

Mean amount o	f Cloud (an over	rcastsky being in	dicated	by 10	0) 8.7		
In the month of August, the highest reading of the Barometer during 48 years, was on the 21st, in 1874, and was 30.114							
The lowest	,,	31st, 1876	,,		28.555		
The highest Te	emperature	2nd, 1868	,,		88.0		
The lowest	**	13th, 1887	,,	••••	<b>33·4</b>		
The highest ado	pted mean temp	erature of the mo	nth, 185	7 & '84	61.0		
The lowest	,,	,,	184	8	$52 \cdot 5$		

#### TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average.

Mean barometric pressure	••		_	0.070 inches
Monthly range ,,	••		+	0.032 ,,
Mean of highest temperatures	••	••	+	1.7 degrees
Mean of the lowest ,,	••	••	+	1.2 ,,
Mean daily range ,,	••		+	0.5 ,,
Adopted mean temperature	••	••	+	1·4 ,,
Total rainfall	••	••	+	0 127 ,,

1.320 inches of rain fell on the 26th Thunder on the 3rd, 10th, 12th, 13th, 17th, 23rd, and 27th. Lightning on the 10th, 22nd, and 23rd.

### SEPTEMBER, 1895.

Results of observations taken	duri	ng the	Mon	th.		1	ean for last 48 year	
Mean Reading of the Baromet	er			. 29	703	1	29-521	
Highest ,, or	n th	e 20t	h	. 29	989	1	30 02	,
Lowest ,, or	n th	e 11t	h	. 29	112		28-860	)
Range of Barometer Readings				. 0	877	1	1.168	5
Highest Reading of a Max. The	erm.	on th	ne 9t	h	79.5	1	72	3
Lowest Reading of a Min. The	rm.	on th	e 21s	t .	40.0	1	36 -	5
Range of Thermometer Reading	ngs			. :	39-5		36	1
Mean of all the Highest Read	ings			. (	69.3		62	4
Mean of all the Lowest Reading	ngs			. 1	50.0		47	0
Mean Daily Range					19.3		15	1
Deduced Monthly Mean (from and Min.)	Me	an o	f Ma	x.	58.4		53.	5
Mean Temperature from dry l	bulb			1	6.89		54	1
Adopted Mean Temperature				1	58.2	1	53.	8
Mean Temperature of Evapor	ation	n		(	55.0		51.	)
Mean Temperature of Dew Po	int.			!	52.1		48	3
Mean elastic force of Vapour				0	391i	n	0.339	in
Mean weight of Vapour in a cul	o. ft.	of air			4.4g	r	4-(	gr
Mean additional weight required	for	satur	ation		1.1g	r	0.8	gr
Mean degree of Humidity (satu	ratio	on 1.0	0)	(	0.80		0.85	2
Mean weight of a cubic foot	of a	air		5	30.8g	r	532 3	gr
Fall of Rain				2	044in	n	4.54	~
Number of days on which Rais	n fel	1			14		17.	3
No. of days in the month on	N	NE	E	SE	s	sw	w	NV
which the prevailing wind was		12	(					
Mean Velocity in miles per hour	Ó	4.2	3.5	0	3.8	6.1	9.0	-
Total No. of miles for each Direction	0	498	83	0	451	1023	2590	-

The total number of miles registered during the month was 4645. The max. Velocity of the wind was 37 miles per hour. Direction W.S.W., at 3 p.m.

#### SEPTEMBER, 1895.

Mean amount of Cloud (an overcast sky being indicated by 10.0) 4.9 In the month of September, the highest reading of the Barometer during 47 years, was on the 15th, in 1851, and was 80.274								
ometer during	g 47 years, was	s on the $15$ th, in $1851$ ,	and wa	as	80.274			
The lowest	,,	2nd, 1883	,,		28·323			
The highest Ter	mperature	6th, 1868	,,	•••	85.0			
The lowest	,,	25th, 1885, and 30	)th, 188	88	<b>29</b> ·8			
The highest adopted mean temperature of the month, 1865 59.1								
The lowest	,,	,,	1863	3	<b>50</b> ·9			

#### Table of Differences.

The signs + and - mean respectively above and below the monthly average.


Mean barometric pressure	• •	••	+	0.182 inches
Monthly range ,,	••		_	0· <b>2</b> 88 ,,
Mean of highest temperatures	• •		+	6.9 degrees
Mean of lowest ,,			+	<b>3</b> ·0 ,,
Mean daily range ,,	••		+	3·9 ,,
Adopted mean temperature			+	4·4 ,,
Total rainfall	• •		_	2.501 inches

Hoar frost on the 16th and 26th. Thunder on the 3rd and 10th. Lightning on the 3rd, 9th, 23rd, and 24th.

TOTAL	AM	AMOUNT	N		OF ,	SU	ASF	SUNSHINE	<u>ы</u>	RE	00	RECORDED	ED	NO		EACH	H	DAY.	Υ.
Monte.			1	8	အ	4	5	9	7	8	6	10	ı	12	18	14	15	16	17
January -			8.9	0	4.4	3.5	<b>7.</b> 0	0	1.4	2 <del>6</del>	9.0	0	1.2	0	0	0	0.3	0	0
February -		•	•	4.0	1.6	မှ	4.7	0	8.0	7.5	မာ ထု	5.7	6.5	2.2	4.5	9.9	8.7	8.7	1.4
March -			3.0	4.5	<b>4</b> ·8	2.9	8.3	0	•	2.2	1.6	1.5	8.0	2.5	2.8	•	0	<b>5</b> .8	4.3
April -		•	5.4	1.1	5.4	4.2	8.0	0	9.4	0.3	10.7	9.9	10.5	4.3	2.0	10.8	12.2	12.5	9.0
May .		-	3.5	12.9	11.4	7.0	12.7	14.1	12.7 14.1 13.9 12.0	12.0	7.0	7.0 14.0	13.8	0	0.1	1.6	7.3	14.4	<b>*</b> 0
]une		<u> </u>	8.0	0	3.2	2.2	2.2	7.5 10.9 14.9	14.9	8.4	8 6	13.7	8.5	12.7 10.7	10.7	8.9	14.7 15.4	15.4	3.7
July .			2.2	9.2	3.7	8.9	12.7	12.0	13.4	10.7	2.6	8.8	<b>7.</b> 0	9. L	1.1	6.9	8.9	0	1.7
August -			•	6.2	1.0	4.8	5.1	1.0	2.2	2.9	3.0	<b>8</b> 0	6.3	4.9	4.1	80	8.0	0	3.4
September-		•	6.2	10.0	2.0	4.1	0	5.4	3.	9.9	œ •	1.9	8.7	4.2	10.4	9.9	7.2	9.0	8.0
October -			1.7	<b>*</b> 0	0	0.2	0	7.4	4.9	0	99.	5.3	<b>6.4</b>	0	0	0	0	8.6	2.9
November -		<del>-</del>	1.2	0	0	0	0	5.4	0	6.0	0.3	8.0	4.0	6.3	6.	9.0	0	0	3.4
December -		<del></del>	0.1	0.1	3.5	0	0	4.2	1.0	0.	0	1.3	0	0	2.5	0	1.9	0	1.4

Table   Tabl															
THE AMOUNT OF SUNSHINE RECORDED ON (Continued.)  (Continue	DAY.		21.9	30.1	18.3	84.6	46.1	50.8	35.7	30.4	45.1	28.6	16.1	89.5	
THE AMOUNT OF SUNSHINE RECORDED ON (Continued.)  (Continue	EACH	Monthly Total.	8-99	83.8	0- 29	143.7	222.1	248.6	177.2	136.2	170.0	94.5	42.3	19.8	
THE AMOUNT OF SUNSHINE RECORDED  (Continued.)  (Continued.	(	31	1.4	0	8.	0	4.6	0	4.5	<b>9.9</b>	0	0	0	0	
THE AMOUNT OF SUNSHINE RECORDED COntinued.)  (Continued.)		30	4.8	0	9.0	8.8	10.3	2.9	9.2	2.9	7.5	0	0	0	
AL AMOUNT OF SUNSHINE   Continued.   Conti	ED	67	0	0	9.0	6.3		3.1	8.1	4.8	1.1	2.3	0	0	
AL AMOUNT OF SUNSHINE   Continued.   Conti	RD	38	2.9	9.0	0	7.4	7.9	2.9	2.4	1.7	9-2	0	0	0	
AL AMOUNT OF SUNSHINE   Continued.   Conti	300	27	9.0	0.9	9.0	1.0	13.2	9.9	အ့	6.7	7.4	6.9	0	1.8	
AL         AMOUNT         OF         SUNSHINE           NTH.         18         19         20         21         22         28         24         25           2.6         0         0         5.8         3.8         6.4         0         8.1           γ 0         1.7         3.6         3.2         0.7         0.8         1.7         3.5           · 6.8         0         0.8         0.7         0.8         1.7         3.5           · 6.8         6.6         0         0.8         6.9         3.2         0.3           · 6.8         6.7         0.8         0.9         0.7         0.8         1.7         3.5           · 6.8         6.6         0         0.8         6.9         1.7         0.7           · 1.2         12.5         13.8         1.6         1.5         1.5         1.5           · 1.2         12.5         13.8         1.6         4.1         9.6         1.5           · 5.8         5.7         2.7         1.7         1.0         3.1           er         9.8         2.5         4.0         2.6         3.4	^1	56	4.8	0	6.1	0	10.0	9.3	3.0	9.0	7.3	9.6	1.9	<b>₹</b> .0	_
NTH. 18 19 20 21 22 28  T 2.5 0 0 0 5.8 3.8 6.4  Y 0 1.7 3.6 3.2 0.7 0.8  T 6.8 6.7 0.6 0 0.8 60  T 1.2 12.5 13.8 13.8 7.0 4.1  T 6.8 5.7 2.7 3.7 7.5 11.0  T 9.8 2.5 4.0 8.2 1.5 7.9 8.8  T 6.9 7.8 0 0 0 0 6 4.4  ET 2.8 2.4 0 0 0 6 4.4  ET 1.2 0 0 0 1.8 0 0 6 4.4	ム E	35	3.1	3.5	2.0	6.0		11.2	0	3.1	5.9	3.4	5.4	0	
NTH. 18 19 20 21  - 25 0 0 0 58  - 2 5 0 0 0 58  - 2 6 0 0 3 0  - 48 57 00 0  - 48 57 00 0  - 12 125 138 138  - 58 57 27 37  - 98 25 40 82  - 98 25 40 89  - 69 78 0 0  er - 89 78 0 0  er - 89 78 0 0	HII)	24	0	1.7	1.7	3.5	8.4		8.0	10.0	8.0	0	4.4	0	
NTH. 18 19 20 21  - 25 0 0 0 58  - 2 5 0 0 0 58  - 2 6 0 0 3 0  - 48 57 00 0  - 48 57 00 0  - 12 125 138 138  - 58 57 27 37  - 98 25 40 82  - 98 25 40 89  - 69 78 0 0  er - 89 78 0 0  er - 89 78 0 0	NS	23	₹.9	0.3	0	9.9	0.9	4.1	11.0		80	8.7	4.4	0	
NTH. 18 19 20   1	SC	22	eo œ	7.0	3.4	0	0.3	7.0		1.5	9.2	7.0	9.0	1.3	
NTH. 18 19  2.6 0  y 6.8 0  6.8 6.7  6.8 5.7  6.8 5.7  6.8 5.7  er 8.1 7.8  er 8.2  er 8.2  er 8.2  er 8.3  er 8.4	OF	21	9.9	3.5	0	0	0	13.8	3.7	8.5	8.6	0	0	0	
NTH. 18 19  - 2.6 0  - 2.6 0  - 6.8 0  - 4.8 6.7  - 1.2 12.5  - 5.8 6.7  - 5.8 6.7  - 6.9 2.5  er - 8.1 7.8  er - 8.1 7.8  er - 8.2 2.4  er - 1.2 0	L	20	0	3.6	0.3	9.9	9.9	13.8	2.2	4.0	10-0	•	0	0	
NTH	UN	19	0	1.7	0	9.6	2.9	12.5	2.9	2.2		7.3	3.4	0	
NTH	MC	18	5.2	•	٠. ن	0	4.3	1.2	5.8	8.6	3.1	6.9	8.8	1.2	
MONTH.  Month.  January - February - April - April - June June September October - November December -			,	•		•		•		,				•	,
	TOTAL	Monte.	January -	February -	March -	April -	Мау .	]une -	July -	August -	September	October .	November	December -	

MONTHLY TABLES	HL,	7 T	AB.	CES		FOR ]	EACH		HOUR	UR	OF	2	CC	RECORDED	ΈI		ND	SUNSHINE	NE
Local apparent time.	parent	time.	4-5	9-9	2-9	7-8	6-8	9-10	9-10 10-11 11-2		12-1	1-2	2-8	3.4	4-5	9-9	2-9	8-2	8-8
January		١.	0	0	0	0	1.6	5.7	10.7	10.2	9.0	8.1	8.8	2.7	0	0	0	0	0
February		٠.	0	0	0	<b>L</b> ·0	2.9	0.6	12.6	13.5	12.1	11.3	2.6	98	1.7	0	0	0	•
March		•	•	•	0	2.0	4.8	1.1	6.1	4.2	6. 2	2.2	0.6	8.5	9.9	2.1	0	0	0
April		•	•	0	5.6	6.9	10.4	13.8	14.4	15.2	14.3	12.8	13.2	14.3	13.9	10.6	<b>6</b> 3	0	0
May		•	0.2	8.8	14.3	16.6	18.0	18.3	17.2 17.3		17.0 16.4		18.5	16.3	15.4 14.0		11.5	2.0	0
June		•	1.9	10.2	13.9	14.9	14.9 15.8 17.1	17.1	20.5 18.9	18.9	19.1 19.2	19.2	18.8	19.0	18.4	16.5	15.9	0.6	0
July		•	0.5	4.4	9.1	12.0	12.0 14.4	14.0	14.4 14.8		14.8	14.0	14.4	16.1	14.2	13.0	4.2	1.0	0
August	•	•	0	0.5	4.3	2.9	10.7	9.0	11.0 12.1 14.6	12.1	14.6	15.0 14.0		13.9	12.7	2.6	2.0	0	0
September	ber -	4	•	•	1.5	9.0	6.0 18.7	16-3 19-9		21.7	21.6	19.0	18.3	15.4	10.8	6.9	0	0	0
October	•	•	•	•	•	1.7	8·1	6.6	10.0 12.4		13.3	13.3 12.6	11.6	10.7	6.	0.3	0	0	0
November	H	•	•	0	0	•	1.0	2.1	9.0	9.2	8.	7.1	9.9	9.6	2.0	0	0	0	0
December	er -	•	0	0	0	0	0	1.0	3.7	4.4	3.6	4.3	5.6	0.5	0	0	0	0	0
Total			3.€	28.9	46.7	69.3	103.2	123.9	65.2 108.2 128.9 145.6 155.5 156.5 147.0 145.5 128.0 97.8	155.6	155.5	147.0	146.6	128.0		72.1	39.1	12.0	0
İ					1		-												•



### OBSERVATIONS OF UPPER CLOUDS (CIRRUS.)

Date. 1895		G. M. T.	Cloud	l.	Wind.		Direction of Lower Clouds.
2000		G. 2. 1.	Direction	V locity (0—6).	Direction.	Force (0—12).	0.00
January	20	9am	EbS	2	NE	2	NE
February	26	8am	NW	8	WbS	2	w
11	27	10am	N	2	NNW	2	NW
March	1	8-30am	WbN	2	w	4	w_
,,	4	11 30am	N	3	N	4	NEbb
,,	9	10am	NbW	2	NEbE	1	ENE
,,	12	9am	8W	3	NNE	1	
,,	18	2pm	NEBE	2	Wbs	4	WSW
,,	21	6pm	SEbE	2	WbS	4	WSW
91	22	9am	SE	2	WbS	1	W
**	27	12-30pm	sw	2	EbS	3	W
April	2	3-50pm	sw	2	ENE	2	NE
,,	9	5-30pm	SW	2	wsw	1	W
,,	10	3-10pm	8	3	wsw	5	WSW
,,	14	9-10am	NW	1	NE	2	NW
,,	19	4pm	NWbW	2	WbS	2	SW
**	23	4-50pm	$\mathbf{sw}$	2	wsw	3	W
,,	24	5pm	SbE	8	SbE	5	SE
**	30	10am	WNW	2	sw	2	sw
May	2	11-30am	NW	2	w	2	NW
,,	3	9-10am	NW	3	E	1	ł
,,	4	6-45pm	N	1	ESE	1	NW
\$1	5	9- <b>4</b> 5am	NbW	1 1	NE	1	-
19	7	4pm	ENE	2	E	3	
,,	8	9am	ENE	2	NE	2	NE
٠,	15	Noon	NW	2	WNW	5	w
,,	31	2pm	NW	2	S	5	S
June	8	9-10am	w	2	SW b W	1	w
,,	9	8-30am	S	2	wsw.	1	w
,,	10	7-30am	S	3	WNW	1	w
,,	12	10am	$\mathbf{w}$	2	NWbN	2	NW
٠,	16	Noon	W	3	WbS	2	SW
,,	18	5-30pm	ssw	2	WbN	1	w
••	19	2pm	8	2	wsw	2	w
,,	20	5-30pm	WbN	2	W	2	sw
,,	21	2pm	NW	3	wsw	2	$\mathbf{w}$
**	24	5-45pm	WNW	2	sw	2	SW
**	25	5-30pm	WbN	2	NWbW	1	NW
"	26	7-30am	SbE	2	N	1	

## OBSERVATIONS OF UPPER CLOUDS (Continued).

Date 189		G. M. T.	Cloud	i.	Wind	l.	Direction of Lower Clouds.
1006	•	G. M. 1.	Direction.	V'locity (0—6).	Direction.	Force (0—12).	Olouus.
July ,,	5	9am 2-50pm	NNW NW	3	W b S WNW	1 3	W W
"	8 9 10	12-30 pm 8am Noon	S SWbW SW	3 2 3	SbW SW W	4 1 3	SbW SWbS WNW
August	8 12 17	2pm Noon 5pm 7-30pm	SSE SW NW Wbs	2 2 2 2	WSW SW SW b W	8 1 3 0	W SW SW SW
"	18 31	4pm 8am	s sw	3 3	S W b S	2 3	SW b S SW b S
Sept.	1 6 8 13 19 24	8-30am 11-30 am 7-30am 9-15am 7-30am 10-20am	S NE SW W NW SW SW b S	3 3 2 3 2 3	SW b W SW NE SW WNW NW b W ESE	1 3 0 1 1 0 0	SW W SW NW SW S
Oct.	5 7 16	9am 8-45am 3-30pm	ENE WNW W	3 2 3	SW b S SW N	2 2 1	SW W NE
Nov. " "	7 11 13 18 19 22	9am 3pm 9-20am 1-45pm 1-40pm 2pm	W SWbW NW SW SE SW	3 2 2 3 3 3	WbS SWbS W S EbS WNW	1 5 1 8 2	SW W NE W
Dec.	1 2 13	1pm 9-30am 2pm	NE NE NNW	2 2 3	WSW WSW NWbW	8 1 7	sw sw w

## MONTHLY MAGNETICAL OBSERVATIONS TAKEN AT THE

## College Observatory, Stonyhurst, 1895.

THE Horizontal, Vertical, and Total Forces are calculated to English measure; one foot, one second of mean solar time, and one grain being assumed as the units of space, of time, and of mass.

The Vertical and Total Forces are obtained from the absolute measures of the Horizontal Force, and of the Dip.

In the observations of Deflection and Vibration, taken each month for absolute measure of Horizontal Force, the same magnet has always been employed.

The moment of inertia of the magnet with its stirrup, for different degrees of temperature, and the co-efficients in the corrections required for the effects of temperature and of terrestrial magnetic induction on the magnetic moment of the magnet, were determined at the Kew Observatory by the late Mr. Welsh.

The moment of inertia of the magnet with its stirrup, using the grain and foot as the units of mass and of linear measure is 5.27303. Its rate of increase for increase of temperature is 0.00073 for every 10° of Fahr.

The weight of the magnet with its stirrup is approximately 825 grains, and the length of the magnet is nearly 3.94 inches. The moment of inertia was determined, independently of the weight and dimensions, by the method of vibration, with and without a known increase of the moment of inertia.

The temperature corrections have been obtained from the formula  $q(t^o-32^\circ) + q'(t^o-32^\circ)^2$ , where t° is the observed temperature and 32° Fahr, the adopted standard temperature. The values of the co-efficient q and q' are respectively 0.0001128 and 0.000000436

The induction co-efficient  $\mu$  is 0 000244.

The correction for error of graduation of the Deflection bar at 1.0 foot is  $+\ 0.00004$  ft. at  $1.3\ +\ 0.000064$  ft.

The observed times of vibration are entered in the Table without corrections.

The time of one vibration has been obtained each month from the mean of twelve determinations of the time of 100 vibrations.

The angles of deflection are each the mean of two sets or readings.

In deducing from these observations the ratio and product of the magnetic moment m of the magnet, and the earth's horizontal magnetic intensity X, the induction and temperature corrections have always been applied, and the observed time of vibration has been corrected for the effect of torsion of the suspending thread; but no correction has been required for the rate of the chronometer, or for the arc of vibration, the former having been always under 1-5s and the latter never over 50'.

The average deflection of the magnet caused by a twist of the torsion circle through 90° has been about 9'·7 of arc.

In the calculations of the ratio—, the third and subsequent  $\mathbf{X}$ 

terms of the series 1 
$$+\frac{P}{r_4}+\frac{Q}{r_4}$$
 &c., have always been omitted.

The value of the constant P was found to be-0.00369.

The Declination observations have been taken once a week

## OBSERVATIONS OF DECLINATION AND DIP.

1895	G.M.T.	WEST D	ECLINATION		Magneti	C DIP.
Monte	CIVIL DAY	Observa- tions.	Monthly Mean.	Needle	Dip.	G.M.T. Civil Day
Jan.	D. H. M. 7 16 0 14 15 55 21 16 0	. , 18 39·3 18 37·8 18 39·0	。 , } 18 37·7	1	68 59·8 69 9·2	э. н. м. 23 11 5
Feb.	28 16 0 4 16 5 11 15 55 18 15 45	18 34·7 18 40·1 18 37·6 18 41·8	18 39.9	1 3	68 55·4 69 8·3	19 16 0
March	25 16 0 4 16 15 11 15 50 18 16 30	18 40 3 18 41·2 18 40·5 18 35·4	18 89.0	1	68 59-9 69 5-7	13 16 0 ,, 16 30
April	1 16 0 8 16 5 15 16 10 22 16 5 29 16 5	18 40-0 18 41-1 18 37-9 18 41-4 18 40-9	18 40-3	1	68 51·2 69 <b>4</b> ·0	16 12 50 ,, 13 18
Мау	6 15 45 18 16 0 20 15 45 27 16 0	18 38·8 18 38·7 18 38·6 18 37·9	18 38.5	1 8	68 51·7 69 5·5	16 12 38 ,, 13 5
June	17 16 10 24 16 10	18 39·8 18 38·6	18 39-2	1 8	68 56·9 69 2·2	18 10 55 ,, 11 88
July	1 16 5 8 16 10 15 16 8 29 15 10	18 39·9 18 41·4 18 40·8 18 39·3	18 40 4	1 8	68 57-0 69 0-5	16 16 3 ,, 16 33

## OBSERVATIONS OF DECLINATION AND DIP.

## (Continued.)

1895	G.M.T.	West De	CLINATION		MAGNET	IC DIP.
Монтн	CIVIL DAY	Observa- tions.	Monthly Mean.	Needle	DIP.	G.M.T. CIVIL DAY
Aug.	D. H. M. 5 16 20 12 15 50 19 17 50 26 16 10	。, 18 38·4 18 35·3 18 34·3 18 38·6	0 , 18 36·7	1 3	68 56·9 69 10·0	D. H. M. 16 14 30 ,, 16 52
Sept.	2 16 10 9 16 15 30 16 10	18 35·9 18 32·5 18 36·8	} 18 85·1	1 3	68 52·1 68 56·5	25 16 55 ,. 17 40
Oct.	7 16 10 14 16 5 22 15 45 28 16 10	18 34·1 18 34·9 18 35·0 18 40·5	18 36.1	1 3	68 59·7 69 2·6	16 15 48 ,, 16 13
Nov.	4 15 46 11 16 10 25 16 10	18 43·8 18 35·0 18 34·3	18 37.7	1 3	68 50·1 68 59·3	15 9 30 ., 10 3
Dec.	2 15 45 9 16 15 16 15 55 23 16 15 30 16 0	18 34·0 18 35·8 18 34·7 18 32·3 18 30·6	<b>18 33 5</b>	1 3	68 47·5 68 57·0	20 10 35
Yearly Mean.			18 37 8		68 59·2	

# OBSERVATIONS OF VIBRATIONS AND DEFLECTIONS FOR ABSOLUTE MEASURE OF MAGNETIC FORCE.

1895 Month.	G. M. T. (Civil Day).	Time of one vibration	G. M. T.	Temp.	Observed Deflection at 1.0 ft. at 1.3 ft.	Value of m
	D. H. M.	0	D. H. M.	0	0 1	
Jan.	21 9 42	36.7 5.9778	21 {11 3 6	43·8 43·6	12 2·3 5 27·1	0.39004
Feb.	19 9 40	<b>34·4</b> 5·9730	19 {10 59 11 1	38·0 37·6	12 3·8 5 28·2	0.39041
Mar.	13 10 87	46.9 5.9820	13 {\frac{11}{11}} \frac{56}{59}	48·7 49·0	12 5·5 5 28·7	0.39100
Apr.	16 9 51	48.5 5.9766	16 {11 55	53·4 53·2	12 4·0 5 29·0	0.39115
May	16 9 2 <b>2</b>	47.7 5.9685	16 {\begin{subarray}{c} 10 & 33 \\ 10 & 27 \end{subarray}}	50·0 50·0	12 6·4 5 31·5	0.39222
June	17 10 56	56.3 5.9774	17 { 12 3 10	58·5 58·4	12 1·3 5 26·6	0-39062
July	16 10 22	59-0 5-9863	16 {\frac{11 28}{11 26}}	59·0 59·0	12 2·8 5 27·3	0-39050
Aug.	16 9 56	60.5 5.9843	16 \bigg\{ \bigg\{ 10 58 \\ 10 58 \end{array} \}	63·6 63·7	11 59·6 5 25·9	0.38997
Sept.	25 11 0	66.7 5.9936	25 {12 9 12 13	69·2 69·4	11 58·9 5 25·8	0.38963
oa.	16 10 18	56.3 5.9931	16 {11 18	57·6 58·0	11 59·9 5 26·4	0.38925
Nov.	14 10 35	51.5 5.9856	14 {\frac{11}{11}} \frac{32}{31}	52·5 52·5	12 0·3 5 26·2	0·38951
Dec	19 9 54	37.4 5.9726	19 {10 45 10 46	38·0 38·0	12 2·4 5 27·2	0-39014

## MAGNETIC INTENSITY.

BR	RITISH	UNITS		C. (	G. S. UN	ITS.
1895	Horizon- tal force.	Vertical force.	Total Force.	Horizontal Force.	Vertical Force.	Total Force.
Jan	3.7223	9.7349	10· <b>422</b> 3	0.1716	0.4489	0.4806
Feb	3.7203	9.7074	10-3959	0.1715	0.4476	0.4793
Mar	3·7 <b>1</b> 17	9.6926	10.3789	0·1711	0.4469	0.4786
April	3.7153	9.6583	10·3 <b>4</b> 81	0.1713	0.4453	0.4771
Мау	3.7112	9.6559	10·3446	0.1711	0.4452	0.4770
June	3.7245	9.6987	10.3892	0.1717	0.4472	0.4790
July	3.7151	9.6677	10.3570	0.1713	0.4458	0.4775
Aug	3.7232	9.7282	10.4163	0.1717	0.4485	0.4803
Sept	3.7196	9.6419	10·3346	0.1715	0.4446	0.4765
Oâ	3·7176	9.6940	10.3823	0.1714	0.4470	0.4787
Nov	3.7222	9.6519	10· <b>344</b> 8	0.1716	0 4450	0.4770
Dec	3.7256	9.6406	10.3355	0.1718	0·4445	0.4766
Means	3·7191	9.6810	10.3708	0·1715	0.4464	0.4782
				·		

ON.
DIRECTIO
AGNETIC
ZONTAL M
HORE

Horizontal Magnetic Direction from daily measures of the continuous Curves West of North.

Me the last	Mean of the lowest daily readings		7,000					
		Means of a snd b.	daily readings st 4s.m. & 4p m	Difference	Difference of a and b, or Mean daily	Highest Reading of the Month.	Lowest reading of the month.	Monthly Range.
	(6)	(0)	(4)		range.			
<u> </u>	18,	18°+					18°+	
-	,		,	•	`	,		
•	30.9	38.2	40.5	+ 2.3	14.6	51.2	6.5	45.0
February 47.3	29.5	38.3	40.5	+ 25.5	18:1	63.7	10.7	53.0
:	29.5	38.6	39.5	6.0 +	18.8	55.7	10.5	45.5
:	28.7	37.9	38.2	9.0+	18.3	55.2	11 2	44.0
	27.2	35.9	36.0	+ 0.1	17.4	2.99	19.5	37.5
Tune 43:2	25.4	34.3	35.6	+	17.8	46.2	18.7	27.5
:	25.4	33.9	35.0	+ 1:1	16.9	47.7	14.7	33.0
:	27.1	34.3	33.9	<b>4.0</b>	14.4	45.2	187	26.5
September 41.3	25.1	33.5	33.5	0.0	162	48.7	15.2	33.5
:	22.1	31.6	33.2	+ 1.6	18.9	48.7	2.9	45.0
-	21.6	9 68	32.5	5.6	0.91	45.7	5.5	44.5
December 86.8	24.5	30.7	32.1	+ 1.4	12.3	462	2.20	000
 	26.4	84.7	35.9	+ 1.2	16.6	6.09	11.7	39.2
Correction	urnal range		69					
	•							
Teav ett not near	14		9- ,98 ,81					

Horizon	HORIZONTAL Horizontal Magnetic Force in C. G. S. The Figures in the column	HORIZONTAL I dagnetic Force in C. G. S. wa The Figures in the columns		MAGNETIC units from daily mea	ETIC daily me	MAGNETIC FORCE nits from daily measures of the are entered to the unit 10 C.C.	CE. the Contin C. G. S.	MAGNETIC FORCE. units from daily measures of the Continuous Curves. s are entered to the unit 10 C. G. S.	gi gi
1896.	Mean of the highest daily readings.	Mean of the Mean of the highest daily lowest daily readings.	Means of a snd b.	Means of daily readings Differ 4s.m. & 4p.m. ences d	Differ- ences d—c	Differences of a and b or Mean dally Range.	Highest reading of the Month.	Lowest reading of the Month.	Monthly Bange.
		17000	+			+0	170	+0001	+0
anuary -	192	140	166	173	9	52	211	99	146
February	202	133	168	170	<b>C</b> 3	69	236	19	217
March -	210	126	168	175	<b>-</b>	<b>2</b>	236	<b>5</b>	166
April	208 108	121	165	174	э <del>-</del>	£ 6	256	96	96
Tune	210	114	162	169	- 1	88	264	192	188
fuly .	200	112	156	164	<b>∞</b>	88	269	99	198
August -	184	117	151	160	6.	29	241	99	185
September -	174	104	139	146	-	2	226	41	185
October -	201	122	162	164	8	79	203	53	150
November -	214	144	179	182	ന	2	260	22	202
December -	214	157	186	186	ī	29	275	<b>8</b>	 081
Means	203	126	164	169	10	76	246	99	181
O	Correction for diurnal range	diurnal ran	ge	7	_	-	_	_	
M	Mean Horizontal Force for the year 0.17165 C.G.S. unit.	ntal Force	for the year	0.17165 C.	3.S. unit.				

## DATES OF MAGNETIC DISTURBANCES, 1895.

The disturbances are divided generally into three classes, small, moderate, and greater; these are indicated by the initial letters of the classes, and the letter c denotes calm. Very great disturbances are marked vg. The days are reckoned astronomically, from noon to noon. The asterisk signifies that the record was partly or wholly lost, according as it stands with or without an initial letter.

Month.	Jan.	Feb	March	April	May	June	July	August	Sept.	oct.	Nov.	Dec.
1 2 3 4 5 6 7 8 9	m	8	m	m	S	m	m	s	s	m	s	5
2	8	8	8	S	m	m	S	С	C	С	8	S
8	8	С	m	5	S	m	C	S	c	8	S	5
4	8	m	8	S	С	m	S	S	S	m	S	5
5	8	8	m	m	8	m	m	S	m	m	8	1
6	8	m	8	m	8	m	5	S	8	5	8	S
7	8	m	8	8	m	8	C	S	С	S	5	m
8	С	m	m	8	m	8	8	S	С	8	m	m
9	8	g	m	S	m	m	8	m	8	8	m	m
10	8	m	8	m	m	m	S	m	8	8	m	m
11	8	8	S	g	8	m	8	m	8	S	m	8
12	8	8	S	m	S	S	m	8	8	g	m	8
18	8	8	g	m	C	S	m	8	8	g	8	8
14	8	m	g	8	m	8	m	8	m	m	5	8
10	8	g	m	m	С	8	5	8	m	m	m	9
10	m	m	m	m	8	8	8	С	8	m	5	9
10 11 12 13 14 15 16 17 18 19 20	m	8	m	8	8	8	8	S	8	m	8	9
10	m	8	8.	S	8	8	8	S	m	8	8	m
90	m	8	8	m	8	8	8	C	8	8	C	8
21	m	8	8	S	8	8 C	8	S	m	8	S S	9
22	m	S C	S	c	8	s	S	C	8	S	5	m
28	m	8	8	m	m	8	8	8	8	8	m	m
24	5 S	m	8	s	8	8	S C		8	8	m	m
25	S	C	S	m	8 8	c	s	8 8	8 8	S C	8	"
26	8	c	8	m	8	S	m	5	8	m	8	
27	c	8	8	s	8	8	m	C	c	m	8	
28	c	s	8	8		8	m	s	c	m	5	
29	c	•	8	c	g m	s	8	8	m	m	8	1
30	c		m	C	m	m	8	c	m	m	S	}
30 31	m		m	ັ	8		8	8	""	m		١
Totals m s d d d d d d d d d d d d d d d d d	16 10	4 14 8 2	19 10 2	8 14 12 1	8 18 9 1	2 18 10	8 20 8	7 21 8	6 17 7	2 14 18 2	1 21 8	day lost

### PRESENTS RECEIVED

Greenwich Observations, 1892	Royal Observatory
Greenwich Spectroscopic and Photo-	•
graphic Results, 1892	,.
Assumed mean R.A. of Clock Stars with	•
the corrections to the R.A. of the	
Nautical Almanac, 1896-0	••
Meteorological Observations at Stations	,,
of the Second Order for the year	
1890	Meteorological Office
Report of the International Meteorolog-	meteorom, need to the co
ical Committee (Lineala)	
ical Committee (Upsala) - Beobachtungen des Tiflisser Physikal-	"
ischen Observatoriums im Jahre,	
1892-98, von J. Mielberg	
Recent values of the Magnetic Elements	**
1 01 1 01 0 5	Van Observatern
by Charles Chree, Sc.D.	Kew Observatory
Reports of the Kew Committe, 1894 -	11
Quarterly Returns of the Registrar	Daulatura Camanal
General -	Registrar General
Proceedings of the Royal Society -	Royal Society
Report of the British Association for	Posts I de Anno de de
the advancement of Science, 1894	British Association
Edinburgh Circulars	Royal Obs., Edinburgh
Report of Wolsingham Observatory, by	
Rev. J. E. Espin, F.R.A.S.	Wolsingham Observatory
The summary of a Meteorological	
Journal kept by C. Leeson Prince,	
F R.A.S., etc Crowborough Hill-	Crowborough Hill Obs.
Summary of Meteorological Observations	
1893, by the same-	11
Report of the Liverpool Observatory,	
Bidston, 1894, by W. E. Plum-	
mer, M.A., F.R.A.S., etc	Bidston Observatory
Report of Mr. Tebbutt's Observatory,	·
New South Wales, 1894	Tebbutt's Observatory
Monthly Meteorological Results, 1895,	· ·
by Ernest W. Ellerbeck	Broad Green Observatory
•	- ]

Monthly Meteorological Report, 1895,	
by A. Rankin	Ben Nevis Observatory
Report and Results of Observations at	•
Southport Observatory, by J.	
Southport Observatory, by J. Baxendell, F.R.Met.Soc	Southport Observatory
Meteorological Observations, 1894, by	,
Cuthbert E. Peek, M.A., F.S.A.,	
etc	Rousden Observatory
Nineteenth and Twentieth Annual	reduced observatory
Report of the Salivian Professor	
of Astronomy to the Visitors of	
the Oxford University Observatory	Oxford Observatory
Record of Meteorological Observations	Oxioid Obscivatory
at the Birmingham and Midland	
Institute Observatory by Alfred	
Cesswell	Diamaia alcam Tantituto
On the Causes of the Phenomena of	Birmingham Institute
some Electro-Mechanism for ex-	
hibiting the Secular Changes in its	
Horizontal and Vertical Compo-	
nents, by Henry Wild, F.R.S.	Author
On the Origin of Elementary Substances	
and on some New Relations of	
their Atomic Weights, by the same	,,
On the Multiple Proportions of the	
Atomic Weights of Elementary	
Substances in relation to the Unit	
of Hydrogen, by the same	,,
On the Evidence afforded by Bode's Law	
of a permanent Contraction of the	
Radii Vectores of the Planetary	
Orbits by the same	,,
On the Photographic Arc Spectrum of	
Iron Meteorites, by I. Norman	
Lockyer, C.B., F.R.S	,,
On the Photographic Arc Spectrum of	,,
Electrolytic Iron, by the same -	,,
On a lens for adapting a visually corrected	,,
Refracting Telescope to photograp-	
hic observation with the Spectro-	
scope, by J. E. Keeler	
Results of Meteorological Observations	**
taken at Edinburgh, during 1894,	
by R. C. Mossman, F.R.S.E., &c.	
Phases of Perigal's retrogressive Kine-	,,
matic Parabola derived from the	
circle, by H. Perigal, F.R.A.S.	
A record of the Great Frost of January	,,
A record of the Great Frost of January and February, 1895, by C. Leeson	
Prince, F.R. Met. Soc., &c.	
, 1201. 0001, 000.	**

A literal translation of the Astronomy	
and Meteorology of Aratus, by the	
same	Author
Experiments on the Radiation of Heated	
Gases, John Evershed	**
On a catalogue of stars in the Calen-	
darium of Mohammad al achasi	
al Mouakket, by E. B. Knobel -	,,
A New Story of the Stars, by A. W.	
Bickerton	••
On the Orbit of $\eta$ Cassiopeiæ ( $\Sigma$ 60) by	
T. Lewis	,,
On the Temperature of Carbons of the	,
Electric Arc experiments, made at	•
Daramona. Streete, Co. West-	
meath, by W. E. Wilson, M.R.I.A.,	1
and P. L. Gray, B.Sc., A.R.C.S.	Authors
Solar Photographs	John S. Townsend
The Medical Officer's Report for the	
County Palatine of Lancaster -	Edward Sergeant, M.D.
Knowledge	Editor
The British Journal of Photography	,,
Forty-Second Annual Report of the Com-	
mittee of the Free Public Library,	
Museums and Walker Art Gallery	
Liverpool	Committee
Indian Meteorological Memoirs Vols. V.,	35
VI., VII., by J. Eliot, M.A., etc	Met. Office, Calcutta
Instructions to Observers of the Indian	
Meteorological Department, by	
the same	,,
Monthly Weather Review 1894-5, by the	i
same Annual summary, 1894, by the same -	"
Report on the administration of the	,,
Meteorological Department by the	
same	
Indian Rainfall Data, 1894	,,
Brief sketch of the Meteorology of the	,,
Bombay Presidency in the year	
1894-5	Bombay Met. Department
Magnetical and Meteorological Observa-	Bombay Met. Department
tions made at the Government	
Observatory	
Record of Observations made at the	"
Melbourne Observatory by R. L.	
Ellery, C.M.G., F.R.S., &c.	Melbourne Observatory
Observations made at the Magnetical	
and Meteorological Observatory	
at Batavia, 1893	Batavia Observatory
	, l

Ì		
	Rainfall in the East Indian Archipelago	Batavia Observatory
	Madras Meridian Circle Observations 1883—87 by C. Miche Smith B. Sc. F. R. A. S., &c.	Madma Observator
	Cape Meridian Observations 1885-87 Cape Catalogue 1895	Madras Observatory Royal Obs. Cape
۱	Report of H.M. Astronomer at the Cape	,,
	of Good Hope for the year 1895 Observations and Researches made at	11
	the Hong Kong Observatory 1894, by W. Doberck Annual Report of the Director of the	Hong Kong Observatory
	Royal Alfred Observatory, Mauritius, for the year 1898 Results of Meteorological Observations	Mauritius Observatory
l	during 1894 Pilot Charts of the North Atlantic	"
	Ocean, 1895 Annals of the Astronomical Observatory	U.S. Naval Observatory
	of Harvard College On some attempts to photograph the	Harvard College Obs.
	Solar Corona without an eclipse by E. Hale An account of the Astro-Physical Journal	Kenwood Astro-Phys. Obs
	by the same Observatory Report for the year 1894-5	Yale University
	Monthly Weather Review	Met. Office, Toronto
	Toronto General Meteorological Register	
	Transactions of the Astronomical and	**
	Physical Society of Toronto, 1894 Transactions of the New York Academy	The Society
	of Sciences, vol. xiii., 1893—4 - Report of the Ohio Weather and Crop	New York Academy
	Service, 1894-5 Twelfth Annual Report of the above,	U.S. Weather Bureau
	1894 Official Report on the condition of Crops	"
	and Live Stock, 1895 Publications of the Lick Observatory,	"
	vol. iii, 1894  Report on the total eclipse of the Sun observed at Mina Bronces Chile, on April 16th, 1894, by J. M.	Lick Observatory
	Schaeberle Annual Tables, daily and hourly, for the	"
	year 1894 (Central Park)	New York Observatory
	The Parallax of η Cassiopeiæ, by Herman S. Davis	Columbia College Obs.

The Rutherford Photographic Measures
of sixty-two Stars, about n
Cassiopeiæ, by the same - Columbia College Obs.
Catalogue of 2000 Stars for the Epoch, 1890 Cincinnati Observatory
Annuaire de la Société Météorologique
de France La Société
Annales de l'observatoire de Nice, tome
IV, V, Par M. Perrotin L'observatoire
Rapport Annuel sur l'état de l'observa-
toire de Paris pour l'année, 1894,
Par M F. Tisserand ,,
Bulletin des Observations Météorologiques.  1ère année 1894. Observatoire St.
Louis Tersey (Tles de la Monche)
Observations faites à l'observatoire Mété-
orologique de l'université Impéri-
ale de Moscow, 1894 ,,
Bulletin Mensuel de l'observatoire de Zi-
ka-wei, 1893—4 ,,
Observations des Protubérances Solaires
faites à l'observatoire d'Odessa, du
mois d'aout 1892 jusqu'au mois
d'aout 1898. Par A. Kononowitsh,
N. Zuietenowitch et A. Orbinskij
Observations faites à l'observatoire de
l'Université Impériale de Kazan
1894, par Dimitry Goldhammer - ,,
Observations Météorologiques. 1894—5, Observatoire Impérial de Constan-
tinonia
Bulletin Météorologique et Séismique, 1895
Expédition Danoise, 1882-8, Observa-
tions faites a Godthaeb sous la
direction de Adam F. W. Paulsen Inst. Mét de Danemark
Status de la Société Belge d'astronomie
Fondée, 1894 La Société
Etude sur le spectre de l'étoile variable
"8 Cephei" par A. Bélopolsky - L'Auteur Sur la distribution à Vienne et à
Thorshavn des éléments Météoro-
logiques autour des Minima et des
Maxima Barométriques par Ph.
Akerblom ,,
Jahrbücher der K. K. Central-Anstalt
für Meteorologie, und Erdmagnet-
ismus, Von Dr. Julius Hann - Das Institut
Ergebnisse der Meteorologischen Beo- bachtungen in Potsdam im Jahre
1902 durch Wilhelm Von Regold
1888, durch witherin von Dezoid

Ergebnisse der Beobachtungen an den Stationen II. und III. Ordnung im Jahre, 1891, 4, -5, Von Demselben Ergebnisse der Gewitter-Beobachtungen	Das Institut
im Jahre 1891. Von Demselben - Bericht über die Thätigkeit des Königlich Preussischen Meteorologischen In- stituts im Jahre 1894, Von Demsel-	"
Ergebnisse der Meteorologischen Beo- bachtungen im Jahre 1892, Von	<b>)1</b>
Demselben	,1
Meteorologisches Jahrbuck für 1894, Beobachtungssystem des Köni- greiches Sachsen. Herausgegeben	**
Von Dr. Paul Schreiber Das Klima das Konigreiches Sachsen	,,
Heft III. Von Demselben Annalen des Physikalischen Central— Observatoriums St. Petersbourg,	• • • • • • • • • • • • • • • • • • • •
Jahrgang 1893, Von H. Wild  Das Konstantinow'sche Meteorologische und Magnetische Observatorium in Pawlowsk (bei St. Petersburgh)	Das Observatorium
Von Demselben Annalen des Physikalischen Central—Observatoriums 1898, Von Dem-	***
selben Publicationen des Astrophysikalischen	,,
Observatoriums zu Potsdam Sie- benter Band, II. Theil, und Zehnter Band, Von H. G. Vogel- Astronomiska lakttagelser och Under-	,,
sökninger anstälda på Stockholms Observatorium utgifna af Hugo Gylden, Femte Bandet Häftet 1, 2, 3, und 4	
Meteorologische und Magnetische Beo- bachtungen an der Sternwarte des Hydrographischen Amtes der K.U.K. Kreigsmarine zu Pola,	,,
1895	Die Starnwarte
Wilhelm Schur	**

Ergebnisse der Meteorologischen	
Beobachtungen im Reichsland	
Elsass-Lothringen im Jahre	
1898, Von Dr. Hugo Hergesell -	Der Verfasser
Resultate der im Sommer 1894 in dem	
südlichsten Theile Norwegens	
ausgeführten Pendelbeobachtun-	,
gen Von O. E. Schiötz	9.9
Magnetische Beobachtungen an der	••
deutschen Bucht der Nordsee	
1894 und Elemente des Erdmag-	
netisms an festen Stationen	
Europa's 1. d. J, 1885, 90 und 93,	
Von A. Schück	19
Einige Magnetische Beobactungen, Von	
Demselben	**
Die Aenderung der Elemente des Erd-	
magnetisms in Europa, Von	
Demselben	**
Astronomische Mitteilungen, Von A.	
Wolfer	**
Die Triangulation von Java, Von. Dr. J.  A. C. Oudemans	
Uber das Vorkommen der Linien des	**
Cleveitgas—spectrums in den	
Sternspectren und über die Classi-	
fication der sterne vom ersten	1
Spectraltypus, Von H. C. Vogel Astronomische und Magnetische Beo-	,,
bachtungen 1882—94 Bearbeitet	
Von V. Fuss, F. Müller und	
N. Jürgens, Herausgegeben unter	
Redaction Von Dr. A. V. Tillo	
Astronomische Beobachtungen und	"
Vergleichung der Astronomischen	
und Geodätischen Resultate	Norwegischen Commission
Analele Institutului Meteorologic al	a ver wegenered commission
Romănia, publicate de Stefan C.	
Hepites	Das Institut
Publicazioni della Specola Vaticana,	
Vol. IV	Specola Vaticana
Memorias de la Sociedad Científica.	•
" Antonio Λlzate" 1894-5	La Sociedad
XI. Congreso de Americanistas	Primer Secretario
Baguios ó Tifones de 1894 por el P. José	
Algué, S.J.	Observatorio de Manila
Observaciones verificadas 1894-5	,,
La Seismologia en Filipinas por el P.	
Miguel Saderra Masó	••
Resumen Anual de las Observaciones	
practicadas durante el año de	
1892 Observatorio de San Salvador	Observatorio

Resúmen de las Observaciones Meteoro- lógicas 1894, Observatorio Central	
México	Observatorio
Boletin Mensual del Observatorio Meteo-	
rológico Central de Mêxico 1895	,,
Boletin del Observatorio Astronómico	
Nacional de Tacubaya	,,
Anuario Observatorio para el año de	•,
1895-6	,,
Observaciones Mèteorológicas del Col.	,,
Cat. Puebla 1894-5	,,
Observaciones Magnéticas y Meteoro-	"
lógicas del R. Col., de Belen en la	
Habana 1890	
Anales del Instituto y Observatorio de	"
Marina de San Fernando por el	
director Don Juan Viniegra 1893 -	
Almanaque Náutico para 1897	**
Observaciones Meteorológicas del año de	**
1893, San Salvador por el Dr.	
Alberto Sánchez	
Boletin del Observatorio Meteorológico	"
Central del Estado de Veracruz	
México, 1894-5	**
Obs. Met. 1891-94, Colegio de San Juan	
Nepomuceno Saltillo, Coahuila	
México	,,
Observaciones Meteorológicas hechas en	
el Colegio Máximo de la Compañia	
de Jesus en Oña	11
Boletin Mensual del Observatorio Meteor-	
ológico Central del Estado de	
Véracruz Llave 1895	,,
Observaciones de Precision con el Sex-	
tant por el Conde de Cañete del	
Pinar	Autor
Bollettino Mensuale dell oss Central del	
R. Coll. Carlo Alberto in Mon-	
calieri 1894-5	Osservatorio

### **APPENDIX**

## RESULTS

OF

METEOROLOGICAL OBSERVATIONS

TAKEN AT

St. IGNATIUS' COLLEGE, MALTA

BY THE

REV. J. F. DOBSON, S.J.

1895

# ST. IGNATIUS' COLLEGE,

Lat 35° 55' N. Long. 14° 29' E. Barometer Readings. reduced to 32° F. at sea level.

## METEOROLOGICAL REPORT.

JANUARY, 1895.

Result of Observations taken during the Month.	Mean for the last 12 years
Mean Reading of the Barometerinches 29.906	30.041
Highest ,, on the 20th ,, 30.342	30.413
Lowest ,, on the 1st ,, 29.896	29.572
Range of Barometer Readings, 0.946	0.841
Highest Reading of a Max. Therm. on the 17th 67.5	64.8
Lowest Reading of a Min. Therm. on the 30th 39.3	41.6
Range of Thermometer Readings 28.2	23.2
Greatest Range in 24 hours on the 16th 18.7	18.4
Mean of all the Highest Readings 60.2	58.9
Mean of all the Lowest Readings 48.3	48.3
Mean Daily Range	10.6
Mean Temperature (deduced from Max & Min.) 53.6	52.9
Mean Temperature (deduced from Dry Bulb) 52.9	52.7
Adopted Mean Temperature 53-3	52·8
Mean Temperature of Evaporation 48.3	48.5
Mean Temperature of Dew Point 44.9	45.5
Mean elastic force of Vapourinches 0.298	0.305
Mean weight of Vapour in a cub. ft. of air grains 3.3	3.5
Mean additional weight required for saturation, 0.9	0-9
Mean degree of Humidity 79	80
Mean weight of a cubic foot of airgrains 539.7	542-4
Fall of Raininches 1 907	3.881
Number of days on which Rain fell 10	14
Mean amount of Cloud (an overcast sky=10) 5.7	5.2
Total number of miles of Wind indicated 9767	8269
Mean Velocity of Wind per hourmiles 13.1	11.1

## FEBRUARY, 1895.

Results of Observations taken during the Month.	Mean for the last 12 years.
Mean Reading of the Barometer inches 29.870	30.032
Highest ,, on the 1st ,, 30 119	30.333
Lowest ,, on the 17th ,, 29.435	29.646
Range of Barometer Readings	0.687
Highest Reading of a Max. Therm. on the 27th 70.5	67.0
Lowest Reading of a Min. Therm. on the 19th 34.2	41.8
Range of Thermometer Readings 36.3	25.2
Greatest Range in 24 hours on the 20th 201	19.3
Mean of all the Highest Readings 62.0	60·1
Mean of all the Lowest Readings 50.3	49.0
Mean Daily Range 11.7	11-1
Mean Temperature (deduced from Max & Min) 55.2	53.5
Mean Temperature (deduced from Dry Bulb) 55.3	53.8
Adopted Mean Temperature 55.3	53.7
Mean Temperature of Evaporation 50.7	49.5
Mean Temperature of Dew Point 47.6	46.6
Mean elastic force of Vapour inches 0.330	0.319
Mean weight of Vapour in a cub.ft.of air grains 3.7	3.6
Mean additional weight required for saturation,, 0.9	0.8
Mean degree of Humidity 80	82
Mean weight of a cubic foot of air grains 536.7	540-9
Fall of Rain inches 1 076	2.253
Number of days on which Rain fell 9	9
Mean amount of Cloud (an overcast sky=10) 6.7	4.8
Total number of miles of Wind indicated 8576	7865
Mean Velocity of Wind per hour miles 12.8	11.6

# MARCH, 1895.

Results of Observations taken during the Month.	Mean for the last 12 years
Mean Reading of the Barometerinches 29 992	29-995
Highest ,, on the 24th ,, 30 233	30.361
Lowest ,, on the 12th ., 29.513	29·5 <b>2</b> 8
Range of Barometer Readings ,, 0.720	0.833
Highest Reading of a Max. Therm.on the 30th 81.6	73.4
Lowest Reading of a Min. Therm. on the 20th 41 8	42.9
Range of Thermometer Readings 39.8	30.5
Greatest Range in 24 hours on the 30th 25.4	22-6
Mean of all the Highest Readings 63 9	63·1
Mean of all the Lowest Readings 49.4	50.8
Mean Daily Range 14 5	12.3
Mean Temperature (deduced from Max. & Min.) 56.0	56.1
Mean Temperature (deduced from Dry Bulb) 58.9	55.3
Adopted Mean Temperature 55.0	55.7
Mean Temperature of Evaporation 50.7	51.6
Mean Temperature of Dew Point 47-8	48.4
Mean elastic force of Vapourinches 0.327	0 341
Mean weight of Vapour in a cub. ft. of air grains 3.7	3.8
Mean additional weight required for saturation, 1.1	1.1
Mean degree of Humidity 76	79
Mean weight of a cubic foot of airgrains 537.1	537.4
Fall of raininches 0.808	1.060
Number of Days on which rain fell 9	7
Mean amount of Cloud (an overcast sky=10) 4.5	4.5
Total number of miles of Wind indicated 8800	8020
Mean Velocity of Wind per hourmiles 11.8	10.7

APRIL, 1895.

Results of Observations taken during the Month.	Mean for the last 12 years.
Mean Reading of the Barometerinches 29.971	29 939
Highest ,, on the 11th ,, 30.138	30.264
Lowest ,, on the 1st ,, 29.657	29.523
Range of Barometer Readings, 0.481	0.741
Highest Reading of a Max. Therm. on the 17th 80.4	76.8
Lowest Reading of a Min. Therm. on the 2nd 51.3	47.8
Range of Thermometer Readings 29.1	29.0
Greatest Range in 24 hours on the 27th 22·1	21.9
Mean of all the Highest Readings 70.3	67.3
Mean of all the Lowest Readings 56.5	54.1
Mean Daily Range 13-8	13.2
Mean Temperature (deduced from Max. & Min.) 62.4	59.8
Mean Temperature (deduced from Dry Bulb) 61.7	59.5
Adopted Mean Temperature 62.0	59.7
Mean Temperature of Evaporation 57.6	55.6
Mean Temperature of Dew Point 54.0	52.3
Mean elastic force of Vapourinches 0.418	0.892
Mean weight of Vapour in a cub.ft. of air grains 4.6	4.4
Mean additional weight required for saturation., 1.5	1.3
Mean degree of Humidity 77	78
Mean weight of a cubic foot of air grains 531.1	531.4
Fall of Raininches 0.115	0.787
Number of Days on which rain fell 2	6
Mean amount of Cloud (an overcast sky=10) 4.9	4.4
Total number of miles of Wind indicated 7609	8285
Mean Velocity of Wind per hourmiles 10.6	11.5
200	<u> </u>

MAY, 1895.

Results of Observations taken during the Month	Mean for the last 12 years.
Mean Reading of the Barometerinches 30.024	29.988
Highest ,, on the 2nd ,, 30 335	30.172
Lowest ,, on the 17th ,, 29.654	29.623
Range of Barometer Readings, 0-681	0.549
Highest Reading of a Max. Therm. on the 24th 81.6	82.1
Lowest Reading of a Min. Therm. on the 9th 53.1	53.6
Range of Thermometer Readings 28.5	28.5
Greatest Range in 24 hours on the 3rd 22 1	23.7
Mean of all the Highest Readings 72.7	72.7
Mean of all the Lowest Readings 59.3	58.5
Mean Daily Range 13.4	14.2
Mean Temperature(deduced from Max. & Min) 65.0	64.4
Mean Temperature (deduced from Dry Bulb) 64 8	63.9
Adopted Mean Temperature 64.9	64·2
Mean Temperature of Evaporation 60.9	60.1
Mean Temperature of Dew Point 57.2	56.6
Mean elastic force of Vapour inches 0.469	0.459
Mean weight of Vapour in a cubic ft. of air grains 5.2	5.0
Mean additional weight required for saturation, 1.7	1.7
Mean degree of Humidity	76
Mean weight of a cubic foot of air grains 526.8	<b>526</b> ·8
Fall of Raininches 0.506	0 648
Number of days on which Rain fell 3	3
Mean amount of Cloud (an overcast sky=10) 5.8	3.7
Total number of miles of Wind indicated 6636	7362
Mean Velocity of Wind per hour miles 8.9	9.9

JUNE, 1895.

Results of Observations taken during the Mont	<b>b.</b>	Mean for the last 12 years.
Mean Reading of the Barometerinches	30 038	30.013
Highest on the 23rd ,,	30·2 <b>2</b> 0	30.177
•	29.795	29.819
Range of Barometer Readings,	0.425	0.358
Highest Reading of a Max. Therm. on the 29th	88-1	90.5
Lowest Reading of a Min. Therm. on the 1st	57·1	<b>58</b> ·9
Range of Thermometer Readings	31.0	31-6
Greatest Range in 24 hours on the 29th	23.1	25.4
Mean of all the Highest Readings	$79 \cdot 2$	80.5
Mean of all the Lowest Readings	65.1	64.6
Mean Daily Range	14·1	15 9
Mean Temperature (deduced from Max. & Min)	71.5	71.8
Mean Temperature (deduced from Dry Bulb)	<b>70</b> ·6	71.1
Adopted Mean Temperature	71.0	71.5
Mean Temperature of Evaporation	66.3	65.9
Mean Temperature of Dew Point	62.7	61.6
Mean elastic force of Vapour inches	0.570	0.549
Mean weight of Vapour in a cub.ft. of air grains	$6 \cdot 2$	5.9
Mean additional weight required for saturation,,	$2 \cdot 1$	2.4
Mean degree of Humidity	7ō	71
Mean weight of a cubic foot of airgrains	520.7	519.7
Fall of Raininches	0.000	0.080
Number of days on which Rain fell	0	1
Mean amount of Cloud (an overcast sky=10)	$3 \cdot 2$	2.0
Total number of miles of Wind indicated	7458	6181
Mean Velocity of Wind per hourmiles	10.4	8 6

# JULY, 1895.

Results of Observations taken during the Mont	h.	Mean for the last 12 years
Mean Reading of the Barometerinches	30.012	30.006
Highest ,, on the 3rd ,,	<b>30</b> ·105	30.149
Lowest ,, on the 19th,	<b>29</b> ·818	29 835
Range of Barometer Readings,	0.287	0.314
Highest Reading of a Max. Therm. on the 5th	103.6	97.0
Lowest Reading of a Min. Therm.on the 11th	<b>64</b> ·6	64.7
Range of Thermometer Readings	39.0	32.3
Greatest Range in 24 hours on the 5th	31.9	26.5
Mean of all the Highest Readings	87.7	86.9
Mean of all the Lowest Readings	69.7	69.8
Mean Daily Range	18.0	17:1
Mean Temperature (deduced from Max.& Min)	<b>78 2</b>	77.8
Mean Temperature (deduced from Dry Bulb)	<b>78</b> ·9	76.8
Adopted Mean Temperature	<b>78</b> ·6	77:3
Mean Temperature of Evaporation	<b>70</b> ·8	70.4
Mean Temperature of Dew Point	68.0	65.6
Mean elastic force of Vapourinches	0.684	0.631
Mean weight of Vapour in a cub.ft.of air grains	6.6	6.8
Mean additional weight required for saturation,,	4.1	3.3
Mean degree of Humidity	61	67
Mean weight of a cubic foot of air grains	511.4	513.6
Fall of Raininches	0.0	0.037
Number of days on which Rain fell	0	
Mean amount of Cloud (an overcast sky=10)	1.2	0.8
Total number of miles of Wind indicated	5021	5556
Mean Velocity of Wind per hourmiles	6.8	7.5

# AUGUST, 1895.

Results of Observations taken during the Month	Mean for th last 12 years.
Mean Reading of the Barometerinches 30.021	30.013
Highest ,, on the 28th, 30.221	<b>3</b> 0·159
Lowest ,, on the 4th, 29 862	29.859
Range of Barometer Readings 0.359	0.300
Highest Reading of a Max. Therm. on the 1st 91.9	96.7
Lowest Reading of a Min. Therm. on the 26th 61.4	66.1
Range of Thermometer Readings 80.5	30.6
Greatest Range in 24 hours on the 26th 28.8	25.8
Mean of all the Highest Readings 87:1	87.2
Mean of all the Lowest Readings 68.8	70 9
Mean Daily Range 18.3	16.3
Mean Temperature (deduced from Max.& Min.) 77.2	78.3
Mean Temperature (deduced from Dry Bulb) 77.9	78.2
Adopted Mean Temperature 77.6	78.2
Mean Temperature of Evaporation 71.9	71.4
Mean Temperature of Dew Point 67.6	66.7
Mean elastic force of Vapourinches 0.675	0.654
Mean weight of Vapour in a cub. ft. of air grains 7.2	6-9
Mean additional weight required for saturation,, 3.0	3.4
Mean degree of Humidity 70	67
Mean weight of a cubic foot of airgrains 512.4	512.3
Fall of Raininches 0.370	0.089
Number of days on which Rain fell	1
Mean amount of Cloud (an overcast sky=10) 1.7	1.0
Total number of miles of Wind indicated 4708	5897
Mean Velocity of Wind per hourmiles 6.8	7.2

# SEPTEMBER, 1895.

Results of observations taken during the Month.	Mean for th last 12 years.
Mean Reading of the Barometer inches 30·135	30-061
Highest ,, on the 24th ,, 30-377	30.246
Lowest ,, on the 14th ,, 29-948	29.849
Range of Barometer Readings , 0.429	0.397
Highest Reading of a Max. Therm. on the 13th 90.1	94.0
Lowest Reading of a Min. Therm. on the 1st 57.7	63.4
Range of Thermometer Readings 32.4	30.6
Greatest Range in 24 hours on the 1st 30.5	23.4
Mean of all the Highest Readings 84.0	83.4
Mean of all the Lowest Readings 67.3	69-1
Mean Daily Range 16.7	14.3
Mean Temperature (deduced from Max & Min) 74-7	75.4
Mean Temperature (deduced from Dry Bulb) 74.5	74.9
Adopted Mean Temperature 74-6	75.3
Mean Temperature of Evaporation 68.6	69-4
Mean Temperature of Dew Point 64-2	65-3
Mean elastic force of Vapourinches 0.601	0.626
Mean weight of Vapour in a cub. ft. of air grains 6.5	67
Mean additional weight required for saturation,, 2.8	27
Mean degree of Humidity 70	72
Mean weight of a cubic foot of air grains 518.3	516 7
Fall of Raininches 0:125	1.165
Number of days on which Rain fell	4
Mean amount of Cloud (an overcast sky=10) 2.3	2.5
Total number of miles of wind indicated 4135	5668
Mean Velocity of Wind per hourmiles 5.8	7.9

## OCTOBER, 1895.

Results of Observations taken during the Month.	Mean for the last 12 years.
Mean Reading of the Barometerinches 29.997	30.051
Highest ,, on the 1st ,, 30.247	30.263
Lowest ,, on the 20th ,, 29 654	29.751
Range of Barometer Readings, 0.593	0.512
Highest Reading of a Max. Therm. on the 27th 90.8	87.9
Lowest Reading of a Min. Therm. on the 20th 53.3	56.1
Range of Thermometer Readings 37.5	31.8
Greatest Range in 24 hours on the 1st 22.1	19.8
Mean of all the Highest Readings 80.0	76.7
Mean of all the Lowest Readings 65.9	64.7
Mean Daily Range 14-1	12.0
Mean Temperature (deduced from Max. & Min.) 72.0	69.8
Mean Temperature (deduced from Dry Bulb) 699	68.9
Adopted Mean Temperature 71.0	69.5
Mean Temperature of Evaporation 65.2	64.6
Mean Temperature of Dew Point 61.4	61.1
Mean elastic force of Vapourinches 0.545	0.543
Mean weight of Vapour in a cub. ft. of air grains 6.1	5.9
Mean additional weight required for saturation ,, 18	1.8
Mean degree of Humidity 75	76
Mean weight of a cubic foot of airgrains 522.5	523-1
Fall of Raininches 1:173	2.921
Number of days on which Rain fell 6	7
Mean amount of Cloud (an overcast sky=10) 4.5	4.1
Total number of miles of Wind indicated 7389	6630
Mean Velocity of Wind per hourmiles 9.9	9.0

# NOVEMBER, 1895.

Results of Observations taken during the month.		Mean for th last 12 years.
Mean Reading of the Barometerinches	30-163	30.069
Highest ,, on the 7th ,,	30.447	30-314
Lowest , on the 24th ,,	29-644	29.719
Range of Barometer Readings,	0.803	0.595
Highest Reading of a Max. Therm. on the 11th	78.1	76-6
Lowest Reading of a Min. Therm on the 21st	55.5	49.6
Range of Thermometer Readings	22.6	27.0
Greatest Range in 24 hours on the 21st	19.0	18.4
Mean of all the Highest Readings	73.3	68.5
Mean of all the Lowest Readings	61.4	57.4
Mean Daily Range	11.9	11.1
Mean Temperature (deduced from Max. & Min.)	66.3	62-1
Mean Temperature (deduced from Dry Bulb)	65 2	61.5
Adopted Mean Temperature	65.8	61.8
Mean Temperature of Evaporation	61.4	57.2
Mean Temperature of Dew Point	58.7	53.8
Mean elastic force of Vapourinches	0.494	0.414
Mean weight of Vapour in a cub. ft. of air grains	5.6	47
Mean additional weight required for saturation,,	1.2	1.3
Mean degree of Humidity	82	79
Mean weight of a cubic foot of airgrains	529.5	532-1
Fall of Rainirches	1.791	3.418
Number of Days on which rain fell	11	10
Mean amount of Cloud (an overcast sky=10)	6.6	5.1
Total number of miles of Wind indicated	5622	6723
Mean Velocity of Wind per hourmiles	7.8	9.3

## DECEMBER, 1895.

Results of Observations taken during the Month.	Mean for the last 12 years
Mean Reading of the Barometerinches 29.970	30.047
Highest ,, on the 10th ,, 30.327	<b>30</b> ·389
Lowest ,, on the 14th ,, 29.706	29.569
Range of Barometer Readings 0-621	0.820
Highest Reading of a Max. Therm.on the 19th 69.9	68-6
Lowest Reading of a Min. Therm. on the 31st 44.2	43.7
Range of Thermometer Readings 25.7	24.9
Greatest Range in 24 hours on the 11th 18 6	17:3
Mean of all the Highest Readings 61.2	61.9
Mean of all the Lowest Readings 53.4	52·2
Mean Daily Range 78	9.7
Mean Temperature (deduced from Max & Min.) 56.6	56· <b>4</b>
Mean Temperature (deduced from Dry Bulb) 57.3	56.0
Adopted Mean Temperature 56.9	56· <b>2</b>
Mean Temperature of Evaporation 52.5	51.8
Mean Temperature of Dew Point 48.7	48·6
Mean elastic force of Vapour inches 0.844	0.342
Mean weight of Vapour in a cub. ft. of air grains 3.9	3.9
Mean additional weight required for saturation,, 1.2	1.1
Mean degree of Humidity	79
Mean weight of a cubic foot of airgrains 535.4	538-6
Fall of Rain inches 3.518	4.266
Number of days on which Rain fell 15	15
Mean amount of Cloud (an overcast sky=10) 6.9	5.7
Total number of miles of Wind indicated 9039	8205
Mean Velocity of Wind per hour miles 12.2	11.1

# Summary of Observations FOR 1895.

Results of Observations taken during the Year.	Mean for the last 12 years.
Mean Reading of the Barometerinches 30 008	30.024
Highest ,, on November 7th 30.447	30.489
Lowest ,, on January 1st 29.396	29.370
Range of Barometer Readings 1.051	1.119
Highest Reading of a Max. Therm. on July 5th 103.6	99-0
Lowest Reading of a Min. Therm. on Feb. 19th 34.2	40.8
Range of Thermometer Readings 69.4	58.2
Greatest Range in 24 hours on July 5th 31.9	28.5
Mean of all the Highest Readings 73.5	72.5
Mean of all the Lowest Readings 59.6	59.3
Mean Daily Range	13.2
Mean Temperature (deduced from Max. & Min.) 65.7	65.0
Mean Temperature (deduced from dry bulb) 65 2	64.4
Adopted Mean Temperature 65.5	64.7
Mean Temperature of Evaporation 60.4	59.8
Mean Temperature of Dew Point 57.2	56.1
Mean elastic force of Vapourinches 0.480	0.453
Mean weight of Vapour in a cub. ft. of air grains 5.2	5.1
Mean additional weight required for saturation ,, 1.9	1.8
Mean degree of Humidity 75	76
Mean weight of a cubic foot of airgrains 526.8	527·9
Fall of rain inches 11.384	20.207
Number of days on which rain fell 67	77
Mean amount of Cloud (an overcast sky=10) 4.5	3.6
Total number of miles of wind indicated 84755	83924
Mean Velocity of Wind per hourmiles 9.7	9.6

## SINCE MAY, 1883.

The Maximum monthly mean height of the Barometer was in November, 1889, and was .....inches 30-249

The Minimum ,, ,, in January, 1886, and was 29-844

The Maximum yearly mean height of the Barometer was in
1884, and wasinches 30.057
The Minimum ,, ,, in 1890, and was 29.996
The greatest monthly range of the Barometer was in
January, 1886, and was 1.201
The least ,, ,, in August, 1883, and was 0.188
The highest reading of the Barometer was on January 26th,
1887, and was 30 627
The lowest ,, ,, on January 17th, 1886, and was 29:155
Extreme range
The highest temperature was on July 20th, 1889, and was 104·1
The lowest ,, ,, February 19th, 1895 34.2
The highest mean temperature of a month was in August,
1885, and was
The lowest ,, ,, February, 1891, 49.5
The greatest monthly mean weight of vapour a cubic foot of air grains August, 1885 7.9
The least ", ", January and February, 1891, and was gr 3.0
The highest observed Dew point was on August 30th,
1885, and was
The lowest ,, ,, February 19th, 1895, and was 27.9
The greatest fall of rain in a month, was in December, 1889,
and wasinches 8 952
The greatest number of days on which rain fell in one monthdays January, 1889 24
The greatest fall of rain in a year was in 1889 and was inches 26 044
The smallest ,, ,, ,, 1895 ,, ,, 11 384
The greatest number of rainy days in a year was in 1894 and was 90
The least ,, ,, ,, 1888 ,, 59
The highest temperature registered in sunshine was on the
5th July, 1895, and was 159.0
The lowest temperature registered on ground was on the
19th February, 1895, and was
The highest observed sea temperature was on the 5th August,
1887, and was 85·0
The lowest ,, ,, 30th January, 1895, and was 55.5
The smallest mean amount of cloud observed in one month
was in August, 1890, and was 0.0
The greatest ,, ,, in January, 1894, and was 7.2
,, ,, ,, ,, ,,,

## NOTES FOR THE SEPARATE MONTHS.

#### JANUARY.

THE Dew point ranged between 57·3° on the 17th, and 31·6° on the 29th.

In Sunshine, the highest reading was 119.1° on the 20th.

On Ground, the lowest reading was 33.0° on the 30th.

The Sea has fallen to 55.5°.

Thunderstorms passed on the 2nd and 3rd.

Lightning was seen on the 5th, 10th, 28th, and 30th.

Hail fell on the 3rd, 6th, 10th, 29th, 30th, and 31st.

Total Rainfall since last June 15:658 inches; the average of 10 years, 15:089 inches.

The Sea Temperature is the lowest yet recorded.

#### FEBRUARY.

The Dew-point ranged between  $27 \cdot 9^{\circ}$  on the 19th, and  $56 \cdot 0^{\circ}$  on the 26th.

In Sunshine, the highest reading was 121.6° on the 6th and 13th. On Ground, the lowest reading was 31.7° on the 19th.

The Sea has averaged 58.5°.

Thunderstorms passed on the 7th.

Total Rainfall since last June 16·729 inches; the average of 10 years, 17·176 inches.

The temperature on the ground on the 19th is the lowest recorded at this station.

#### MARCH.

The Dew-point ranged between  $37\cdot1^{\circ}$  on the 1st, and  $55\cdot\theta^{\circ}$  on the 31st.

In Sunshine, the highest reading was 132.5° on the 30th.

On Ground, the lowest reading was 36.3° on the 19th.

The Sea has risen to 61.0°.

Thunderstorms passed on the 27th.

Lightning was seen on the 6th and 20th.

Hail fell on the 6th and 7th.

Total Rainfall since last June 17:532 inches; the average of 10 years, 18:072 inches.

#### APRIL.

The Dew-point ranged between  $46.7^{\circ}$  on the 10th, and  $61.7^{\circ}$  on the 26th.

In Sunshine, the highest reading was 133.5° on the 27th.

On Ground, the lowest reading was 45.6° on the 3rd.

The Sea has risen to 65.4°

Lightning was seen on the 20th.

Total Rainfall since last June 18:335 inches; the average of 10 years, 18:840 inches.

#### MAY.

The Dew-point, ranged between  $50\cdot2^{\circ}$  on the 3rd and  $64\cdot0^{\circ}$  on the 23rd.

In Sunshine, the highest reading was 136.6° on the 3rd

On Ground, the lowest reading was 47.4° on the 9th.

The Sea has risen to 70.0°.

Thunderstorms passed on the 5th and 6th.

Lightning was seen on the 9th and 10th.

Hail fell on the 5th.

Total Rainfall since last June 18:841 inches; the average of 10 years, 19:601 inches.

#### JUNE.

The Dew-point ranged between  $53.8^{\circ}$  on the 14th and 71  $3^{\circ}$  on the 20th.

In Sunshine, the highest reading was 139.9° on the 29th.

On Ground, the lowest reading was 51.1° on the 1st.

The Sea has averaged to 74°.

Total Rainfall since last June 18.841 inches; the average of 10 years 19.601 inches.

#### JULY.

The Dew-point ranged between  $53.7^{\circ}$  on the 2nd, and  $74.0^{\circ}$  on the 31st.

In Sunshine, the highest reading was 159.0° on the 5th.

On Ground, the lowest reading was 59.4° on the 12th.

The Sea has risen to 82.5°.

Lightning was seen on the 6th.

#### AUGUST.

The Dew-point ranged between 73.9° on the 1st, and 62.5° on the 25th.

In Sunshine the highest reading was 144.6° on the 29th.

The Sea has averaged 80.0°.

Lightning was seen on the 18th, 19th, 23rd, and 26th.

Total Rainfall since last June 0.870 inches; the average of 12 years, 0.127 inches.

#### SEPTEMBER.

The Dew-point ranged between 72.4° on the 3rd, and 56.8° on the 24th.

In Sunshine the highest reading was 144.5° on the 18th.

On Ground, the lowest reading was 53 6° on the 25th.

The Sea has fallen to 76.2°, averaging 78.6°.

Thunderstorms passed on the 18th. Lightning was seen on the 8th, 15th, 16th, 17th, 19th, 20th.

Total Rainfall since last June 0.495 inches; the average of 12 years, 1.292 inches.

#### OCTOBER.

The Dew-point ranged between 70.5° on the 11th, and 43.3° on the 19th.

In Sunshine, the highest reading was 135.1° on the 1st.

On Ground, the lowest reading was 47.3° on the 20th.

The Sea has fallen to 73.0° averaging 74.6°.

Thunderstorms passed on the 17th and 18th.

Lightning was seen on the 13th, 19th, and 22nd.

Total Rainfall since last June, 1.668 inches; the average of 12 years, 4.213 inches.

#### NOVEMBER.

The Dew-point ranged between 67.9° on the 1st, and 50.1° on the 25th.

In Sunshine, the highest reading was 130.1° on the 11th.

On Ground, the lowest reading was 51.1 on the 21st.

The Sea has fallen to 67.8°, averaging 70.4°.

Thunderstorms passed on the 12th, 14th, and 19th.

Lightning was seen on the 5th, 6th, 16th, 17th, 18th, 20th, 21st, 30th.

Total Rainfall since last June 3.459 inches; the average of 12 years, 7.631 inches

Mean temperature for the month is the highest of 12 years. Rain remarkably below the average.

#### DECEMBER.

The Dew-point ranged between 37·1° on the 9th, and 56·5° on the 17th.

In Sunshine, the highest reading was 115.8° on the 5th.

On Ground, the lowest reading was 38.0° on the 31st.

The Sea has fallen to 62.0°, averaging 64.9.

Thunderstorms passed on the 2nd, 4th, 20th, 21st.

Lightning was seen on the 1st and 15th.

Hail fell on the 9th, 21st, and 22nd.

Total Rainfall since last June, 6.977 inches; the average of 12 years, 11.897 inches.

#### NOTES FOR THE YEAR.

The Dew-point ranged between 27.9° on February 19th, and 74.0° on July 31st.

In Sunshine, the highest reading was 159.0° on July 5th. On Ground, the lowest reading was 31.7° on February 19th.

The Sea has ranged from  $55 \cdot 5^{\circ}$  on January 30th, to  $83 \cdot 0^{\circ}$  on September 3rd.

Thunderstorms passed on 16 days Lightning was seen on 38 days. Hail fell on 13 days.

### CORRIGENDA.

In Report for August, 1894,									
For Mean	Additional	Weight	of Vapo	ur require	d for				
	saturati	on (Aver	age 10 ye	ears)	3 <sup>.</sup> 3 grains				
Read	••	••	• •	••	3.5 grains				
	In Re	port. for	Novemi	ber, 1894,					
For-Fall	of rain		••		4.559 inches				
Read	••		• •	• •	4.599 inches				
	In Not	es for the	Year, 1	894, (p. 79.	)				
For-The	lowest tem	perature	was on	February	20th, 1851				
Read	••			February	20th, 1891				
		And	(p. 84.)						
For-The	Sea has ran	ged from	56.8° on	February	25th, to 79·5° on				
	August	26th.							
Read-The			56·8° on	February	25th, to 81.3° on				
	July 25	_							

57.542 MN 9 1922 5882

STONYHURST COLLEGE OBSERVATORY.

Results of Adeteorological


Magnetical Observations,


. • • -• . •


# STONYHURST COLLEGE OBSERVATORY, LANCASHIRE.

# With FATHER SIDGREAVES' COMPLIMENTS.









# STONYHURST COLLEGE OBSERVATORY.

# RESULTS

OF

METEOROLOGICAL, MAGNETICAL,

AND

SOLAR OBSERVATIONS.

BY THE

REV W. SIDGREAVES, S.J., F.R.A.S.

1896.

CLITHEROE:

PRINTED BY PARKINSON AND BLACOW, TIMES OFFICE.

. •

## TABLE OF CONTENTS.

Introduction	••	••						5
Monthly Mete	orological	Tables		••			• •	6
Yearly Meteo	rological S	ummary		••		•		30
Dates of Occa	sional Phe	nomena				•1		32
Summary of	Solar Obs	ervations						34
Dates of Sola	r Drawing	s, etc.						35
Total Amoun	of Sunshi	ne record	ded on	each d	ay			36
Monthly Tab					-			38
Observation of	f Upper C	louds (Ci	rrus)					39
Magnetic Re			,					
1. Absolute	Values of	the Elem	ents of	Terres	trial I	Magnet	ism	42
2. Horizon						•		
	ves						•	48
3. Magnetic	Disturba	nces			••			50
Lists of Pres								51
Appendix. O								61
ppum.	ZZZZ VALION	o taabii a	COL IS	ııııı	Conc	50, ma		<b>01</b>

•			
	-		

#### INTRODUCTION.

THE work of the Meteorological and Magnetical department has been carried on as described in the Introduction 1892. The weekly reports have been sent regularly to the Meteorological Office, and the monthly report to the Registrar General. Occasional special reports have also been supplied to applications.

The continuous photographic records of Meteorological and Magnetical changes have been broken only by occasional troubles with the gas supply.

Tracings of the horizontal magnetic direction and force have been supplied to several applications, in connection with distant earthquakes; but we have found nothing in the movements of the magnets that could be attributed to any but magnetical disturbance. Even the nearer earth tremor of December made no impression on the magnetic curves. The tremor was felt slightly but distinctly by a very few of the residents in our neighbourhood

Over 350 photographs of stellar spectra have been obtained with the compound prism spectrograph in combination with the Perry-Memorial objective. These include some trials with the small dispersion of a single half-prism of aluminium glass, in order to provide the means of learning the condition of the calcium line K, in the spectra of small stars. The length of the spectrum is too small to show a fine line; but it distinguishes well between a broad, medium, and thin line, in stars to the 6th magnitude.

WALTER SIDGREAVES, S.J.

# Stonyhurst Observatory.

Lat 53° 50′ 40°N. Long. 9m. 528. 68. W. Height of the Barometer above the sea 381 ft.

# METEOROLOGICAL REPORT.

JANUARY, 1896.

Result of Observations taken during the Month.	Mean for the last 49 years
Mean Reading of the Barometerinches 29.888	<b>2</b> 9·446
Highest ,, on the 9th ,, 30.597	30.286
Lowest ,, on the 15th ,, 28.821	28.590
Range of Barometer Readings ,, 1.776	1.696
Highest Reading of a Max. Therm. on the 2nd 54.0	51.5
Lowest Reading of a Min. Therm. on the 20th 25.0	20.4
Range of Thermometer Readings 29.0	31.1
Mean of all the Highest Readings 45.3	42.2
Mean of all the Lowest Readings 35.1	32.4
Mean Daily Range 10-2	9.8
Deduced Monthly Mean (from Mean of Max. and Min.)	37.0
Mean Temperature from Dry Bulb	37.0
Adopted Mean Temperature 40.2	37.0
Mean Temperature of Evaporation 38.9	35.9
Mean Temperature of Dew Point 37.2	33.7
Mean elastic force of Vapour 0.222 in	0·195 in
Mean-weight of Vapour in a cub. ft. of air 2.6 gr	2.4gr
Mean additional weight required for saturation 0.4gr	0·4gr
Mean degree of Humidity (saturation 1.00) 0.90	0.86
Mean weight of a cubic foot of air 554.6 gr	549·7gr
Fall of Rain 3.343 in	
Number of days on which Rain fell 15	19:7

JANUARY 1896.									
No. of days in the month on	N	NE	E	SE	s	sw	w	NW	
which the prevailing wind was		2	2	0	4	6	14	0	
Mean Velocity in miles per hour	4.8	5·1	3.9	0	6.7	8.2	11.0	0	
Total No. of miles for each Direction.	343	245	187	0	646	1179	3682	0	

The total No. of miles registered during the month was 6282. The max. Velocity of the wind was 48 miles per hour, W. on the 15th at 1.0 p.m.

Mean amount of Cloud (an overcast sky being indicated by 100) 84

In the month of January the highest reading of the Barome-

ter during	49 years, was o	n the 9th, in 1896,	and	was	30.597
The lowest	,,	26th, 1884	,,	• • • •	27.803
The highest	Temperature	7th, 1887	,,	• • • •	<b>59</b> · <b>9</b>
The lowest	,,	15th, 1881	,,	• • • •	4.6
The highest	adopted mean	temperature of the	mor	th, 1875	42.5
The lowest	,,	**	•	1881	$29 \cdot 2$

#### TABLES OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average.

Mean barometric pressure	• •	• •	+	0.442 inches
Monthly range ,,			+	0.080 ,,
Mean of highest temperatures			+	3·1 degrees
Mean of lowest ,,	••		+	2.7 ,,
Mean daily range ,,	• •	٠.	+	0.4 ,,
Adopted mean temperature	••		+	3·2 ,,
Total rainfall	• •		_	0.755 inches

The highest reading of the barometer during the last 49 years occurred on the 9th when the mercury stood at 30.597 inches.

Frost on the 5th, 6th, 8th—12th, 14th, 15th, 20th—23rd, 28th and 29th. Hoar Frost on the 21st. Snow on the 9th. Hail on the 13th and 15th. Heavy Rain on the 14th and 24th. Fog on the 7th. Gales of Wind on the 15th and 16th.

## FEBRUARY, 1896.

Results of Observati	1	ean for last 49 year							
Mean Reading of the B	aromet	er		inche	s 29	868		29:5	17
Highest ,,		30.0	72						
Lowest ,,	on	the	20th	,,	29	·160	1	28.7	03
Range of Barometer Re	adings			,,	1	156	1	1.3	69
Highest Reading of a M	Iax. Th	erm.	on t	he 8t	h i	5 <b>3</b> ·8	1	52	.0
Lowest Reading of a M	in. The	rm.	on th	e 17t	h :	22 5	1	22	·1
Range of Thermometer	Readi	ngs			. :	81.3		29	.9
Mean of all the Highest	t Readi	ngs			. 4	16.0	1	44	·2
Mean of all the Lowest	Readir	ngs .			. 8	33.7	}	33	· <b>4</b>
Mean Daily Range					. 1	l2·3		10	8
Deduced Monthly Mean and Min.)						19.5		38	· <b>2</b>
Mean Temperature from						l0·1	ł	38	.2
Adopted Mean Temper	•					39.8	1	38	_
Mean Temperature of						38.2		36.8	
Mean Temperature of I	_					36·2	1	34.75	
Mean elastic force of						213 ir	,		
Mean weight of Vapour						2.5g1	1		4gı
Mean additional weight						0.5gr	1	•	
Mean degree of Humidi	•					)·87		0.8	_
Mean weight of a cubic	- \			•		4.5g1		549	
Fall of Rain						691 in	1	3.47	•
Number of days on wh						13		16	-
No. of days in the month	on	N	NE	E	SE	s	sw	w	NV
which the prevailing win		1	6	3	3	2	3	11	0
								<u> </u>	
Mean Velocity in miles pe	er hour	1.9	4·4	10-1	6.4	14.9	6.1	10·1	0
l'otal No. of miles for each	ch	47	632	729	462	713	437	 2659	

The total number of miles registered during the month was 5679. The max. Velocity of the wind was 32 miles per hour, S.S.W., on the 8th at 2 p.m.

## FEBRUARY, 1896.

Mean amount of Cloud (an overcast sky being indicated by 10.0) 7.8									
In the month of February, the highest reading of the Barometer during 49 years, was on the 11th, in 1849, and was 30 452									
The lowest	,,	6th, 1867	,,		28.208				
The highest Ter	mperature	8th, 1877	,,		<b>58 3</b>				
The lowest	,,	18th, 1895	,,		8.0				
The highest adop	oted mean ter	nperature of the	month, 1	869	44.0				
The lowest	,,	"	1	855	286				

### TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average.

Mean barometric pressure ... + 0.351 inches

Monthly range ,, , ... - 0.213 ,,

 Mean of highest temperatures
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 1.8 degrees

 Mean of lowest
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...

Frost on the 2nd, 4th, 6th, 7th, 13th, 17th—19th, 21st—27th.

Heavy Rain on the 29th. Fog on the 5th, 6th 14th. Lunar Halo on the 24th and 25th.

# MARCH, 1896.

Results of Observations taken	during	g the l	Mo nth			]	for the ast years.	16
Mean Reading of the Baromete	29	· <b>466</b>						
Highest ,, on t	he 1	0th	,,	29 -	380	30	076	
Lowest ,, on	the	3rd	,,	28:	180	28	3·6 <b>66</b>	
Range of Barometer Readings			,,	1.4	<b>70</b> 0	1	· <b>410</b>	Ì
Highest Reading of a Max. The	rm. o	n the	25th	. 5	8-0	1	5 <b>7</b> ·2	İ
Lowest Reading of a Min. The	er. o	a the	30th	. 2	8.8		<b>22</b> ·5	
Range of Thermometer Reading					9.2		34.7	
Mean of all the Highest Rea	dings			. 5	<b>6.0</b>		47 3	
Mean of all the Lowest Read	lings			9	5.3		34 1	
Mean Daily Range				1	5.0		13.2	
Deduced Monthly Mean (from	Mea	un of	Max					
and Min.)					1.8	ŀ	<b>39</b> ·8	
Mean Temperature from Dry	Bulk			4	2.6		<b>40</b> ·0	
Adopted Mean Temperature	• • • •			4	$2 \cdot 2$	1	<b>39</b> ·9	
Mean Temperature of Evapora	ation			4	0.0	1	37.9	
Mean Temperature of Dew Po	int .			8	7.3		35.4	
Mean elastic force of Vapour				0.	223 ir	<b>1</b>	0-206in	
Mean weight of Vapour in a cu	ıb. ft.	of ai	ir		2.6g	r	2.4	gr
Mean additional weight require	d for	satu	ration	ı	0.5g	r	0.5	gr
Mean degree of Humidity (sat	uratio	on 1·(	00)		84		0.85	,
Mean weight of a cubic foot of	air .			54	1 6g	r	5 <b>4</b> 6·5	gr
Fall of Rain				7.	0 <b>79 i</b> i	1	3·202	in
Number of days on which Rai	n fel	ı	• • • • •		27		17-6	3
No. of days in the month on	N	NE	E	SE	s	sw	w	NA
which the prevailing wind was	3	1	0	1	2	6	16	2
Mean Velocity in miles per hour	7.0	5.8	0	68	13.8	7.8	16.4	14
Total No. of miles for each	505	139	0	162	664	1052	6288	67
Direction  The total number of miles re The max. Velocity of the wir	giste	red d	luring miles	the per	mon hou	th w	as 94	86. S.,

on the 16th at 2-0 p.m.

## MARCH, 1896.

Mean amour	nt of Cloud (an	overc	ast sky being in	dicated b	y 10	0) 8.4			
In the month of March, the highest reading of the Barometer during 49 years, was on the 6th in 1852, and was 30 401									
The lowest	,,		3rd, 1896	,,	• •	28.180			
The highest	Temperature	,,	25th, 1871	,,		68.0			
The lowest	,,	,,	6th, 1886	,,		11.5			
The highest	adopted mean	temp	erature of the n	nonth, 18	71	44.0			
The lowest	,,		,, 1858	and 189	2	35.6			

### TABLES OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average.

Mean barometric pressure		 	0.153 inches
Monthly range ,,	• •	 +	0.290 ,,
Mean of highest temperature	••	 +	3.0 degrees
Mean of lowest ,,		 +	1.2 ,,
Mean daily range ,,		 +	1.8 ,,
Adopted mean temperature	•	 +	2.3 ,,
Total rainfall	•	 +	3.877 inches

Frost on the 3rd, 9th, 10th, 12th—15th, 18th, 19th, 22nd—24th, 27th, 29th—31st. Hoar Frost on the 10th. Snow on the 3rd, 19th, 26th, 28th. Hail on the 3rd, 4th, 5th, 13th, 28th. Heavy rain on the 3rd, 5th, 7th, 10th, 13th, 25th, 27th. Fog on the 10th. Thunder on the 24th, 25th. Lightning on the 24th. Gales of wind on the 1st, 2nd, 6th, 16th, 20th, 26th.

Results of observations taken during the Month.							Mean for the last 49 years.			
Mean Reading of the Barometer inches 29·716								29.489		
lighest , on the 21st ,, 30.088							29.972			
Trighton.		29th	• • •	29-1	74	2	28.811			
Range of Barometer Readings, 0.914								П		
Highest Reading of a Max. Therm. on the 24th 64:0								66.1		
Lowest Reading of a Min. Therm. on the 30th 30 0								28.1		
Range of Thermometer Readings 34.0								38 0		
Mean of all the Highest Readings 56.2							55-9			
Mean of all the Lowest Readings 39.2							37.8			
Mean Daily Range							18.1			
Deduced Monthly Mean (from Mean of Max. and Min.)							44.5			
Mean Temperature from Dry Bulb 47 0							44-6			
Adopted Mean Temperature 46.6							44.6			
Mean Temperature of Evaporation 43-7							41.7			
Mean Temperature of Dew Point 40·4							38.2			
Mean elastic force of Vapour 0.252 in							0.236in			
Mean weight of Vapour in a cub. ft. of air 3.0g							2.7gr			
Mean additional weight required for saturation 0.7gr							0 7gr			
Mean degree of Humidity (saturation 1.00) 0.80						l	0 80			
Mean weight of a cubic foot of air 544 6gr Fall of Rain 3·143 in							542·1gr			
							2·284in			
Number of days on which Rain					15		14-6	;		
No. of days in the month on which the prevailing wind was	N	NE	E	SE	s	sw	w	NV		
	1	1	2	0	0	0	24	2		
Mean Velocity in miles per hour	7.8	3.9	3.0	. 0	0	0	11.3	5		
Total No. of miles for each	187	93	142	0	0	0	6487	25		

The total number of miles registered during the month was 7165. The max. Velocity of the wind was 38 miles per hour, W., on the 11th, at 9 a.m.

### APRIL, 1896.

Mean amount of Cloud (an overcast sky being indicated by 10.0) 7.4 In the month of April, the highest reading of the Barometer							
during 49 years,	was on t	he 17th,	in 1887	, and v	was	30.251	
The lowest	,,	20th,	1868	13		<b>28 358</b>	
The highest Tempe	erature	14th,	1852	,,		74.1	
The lowest	,,	13th,	1892	,,		20.8	
The highest adopted	d mean te	mperatu	re of the	month	,1865	48.5	
The lowest	,,		,,		1879	40.7	

### TABLE OF DIFFERENCES.

The signs + and — mean respectively above and below the monthly average.

Mean barometric pressure	••	 +	0.227 inches
Monthly range ,,	••	 _	0.247 ,,
Mean of highest temperatures	• •	 +	0·3 degrees
Mean of lowest ,,		 +	1.4 ,,
Mean daily range ,,	••	 	1.1 ,,
Adopted mean temperature	••	 +	2.0 ,,
Total rainfall	••	 +	0.859 inches

Frost on the 1st. 2nd, 3rd, 13th, 15th, 18th, 20th—24th, 30th. Hail on the 11th, 12th, 13th, 28th, 29th, 30th. Thunder on the 28th. Lunar Halo on the 18th. Gale of wind on the 11th.

### MAY, 1896.

Results of Observations taken	durin	g the	Month	•			for the last years		
Mean Reading of the Baromete	r.	ir	ches	29.8	60	29 516			
Highest ,, on the	30 ·1	06	29	953					
	he 2	0th	,,	29 - 8	90	28	956		
Range of Barometer Readings.			,,	0.7	16	(	997		
Highest Reading of a Max. Ther	m. o	n the	12th	70	6.0		72.2		
Lowest Reading of a Min. Ther	m. c	n th	e 3rd	3	2.0		31·3		
Range of Thermometer Readin	gs .			4	<b>4</b> ·0		40.9		
Mean of all the Highest Readi	ngs.			6	5· <b>2</b>		<b>59</b> 9		
Mean of all the Lowest Reading	gs .			4	2.6		42.1		
Mean Daily Range				2	26		17.8		
Deduced Monthly Mean (from	Mea	n of	Max.						
and Min		• • • •		5	2.2		<b>49·2</b>		
Mean Temperature from Dry B				53 6		49.7			
Adopted Mean Temperature .				<b>52</b> ·9		49-4			
Mean Temperature of Evapora	tion	• • • •		48 6		ŀ	46.2		
Mean Temperature of Dew Po	int .			44.3			42 6		
Mean elastic force of Vapour.				0·292 in			0.277in		
Mean weight of Vapour in a cub	.ft. c	of air	٠.،.		3 ·3g1	1	_		
Mean additional weight required					1 •3gı	1	l .		
Mean degree of Humidity (satu	ırati	on 1	00)	0	·73	0 76			
Mean weight of a cubic foot of	f air			53	9·7g1	537·igr			
Fall of Rain				0.	760 i r	1	2.553	in	
Number of Days on which rain	fell.	••••	····		5		15.1		
No. of days in the month on	N	NE	E	SE	s	sw	w	N	
which the prevailing wind was	2	8	7	0	0	1	12		
Mean Velocity in miles per hour	10.6	5·6	7.9	0	0	10.2	7.8	4	
Total No. of miles for each Direction. The total number of miles re		1071		0	0	i	2242	1	

The total number of miles registered during the month was 54%. The max. Velocity of the wind was 30 miles per hour, W. by N. on the 20th at 3 a.m. Also 30 miles per hour, direction W. on the 29th at noon.

### MAY, 1896.

Mean amount of Cloud (an overcast sky being indicated by 10.0) 5.8								
In the month of May, the highest reading of the Barometer during 49 years, was on the 2nd in 1895, and was 30.217								
The lowest	us, was on t	28th, 187						
The highest Ter		19th, 186			82.5			
The lowest	,,	4th, 185	5 ,,		23.5			
The highest add	pted mean	temperatu:	re of the m	onth, 1848	55.1			
The lowest	- ,,	. ,,		1855	45.0			

### TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average. Mean barometric pressure 0.344 inches Monthly range 0.281Mean of highest temperatures 5.3 degrees Mean of lowest 0.5 Mean daily range 4.8 3.5 Adopted Mean temperature + 1.793 inches Total rainfall Frost on the 1st, 3rd, 4th, 21st. Hail on the 20th. Thunder on the 20th.

JUN	Ε,	189	6.					
Results of Observations take	n dur	ing t	he M	nth			an for last year	
Mean Reading of the Baromet	er .	i	nche	s 29	525	2	9.543	3
Highest c	n th	e 29t	h ,,	29	828	j 2	9.896	j
Lowest	n the	7th	-,,	29	101	2	9.037	•
Range of Barometer Readings			,.	0.	727		0.859	)
Highest Reading of a Max. Ther	on tl	ne 14t	h & 1	5th 8	32 7		77.5	,
Lowest Reading of a Min. The					2.7		38 8	,
Range of Thermometer Reading					10.0		38.7	!
Mean of all the Highest Readi	ngs .			. 7	<b>0</b> ·8		65.9	•
Mean of all the Lowest Reading	ngs .			. 5	1.2	1	47 9	į
Mean Daily Range	-				9.6		18.0	•
Deduced Monthly Mean (from and Min.)					5 <b>9</b> ·2		55·1	
Mean Temperature from Dry					9 3	1	55.2	ł
Adopted Mean Temperature					9.3		55.1	
Mean Temperature of Evapora					5·0		52·0	
Mean Temperature of Dew Po	int .	• · • • • •		. 5	1.2	1	48.6	,
Mean elastic force of Vapour .				0.	377 in	ı¦	0 354	ir
Mean weight of Vapour in a cu	bic ft	of ai	r		4 ·2gr	-	3 9	gr
Mean additional weight require	d for	satuı	ratior	1	1 ·4gı	-	0.9	gr
Mean degree of Humidity (sa	ıtura	tion	1.00)	0	·75		0.79	)
Mean weight of a cubic foot of	air .			. 52	6 6gr	1	531·2	gr
Fall of Rain				. 3	613 ir	d	3 618	in
Number of days on which Rair	ı fell.	•••••	•••••		15	<u> </u>	16.1	Ĺ
No. of days in the month on	N	NE	E	SE	s	sw	w	N
which the prevailing wind was	1	3	2	1	2	2	17	
Mean Velocity in miles per hour	8.1	6.3	5.7	5.5	9.3	6.0	9.9	3
Total No. of miles for each Direction	194	454	273	131	447	287	4036	1

The total number of miles registered during the month was 5992. The max. Velocity of the wind was 35 miles per hour, W.N.W., on the 30th at 1 p.m.

### JUNE, 1896.

Mean amount of Gloud (an overcast sky being indicated by 10.0) 6.9 In the month of June, the highest reading of the Barometer during 49 years, was on the 15th, in 1874, and was 30.219								
during 49 years, was on	the 15th, in 1874	, and was	20.518					
The lowest ,,	23rd, 1893	,,	28 818					
The highest Temperature	18th, 1898	,,	88.7					
The lowest ,,	17th, 1892	,,	34 1					
The highest adopted mean	temperature of th	e month, 1858	<b>59</b> ·0					
The lowest ,,	• ,,	1856 and 1860	52.2					

### TABLE OF DIFFERENCES.

The signs + and — mean respectively above and below the monthly average.

Mean barometric pressure ... — 0.018 inches

 Monthly range
 ,
 ..
 ..
 0 132
 ,

 Mean of highest temperatures
 ..
 ..
 +
 4 9 degrees

 Mean of lowest
 ,
 ..
 +
 3 3
 ,

 Mean daily range
 ,
 ..
 +
 1 6
 ,

Adopted mean temperature .. .. + 4·2

### JULY 1896.

Mean for the

Results of Observations taker	dur.	ing t	he M	onth			last years			
Mean Reading of the Baromete	r	i	nches	29 8	599	2	9.502			
Highest ,, on th	ne 17	h	.,	29 9	917	2	9·879			
Lowest ,, on the	he 25	th	,,	29-1	192	2	8· <b>994</b>			
Range of Barometer Readings.			,,	0.7	725		0 885			
Highest Reading of a Max. The	rm. o	n the	13th	1 7	7.3		<b>78</b> ·7			
Lowest Reading of a Min. Ther	m. o	n the	27th	1 4	0.3		42.1	Ш		
Range of Thermometer Reading	ngs .			3	7.0		36.6			
Mean of all the Highest Readin	igs .			. 6	9-3		67.9			
Mean of all the Lowest Readin					0.6		50.7			
Mean Daily Range	_				8.7		17.2			
Deduced Monthly Mean (from and Min.)	Mean	n of	Max		8.9		57.7			
Mean Temperature from Dry B					8.1		57· <b>7</b>	'		
Adopted Mean Temperature .	8.5	57.7								
Mean Temperature of Evaporation 54.9								54.7		
Mean Temperature of Dew Poi					1.6		<b>52</b> ·1			
Mean elastic force of Vapour .					83in		C-389	in		
Mean weight of Vapour in a cub					·3gr		4.5	gr		
Mean additional weight required					·2gr		1.0	gr		
Mean degree of Humidity (satu					78		0.82	2		
Mean weight of a cubic foot of					-5gr		527.4	gr		
Fall of Rain							4-218	3in		
Number of days on which Rain					16		18:1	L		
No. of days in the month on	N	NE	E	SE	s	sw	w	NW		
which the prevailing wind was	8	2	1	1	2	2	18	2		
Mean Velocity in miles per hour	6.7	5.7	6.6	15.4	7.9	7-0	7.8	13-8		
Total No. of miles for each Direction	480	272	159	370	380	338	3368	660		

The total number of miles registered during the month was 60?. The max. Velocity of the wind was 30 miles per hour, W.N.W., on the 4th at 4-0 p.m. Also some velocity at 4-30 p.m. on the 25th. Direction S. b E.

### JULY, 1896.

Mean amount of Cloud (an overcast sky being indicated by 10.0) 7.2								
In the month of July, the highest reading of the Barometer during 49 years, was on the 24th, in 1868, and was 30 112								
The lowest	,,	15th, 1877	,,		<b>28</b> ·56 <b>4</b>			
The highest	Temperature	22nd, 1873	,,	•••••	88·2			
The lowest	,,	1st, 1857	**	•••••	<b>36</b> ·0			
The highest a	dopted mean ter	nperature of the	month,	1852	63.0			
The lowest	**	**		1888	<b>54</b> ·5			

### TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average.

Mean parometric pressu	ıre	• •	+	0.097 inches
Monthly Range ,,	• •		_	0.160 ,,
Mean of highest temperatu	ıres		+	1.4 degrees
Mean of lowest ,,	••		_	0.1 ,,
Mean daily range ,,	••		+	15 "
Adopted mean temperatur	e	••	+	0.8 ,,
Total rainfall	• •		_	1.623 inches

Thunder and Lightning with Heavy Rain on the 9th.

### AUGUST, 1896.

Results of Observations taken during the month.								r the
Mean Reading of the Baron	meter	·	inche	s 29	608		29.48	9
Highest ,, o	!	29.88	4					
Lowest ,, or	n the	<b>2</b> 6th	1 ,,	29	170	:	28-94	9
Range of Barometer Reading	ζs		. ,,	0	726		0.93	5
Highest Reading of a Max Ti	herm	. on t	he 1s	st	<b>72</b> ·5		76:	9
Lowest Reading of a Min. The	erm. (	on th	e 26t	h ·	40·0		41:	2
Range of Thermometer Read	lings				32.5	1	35.7	7
Mean of all the Highest Read	ings				6 <b>4</b> ·7	1	67:1	L
Mean of all the Lowest Read	dings				<b>4</b> 8·7		50.4	Ł
Mean Daily Range					16.0	1	16.7	7
Deduced Monthly Mean (from and Min.)	n Mea	an of	Max	: <b>.</b>	55.0		<b>57</b> ·1	l
Mean Temperature from Dry					55.3	i	57·5	
Adopted Mean Temperature					55 2	ĺ	57·3	
Mean Temperature of Evapor					52.0		5 <b>4</b> ·5	
Mean Temperature of Dew Po					18-9	ł	51.7	
Mean elastic force of Vapour					347 iı	n	0·387in	
Mean weight of Vapour in a cu					3 ·9g	r	4.	3gr
Mean additional weight require	d for	satu	ratio	n	1 ·0g	r	0.9	9gr
Mean degree of Humidity (sat	urati	on 1	00) .	. (	80	1	0.82	
Mean weight of a cubic foot	of ai	r		. 58	32 ·0g	r	527·4gr	
Fall of Rain				. 3	300ir	1	5 03	6in
Number of Days on which rai	n fell		• • • •	•	19		19:	1
No. of days in the month on	N	NE	E	SE	s	sw	w	NW
which the prevailing wind was	5	5	0	0	1	2	15	3
Mean Velocity in miles per hour	4.2	5.8	0	0	14.8	10.8	100	8:0
Fotal No. of miles for each Direction	509	694	0	0	356	517	3593	579

The total number of miles registered during the month was 6248. The max. Velocity of the wind was 34 miles per hour, S. b E. on the 30th, at 8-0 a.m.

### AUGUST, 1896.

Mean amount of Cloud (an overcast sky being indicated by 10.0) 8.7								
In the month of August, the highest reading of the Barometer during 49 years, was on the 21st, in 1874, and was 30.114								
The lowest	,,	31st, 1876	,,		<b>28</b> ·555			
The highest Te	mperature	2nd, 1868	,,	• • • •	88.0			
The lowest	**	13th, 1887	,,		83.4			
The highest adop	pted mean temp	erature of the mor	nth, 188	67 & '84	61.0			
The lowest	,,	"	184	8	<b>52</b> ·5			

### TABLE OF DIFFERENCES.

The signs + and — mean monthly average.	respectivel	y ab	ove a	and below the
Mean barometric pressure	••	••	+	0.119 inches
Monthly range ,,	••			0.209 ,,
Mean of highest temperatures	••	••		2.4 degrees
Mean of the lowest ,,	••		_	1.7 ,,
Mean daily range "	••	••	_	0.7 ,,
Adopted mean temperature	• •		_	2· <b>f</b> ,,

Heavy Rain on the 23rd and 25th. Thunder on the 19th and 26th. Lightning on the 26th. Solar Halo on the 18th.

1.736 inches

Total rainfall

### SEPTEMBER, 1896.

Results of Observations taken	duri	ng th	е Мо	nth.		1	sn for last 9 year	
Mean Reading of the Baromet	er .	i	nche	s 29	300	2	9.517	7
		e 30tl			0 <b>76</b>	3	0-026	;
		25tł		28	814	2	8-849	)
Range of Barometer Readings			,,	1.	762		1.177	•
Highest Reading of a Max. There				0th 7	70.0		72:	5
Lowest Reading of a Min. Ther					37 9	1	36.5	5
Range of Thermometer Readi	ngs .			. 8	32·1		36.0	)
Mean of all the Highest Reading					32·1	ŀ	62 -	3
Mean of all the Lowest Reading					18.2	l	47-0	)
Mean Daily Range	-				L3·9	1	15.8	3
Deduced Monthly Mean (from						ł		
and Min.)		•••••	• • • • • •	. {	58 9		5 <b>3</b> 5	5
Mean Temperature from Dry I	Bulb.	•	•••••	. 8	5 <b>4</b> ·3		5 <b>4</b> ·1	l
Adopted Mean Temperature					54·1		58.6	3
Mean Temperature of Evapora	ation			. 8	51·4	İ	51.0	)
Mean Temperature of Dew Po	ipt .	•••••		. 4	18∙8	ł	48 8	3
Mean elastic force of Vapour				. 0	343 ir	1	0.340	)in
Mean weight of Vapour in a cu	ıb. ft.	of a	ir		3 9g	4	4 (	gr
Mean additional weight require	d for	satu	ratio	n.	0.8g	П	0.8	gr
Mean degree of Humidity (sat	urati	on 1	<b>0</b> 0)	. (	)·81		0.8	32
Mean weight of a cubic foot of	f air .			. 52	28·1g	r	532-2	gr
Fall of Rain				. 7	0 <b>52</b> ir	1	4.597	in
Number of days on which Rain	n fell	••••	•••••		25		17-9	)
No. of days in the month on	N	NE	E	SE	s	sw	w	N
hich the prevailing wind was	8	4	4	1	2	4	11	]
Mean Velocity in miles per hour	9·1	7.8	7.0	4.3	11.6	11.9	12.4	61
Total No. of miles for each	655	745	670	103	558	1146	3268	16

The total number of miles registered during the month was 7808. The max. Velocity of the wind was 33 miles per hour, on the 14th at 6.0 p.m., 17th at 4.0 p.m., 22nd at noon, and 23rd at 9.0 a.m. Direction being respectively W. by S., S. by W., S. by E. and W.N.W.

### SEPTEMBER, 1896.

Mean amount of	Cloud (an ove	ercast sky being indi	cated by	y 10 ·	) 9·2
In the month of ometer during	September, t 49 years, was	the highest reading son the 15th, in 1851	of the	Bar- as	30 274
The lowest	,,	25th, 1896	,,	•••	28:314
The highest Ten	perature	6th, 1868	,,	•••	85 0
The lowest	11	25th, 1885, and 3	0th, 18	88	<b>2</b> 9 8
The highest adop	ted mean ten	nperature of the mor	th, 186	5	<b>59·1</b>
The lowest	,,	,,	186	3	50.9

### TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average.

Mean barometric pressu	re		_	0.217 inches
Monthly range "	• •	••	+	0.585 .,
Mean of highest temperate	ıres		_	0.2 degrees
Mean of lowest ,,	••	••	+	1·2 ,,
Mean daily range ,,	••	••	_	1.4 ,,
Adopted mean temperature	e		+	03,
Total rainfall	••	••	+	2.495 inches

Hail on the 27th. Heavy Rain on the 22nd, 24th and 27th. Fog on the 30th. Thunder on the 9th, 11th, 12th, 13th, 16th, 27th and 28th. Lightning on the 9th, 11th, 12th, 18th and 27th.

ОСТО	BEF	ι, г	896.					
Results of Observations take	n dur	ing th	ne Mor	ıth,			an for last 9 year	
Mean Reading of the Barome	ter		inches	29	·29ŏ	' <u> </u>	29.420	)
Highest ,,	on the	e 1st	,,	30	062	:	3 <b>0</b> ·019	•
Lowest ,, on the	<b>1</b> 9th	& 25t	h ,,	28	8·696	2	28-640	)
Range of Barometer Reading	s		. ,,	1	·366		1.379	9 .
Highest Reading of a Max. T	herm	on th	ne 2nd		61.0		64.5	2
Lowest Reading of a Min. Th	erm.	on th	e <b>26</b> th		23.0		28.7	7
Range of Thermometer Read	lings				38-0		35.5	5
Mean of all the Highest Read	lings				<b>51</b> ·0		54 -	5
Mean of all the Lowest Read	lings				<b>36·</b> 6		41.4	Į
Mean Daily Range		• • • • •			14 4		13.1	l
Deduced Monthly Mean (from and Min.)	Mea	an of	Max.		<b>42</b> ·8		47-(	)
Mean Temperature from Dry	Bull	b			43.5		47.	5
Adopted Mean Temperature					43 • 2		47.8	3
Mean Temperature of Evapora	ation	<b>.</b>			<b>40</b> ·5	•	45.1	l
Mean Temperature of Dew Po	oint .				37.3		42 (	3
Mean elastic force of Vapour				0	·223 ir	3	0.274	lin
Mean weight of Vapour in a cu	b. ft.	of air			2.6g	r	3.1	lgr
Mean additional weight require	ed for	satu	ation		0.6g	r	0.6	gr
Mean degree of Humidity (sat	turati	ion 1	00)		0.80	1	0.84	Ĭ
Mean weight of a cubic foot o	f air.			5	40·2g	r	537-6	igr
Fall of rain					·158 ir		5.06	3in
Number of Days on which rai	n fell	•••	• • • • •		18		21.0	3
No. of days in the month on	N	NE	E	SE	s	sw	w	NW
which the prevailing wind was	11	3	0	0	2	7	9 year 29 420 30 019 28 640 1 379 64 2 28 7 35 5 54 5 41 4 13 1 47 0 47 3 47 3 42 6 0 274 3 1 0 6 0 5 0 63 21 6	3
Mean Velocity in miles per hour	7.8	5.2	0	0	22.6	10.6	9.1	4.9
Total No. of miles for each Direction	2050	376	0	0	1085	1786	1097	355

The total No. of miles registered during the month was 6749. The max. Velocity of the wind was 51 miles per hour, S. by W., on the 8th at 8-0 and 9-0 a.m.

### OCTOBER, 1896.

Mean amount of	Cloud (an over	cast sky being ind	icate	d by 10.0	) 7.7
In the month of ( eter during 49 y	October, the h	ighest reading of he 5th, in 1884, a	the E	Barom- as	30 · 306
The lowest	,,	19th, 1862	,,	• • • •	28·139
The highest Tem	perature	9th, 1869	,,		72.8
The lowest	,,	28th, 1895	,,	••••	17.8
The highest adopt	ted mean temp	erature of the mo	nth, 1	861 & 76	51 6
The lowest	,,	,,	18	95	42.8

### TABLE OF DIFFERENCES. The signs + and — mean respectively above and below the

 monthly average.
 ...
 — 0·125 inches

 Mean barometric pressure
 ...
 — 0·018 inches

 Monthly range
 ...
 — 0·018 inches

 Mean of highest temperatures
 ...
 — 3·5 degrees

 Mean of lowest
 ...
 — 4·8 inches

Mean daily range ,, ... + 1.8 ,,

Adopted mean temperature ... - 4.1 ,,

Total rainfall ... - 0.905 inches

Frost on the 11th—14th, 19th—29th. Hoar frost 27th. Snow 11th, 24th and 25th. Hail 4th, 5th, 11th, and 24th. Fog 28th. Thunder 5th and 10th. Lightning 5th, 8th, 10th and 29th. Gale of wind 8th. Aurora Borealis 12th.

NOVEM	BER	l, 1	896.					
Results of Observations taken	durir	ng th	е Мо	nth.		1	for the	8
Mean Reading of the Barometer	r	in	ches	29.7	35	29	.321	1
		24th		30.2	54	30	059	
	n the	14th	,,	28.7	77	28	3·56 <b>4</b>	-
Range of Barometer Readings				1.4	77	1	L·495	-
Highest Reading of a Max. Ther	m. o	n the	12th	5	2.0		<b>55·7</b>	-
Lowest Reading of a Min. Therr	n.on	the 5t	h		1.0		25.4	
Range of Thermometer Readir				3	1-0		30.3	
Mean of all the Highest Readi				4	6.2		47.1	-
Mean of all the Lowest Readi					3·2		36· <b>3</b>	1
Mean Daily Range					3∙0		10.8	
Deduced Monthly Mean (from and Min.)	Mean	of	Max.	_	9-3		41.3	
Mean Temperature from Dry E	Bulb.	•••••		3	9.5	41.6		1
Adopted Mean Temperature .				3	9.4		41.5	
Mean Temperature of Evapora					8.0		39.2	
Mean Temperature of Dew P					6· <b>2</b>	ļ	37.9	
Mean elastic force of Vapour.					214 ic		0.229	n
Mean weight of Vapour in a cub	.ft.of	fair			2·ŏgr	2.6gr		gr
Mean additional weight require					0·4gr	0·4gr		gr
Mean degree of Humidity (sat					.89		0.87	
Mean weight of a cubic foot o					2 ·4gr	ŀ	544.9	gr
Fall of Rain					536 in		4.214	in
Number of days on which Ra	in fe	11	•••••	. 1	2-0		19.4	<b>!</b>
No. of days in the month on	N	NE	E	SE	s	sw	w	NW
which the prevailing wind was	6	7	2	0	2	3	10	0
Mean Velocity in miles per hour	6 2	7.4	14.0	0	10.5	6-1	7.1	0
Total No. of miles for each Direction	894	1237	671	0	502	442	1713	0

The total number of miles registered during the month was 5459. The max. Velocity of the wind was 34 miles per hour, S. by E., on the 14th at 5 p.m.

### NOVEMBER, 1896.

Mean amount of Cloud (	an overcast sky bein	g indicated	by 10	0) 6.6
In the month of Novembometer during 49 years				30.350
The lowest	. 11th	, 1891	,,	27.938
The highest Temperatur	re 2nd,	1894		62.0
The lowest	,, 17th	1861	,,	19.1
The highest adopted me	an temperature of	the month,	1881	47.0
The lowest		,,	1851	<b>36·7</b>

### TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average.

Mean barometric pressure	•••	•••	+	0.404 inches
Monthly range ,,	•••			0 018 ,,
Mean of highest temperatures	•••	•••	_	0.9 degrees
Mean of lowest ,,	••	•••		3·1 ,,
Mean daily range ,,	•••	•••	+	2.2 ,,
Adopted mean temperature	••	•••	+	2·1 ,,
Total rainfall		•••		2.678 inches

Frost on the 1st—6th, 8th, 9th, 13th—19th, 21st, 25th, 29th, and 30th. Hoar Frost 6th.

DECE	MBE	ER,	1896	<b>.</b>				
Results of Observations taken	dur	ng th	ne Mo	nth.			n for th last years	16
Mean Reading of the Barome	eter .	i	nche	s 29·	303	2	9.455	
Highest ,, on	the 2	0th 8	<b>29</b> tl	29.	875	3	0 071	1
Lowest ,,		on tl	he 6tl	28	348	2	8 589	
Range of Barometer Readings				. 1.	527		1.482	
Highest Reading of a Max. Th					<b>3</b> .0		53.0	
Lowest Reading of a Min. Ther.	on th	ne 23r	d & 2	8th 2	24∙0		20 2	
Range of Thermometer Readi	ings			2	29·0	ţ	32.8	
Mean of all the Highest Read	ings	••••		4	3.5	1	43-0	
Mean of all the Lowest Readi	ngs			8	33.0		32.9	
Mean Daily Range	• • • •			1	0 5	1	10.1	
Deduced Monthly Mean (from and Min.)					38 3		37.9	
Mean Temperature from Dry					39·4		38.6	
Adopted Mean Temperature .					18-9		38.3	
Mean Temperature of Evapor					37·8	}	36.7	
Mean Temperature of Dew F					35.2	l	34.9	
Mean elastic force of Vapou					_	.l	0.204	in
Mean weight of Vapour in a					2·4g	7	2.4	
Mean additional weight requir					0.gg	1	0.4	_
Mean degree of Humidity (sat					0 05. )∙87	1	0.87	_
Mean weight of a cubic foot o						-	548.3	
Fall of Rain							5.275	•
Number of days on which Ra					22		18.9	
No. of days in the month on	N	NE	E	SE	s	sw	w	NW
which the prevailing wind was	4	2	6	0	-		<u> </u>	_
			-0		3	6	8	2
Mean Velocity in miles per hour	6.8	4.5	9 5	0	12-1	14.6	9.7	4.7
Total No. of miles for each direction		•	1382				1862	
The total number of miles re The max. Velocity of the wi on the 30th, at 8-0 p.m.	giste ind v	red d	luring B9 mi	the les p	mon er ho	th wa	s 73 S.S.V	20. V.,

### DECEMBER, 1896.

In the Month of	of December, the	rcast sky being indi highest reading o on the 22nd, in 184	f the	Bar-	•
The lowest	, ,	8th, 1886	,,		<b>27</b> ·350
The highest Te	mperature	9th, 1876	,,		<b>58</b> · <b>1</b>
The lowest	,,	24th, 1860	,,		6.7
The highest ad	opted mean tem	perature of the mor	nth 1	<del>9</del> 57	44 6
The lowest	,,	1878	,,	••••	30.3

### Table of Differences.

The signs + and - mean respectively above and below the monthly average. 0.152 inches Mean barometric pressure 0.045 Monthly range Mean of highest temperatures 0.5 degrees Mean of lowest 0.1 Mean daily range 0.4 ٠, Adopted mean temperatures J-6 Total rainfall 0.113 inches

Frost 1st, 6th, 12th—15th, 28th, 29th. Hoar Frost 23rd. Snow 15th, 16th, 17th, 18th, and 22nd. Heavy rain, 24th, 25th, and 27th. Fog 11th, 16th, and 23rd. Gales of wind 28th and 30th.

### Summary of Observations FOR 1896

Results of Observations taken during the Year.		Mean for the last 49 years.
Mean Reading of the Barometer inches	29.584	29.491
Highest , on January 9th ,,	30.597	30.284
Lowest . ,, on March 3rd ,,	28 180	28.264
Range of Barometer Readings,	2.417	2.020
Highest Reading of a Max. Ther. on June 14th and 15th	82 7	81.6
Lowest Reading of a Min Therm on Nov. 5th	21.0	15.3
Range of Thermometer Readings	61.7	66·3
Mean of all the Highest Readings	55.9	54.8
Mean of all the Lowest Readings	40 6	40.6
Mean Daily Range	15.3	14.2
Deduced yearly Mean (from Mean of Max. and Min.)	47.3	46.8
Mean Temperature from dry bulb	47 8	46.7
Adopted Mean Temperature	47.5	46.8
Mean Temperature of Evaporation	44.9	44.5
Mean Temperature of Dew Point	42 1	42.1
Mean elastic force of Vapour	0·275 in	0·273ir
Mean weight of Vapour in a cub. ft. of air	3∙2gr	3.3g
Mean additional weight required for saturation	0.8gr	0·7g
Mean degree of Humidity (saturation 1 00)	0 82	. 084
Mean weight of a cubic foot of air	540.7gr	
Total fall of rain in the year	44·693 in	47·171i
Number of days per month on which rain fell	16·8	18.0

### SUMMARY, •1896.

m.					7.7.			
The greatest monthly ra								
January, 1884, and								
The least ,, ,, in								505
The highest reading of the								
on January 9th, 189								
The lowest ,, ,,								350
Extreme range						inch	es 3	247
The highest temperature w	vas or	June	e 18th	, 189	3, and	l was	8	8.7
The lowest ,, ,,	J	anuar	y 15th	1, 188	31			4.6
The highest adopted mea	n ten	pera	ture c	fa	mont	h, Jul	у.	
1868							. 6	2.4
The lowest ,,	,,		,, F	ebru	ary, 1	855,	2	8.6
The highest adopted mean	tem	perat	ures o	of a	year	1868.	. 4	9 1
The lowest ,,						1876		4.1
The greatest monthly mea in a cubic foot of air	n wei	ght of	vapo	our)	July,	1852		5 · 1g1
The least , ,								1.4g
The greatest fall of rain in								
and was								437ir
The least					Marc	h, 18	52 00	047
The greatest number of darain fell in one mont	vs on	which	1) .	ly,18	61.D	ec. 18	68	31
The least ,,			,,			h, 18		3
Summ			W	IND.				
No of days in the year on	N	NE	Е	SE	s	sw	w	NW
which the prevailing wind				<b> </b> -				
was	43	44	29	7	22	42	161	18
Mean Velocity in miles per hour	6.8	5.8	8.0	7.3	11.8	9.5	10.4	7 4
Total No. of miles for each Direction	7021	6175	5534	1228	6220	9544	40295	3194
The total No. of miles re	giste	red di	iring	the y	ear w	as 795	211.	

The total No. of miles registered during the year was 79211.

The max. Velocity of the wind was 51 miles per hour. S. by W., at 8-0 and 9-0 a.m., on October 8th.

	Gales of Wind.	16, 16 1, 2, 6, 16, 20, 26 11	8 28, <b>30</b>	
ENOMENA.	Hail.	18. 15 8, 4, 5, 13, 28 11, 12, 18, 28, 29, 80	4, 5, 11, 24	
NAL PH	Snow.	9 3, 19, 26, 28	11, <b>24</b> , 25 15,16,17,18,22	
OCCASIC	Hoar Frost,	21 10	27 6 23	
DATES OF OCCASIONAL PHENOMENA.	Frost.	5,6,8-12,14,15,20-28,28,29 2,4,6,7,13,17-19,21-27 3,9,10,12-15,18,19,22-24,27,29-31 1-3,13,15,18,22-24,30 1, 3, 4, 21	11—14, 19—29 1—6,8,9,13—19,21,25,29,30 1, 6, 12—26, 28, 29	
	1896.	January February March April May June July August	September October November December	

	Solar Halo	18	
MENA.	Lunar Halo	24, 25 18	
PHENOMENA.	Lightning	24 6, 7 9 26 9, 11, 12, 18, 27 5, 8, 10, 29	, аt 6.30 р.ш.
OCCASIONAL (Continued.)	Thunder	24, 25 28 20 3, 4, 6, 7, 8, 16 9 19, 26 9,11,12,13,16,27,28 9,11,12,18,27 5, 8, 10, 29	Aurora Borealis on October 12th, at 6-80 p.m.
DATES OF C	Fog	5, 6, 14 10 80 28 11, 16, 28	Aurora Bo
DATE	Heavy Rain	14, 24 29 8,5,7,10,18,25,27 4, 22 9, 28, 25 22, 24, 27 24, 27	
	1896	January February March April May June June June June September October November	

# SUMMARY OF SOLAR OBSERVATIONS.

### Number of days of Observation in each Month.

Solar Spectrum Photographa.	411234 200 200 200 201 201 201 201 201 201 201	139
Number of Sun Drawings 10s inches to diameter.	6 8 16 21 13 19 7 7 7 8	125
Amount of Sunshine expressed in hours.	24.6 88.8 96.0 166.6 289.0 210.6 111.1 114.7 62.9 61.8 60.0	1298-9
Recorded Sunshine.	10 28 28 29 80 80 80 24 11	976
1896.	January February March May June July September October November December	Totals

The figures express, in hundredths of a day, the Greenwich Civil time at waten the unawing new manner.

sember	45												42			47	45		7				45				48		-48	_	-
7ember De	  -			-	. 6	- or	,	_				_							_	_			•				4,				-
N <sub>O</sub> X			, çç		. 66	ė:	· 	-40					9				.52		68.											÷	
October									.35			· <del>4</del> 1	9	÷						96.	.61		.39					· <b>4</b> 9		.43	
September October November December										.46			.47				32			į.	<del>.</del>							.23		-44	-
August	-42																						-	69.			-		_		
July	.73			22.	.35	\$6	9			.65	.51	.35	.34	99.	.34	.39	89.		.39	.34	.38		0					.42		_	-46
June	88.				.62			.71	68.		29.			<del>.</del>	.49	43		-44				9		69.		.43		.52			
May	.45			.42	88	355	44	.33	38.	68	14.	.43	98.	.35			67.		.43	.52	.48		29				.52	- 68:		·71	.74
April	.50	.44			99.				99.	88.			.87		.39		.73	.34	.53		.87			<del>.</del> 5	- <del>1</del>		69.		-44	.42	-
March	.46				.43						69.	.44	9											 			_		.46	-39	
February		_							.48			.41		-	-			.26	•		99.	.65	#		-	.52					
January								. <b>4</b> 8								-		.43				.65	<b>‡</b>				_	.43			-
1896.	1	61	) cc	4	10	9	_	œ	6	10	11	12	13	14	,15	91	17	18	19	8	21	22	53	24	22	56	27	88	53	90	31

Y.	17	0	•	1.9	80	2.2	2.4	8 4	3.6	4.	8.8	4.3	2. 4.
DAY.	16	0	0	8. 8.	8.0	0	8.5	14.2	10.2	3.0	3.3	9.0	0
	16	2.0	0	2.1	11.2	9.0	12.3	2.2	6.7	9.0	2.0	1.9	•
ЕАСН	14	8.8	1.3	4.8	0	10.2	12.4	5.5	₩.	0·3	6.5	0	0
) 1	18	8.0	9.0	0	10.2	10.7	6.5	12.7	1.4	5.2	9.0	0	1.0
NO	12	0	0	7.3	8.4	13.3	3.1	11.1	2.0	0	8.6	1.0	•
ED	11	0	1.2	8.	8.9	13.9	89	4.9	4.4	9.0	0.8	0	1.2
RECORDED	10	1.0	0	0.5	9.6	13.8 13.4 14.8	4 5	9.0	9.0	9.8	9.0	0	•
00	6	0	6.5	1.8	9.9	18.4	ဆ	0	5. 7.	0	7.5	0.2	•
RE	8	1.6	•	0	1:		8.8	1.6	4.5	2.7	4.8	6.3	•
<b>ਸ</b>	2	0	1.8	0	3.5	9.4	1.4	5.5	8.7	3.4	0	0	0
SUNSHINE	9	0	0.1	0	4 4	14.0	₹.5°	10.8	10.2	0	0	4.8	0
NSF	ð	0	0.5	3.7	5.5	10.2	8.6	13.6	3.0	0	4.3	8.5	•
SUI	4	0	0	4.2	0	4.0	3.3	9.0	9.0	0.1	0.5	5.4	0
OF (	အ	0	0	3.7	1.2	5.5	1.8	5	30.	8.0	0·4	6.8	4.0
l i	8	0	0	0.1	9.6	0.1	4.9	7.4	1.2	<b>7:</b> 0	0	8.0	0
JN	1.	0	0	4.5	2.9	7.3	10.8	5.8	9.5	5.4	0	1.8	•
101			•		•	•		•	•	•	•		•
A	mi	٠	•	•	•	•	•	•	•	•	•	•	•
	Month.		٠ ٨	•	•	•	•	•	•	er.	•	er.	er -
TOTAL AMOUNT	Zi.	January	February	March	April	May	June	July	August	September-	October	November	December

Per centage each month.	9.6	11.7	26.2	40.1	49.6	42.6	38.5	25.6	16.7	24.8	8.23.8	7.2
Monthly Total.	24.6	83.8	0.96	166-6	239.0	210.6	191.1	114.7	65.9	81.8	0.09	17.8
31	0	0	<b>₹.</b> 0	0	7.4	0	<b>6.4</b>	0	0	9.0	0	0
80	0	0	9.8	₹.8	4.8		1.2	8.8	e. 9	8.9	8.7	0
29	3.5	0	2.6	3.5	4.3	7.8	1.6	1.8	1.8	2.0	2.1	•
28	5.5	<b>7.</b> 0	4.9	9.9	9.4	0.11	10.7	0.5	8. 8.	1.4	0	0.9
27	0	0	2.8	1.5	0.6	8.0	ဇာ	0.0	0.0	0	0.1	8.8
26	0	3.5	3.0	6.1	0.2	11.7	3.7	2.2	0	8.0	5.0	0
35	0	0	9.0	6.9	8.9	တ္	0.3	9.9	9.0	0	0	0.5
24	0	4.0	2.7	8.6	9.9	7.6	0.5	5.4	2.1	2.0	•	0
23	0	8.8	4.2	9.9	9.6	0.0	7.4	6.0	0.5	3.8	0	0
22	3.5	2.2	8.0	4.2	0	2.51	0.2	1.5	0.5	7.0	0	0
21	0	8.2	9.9	<b>6.4</b>	9.2		2.9	8.9	8.1	7.0	0	1.5
20	0	0	4.0	6.0	8.9	4.7	11.7	1.5	8.	9.2	3.7	- - -
19	4.5	8.0	0	5.0	0.6	12.3	11.8	3.9	1.1	0	8.6	4.9
18	2.8	0	1.2	10.9	2.3	11.4	0.4	8.5	1.3	6.0	2.0	1:1
	,	•	•	•	•	,	•	•	•			,
Month.	January -	February -	March -	April -	May .	June -	July	August -	September	October .	November	December -
	18 19 20 21 22 23 24 25 26 27 28 29 80 31 Monthly Total.	NTH. 18 19 20 21 22 28 24 26 27 28 29 30 31 Monthly Total.	TH. 18 19 20 21 22 23 24 25 26 27 28 29 39 31 Monthly 2.8 4.5 0 0.8 0 2.8 2.2 8.8 4.0 0 3.5 0 0.4 0 0 8 0 0 83.8	TH. 18 19 20 21 22 28 24 25 26 27 28 29 80 31 Monthly Total.  2.8 4.5 0 0.8 0 2.8 2.2 8.8 4.0 0 8.5 0 0.4 0 0.8 0 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8	Month. 18 19 20 21 22 28 24 26 26 27 28 29 80 31 Total.  Ty 2.8 4.5 0 0.8 2.2 8.8 4.0 0 3.5 0 0.4 0.0 0.4 0.0 0.4 0.0 0.8 3.8 8.0 0.4 0.0 0.4 0.0 0.4 0.0 0.0 0.0 0.0 0	Month. 18 19 20 21 22 28 24 25 26 27 28 29 39 31 Monthly Lotal.  Ly 2.8 4.5 0 0.8 22 8.8 4.0 0 8.5 0 0.4 0 8.7 8.9 8.7 8.8 8.0 1 1.5	Month.         18         18         19         20         21         22         24         26         26         27         28         29         80         31         Monthly Total.           uy         -         2.8         4.5         0         3.2         0         0         0         6.5         2.2         0         0         0         6.5         2.2         0         0         0         0         6.5         2.2         0         0         0         0         6.5         2.2         0         0         0         0.4         0         0         2.4         0         0         0         0.4         0         0         0         0         0.4         0 </td <td>Month.         18         19         20         21         22         26         26         26         27         28         29         80         31         Monthl. Total.           Ly         -</td> <td>Month         18         19         20         21         22         24         26         26         27         28         29         80         31         Monthl.           uy         -         2-8         4-5         0         0         0         0         6-6         6-6         2-2         0         0         2-6         2-7         0         0         0         6-6         6-6         2-7         0         0         0         6-6         6-7         0         0         6-7         6-7         0         0         0         6-7         0</td> <td>H. 18 19 20 21 22 28 24 25 26 27 28 29 29 29 29 30 31 Monthly of the leaf of t</td> <td>TH.         18         19         20         21         22         28         26         26         27         28         29         30         31         Monthly Total.           -</td> <td>TH.         18         19         20         21         23         24         25         26         27         28         29         30         31         Monthly Total.           -         -         2.8         4.6         0         0         0         0         5.6         2.2         0         0         24.6         0         0         0         6.6         6.6         0</td>	Month.         18         19         20         21         22         26         26         26         27         28         29         80         31         Monthl. Total.           Ly         -	Month         18         19         20         21         22         24         26         26         27         28         29         80         31         Monthl.           uy         -         2-8         4-5         0         0         0         0         6-6         6-6         2-2         0         0         2-6         2-7         0         0         0         6-6         6-6         2-7         0         0         0         6-6         6-7         0         0         6-7         6-7         0         0         0         6-7         0	H. 18 19 20 21 22 28 24 25 26 27 28 29 29 29 29 30 31 Monthly of the leaf of t	TH.         18         19         20         21         22         28         26         26         27         28         29         30         31         Monthly Total.           -	TH.         18         19         20         21         23         24         25         26         27         28         29         30         31         Monthly Total.           -         -         2.8         4.6         0         0         0         0         5.6         2.2         0         0         24.6         0         0         0         6.6         6.6         0

MONTHLY	1	ΓA	TABLES	ES	FOR	E.	ЕАСН		HOUR OF	JR	OF		RECORDED	RD	ED		SUNSHINE	HI	NE
Local apparent time.	nt tim	<b>.</b>	4-5	9-9	2-9	8-2	6-8	9-10	9-10 10-11 11-12 12-1	11-12	12-1	1.2	2-8	3.4	4-5	9-9	2-9	8-1	8-9
January		·	0	0	0	0	0	2.0	8.8	20	6.3	0.9	3.2	2	0	0	0	0	0
February			•	0	0	g.0	1.0	5.9	4.0	4.9	9.	4.9	5.0	<b>3.</b> ₹	4.0	0	•	0	0
March -		•	0	0	1.7	5.3	9.6	11.5	10.4	11.2	9.2	6.8	10.1	8.7	6.9	3.8	•	0	0
April -		,	0	0	4.6	10.8	12.5	15.1	15.7	15.5	14.3	16.1	17.2	15.7	16.9	11.1	1.6	0	0
May -			4.0	6.8	12.6	16.8	19.4	20.3	17.3	19.0 19.8		9.61	9.02	17.7	17.4	15.4	12.0	1.8	0
June -		,	6.0	9.9	10.9	128	15.0	9-91	17.71	6-21	19.0	0-81	17-0	16.5	15.4	12.7	10.7	6 7	0
July -	•		8.0	7.2	13.0	12 9	14.5	12.9	13.4	13.4 15.2 15.0	15.0	16.6 14.4	14.4	14.0	13.3	13.6	10.5	8.8	0
August -	•		0	7∙0	3.9	7.4	1.4	9.4	7.2		6.1 11.5	12.5	11.5	13-0	11.5	10.5	3 9	0.3	0
September		•	0	0	0	9.8	7.9	4.5	0.6	9.8	7.8	8.9	64	9.9	4.7	1:1	0	0	0
October		•	0	•	0	1.5	9.9	6.8	6.8	10.3	10.6	11.4	11.3	8.6	<b>ca</b> G:	0	0	0	0
November		•	c	•	•	8.0	1.5	6.0	11.1	11.1 11.8 10.6	9.01	2.6	9.9	3.5	0	0	0	0	0
December	•		0	0	0	0	0	1.7	4.2	5.9	2.1	8.8	8.0	0	0	0	•	0	0
Total			2.1	28.1	46.7	71.4	92.7	109.0	109 0 122 7 128 4 180 8 182 9 126 0 108 5 90 4	128.4	130.8	182.9	126.0	108.5		2.99	88.7	80	0

### OBSERVATIONS OF UPPER CLOUDS (CIRRUS.)

Date. 1896.		G. M. T.	Cloud		Wind.		Direction of Lower
1000.		G. M. 1.	Direction	V'locity (0—6).	Direction.	Force. (0—12)	Clouds
Ianuary	19	10am	sw	2	. wsw	1	
, ,,	20	10am	NW	2	NbW	0	ł
31	29	10am	SW b S	3	WbS	0 -	SWb W
February	7	2pm	WbN	2.	.ssw	2	sw
,,	11	Noon	SEbS	3	WbS	3	W
,,	13	9am	SEbS	2	NEbN	1	NW
,,	14	1-30pm	EbS	2	W	3	W
••	24	9-10am	NЬW	2	КРИ	1	
• • •	26	Noon	N	3	SE	0	
March	5	9am	NWbN	3	wnw	4	w
,,	12	9am	EbS	2	ENE	1	NE
,,	22	9-10am	NbW	2	W	0	S
,,	23	9 15am	NNW	2	SW b W	2	sw
,,	27	10-55am	WNW	2	WNW	5	NW
,,	30	7-45am	NPA	2	NNE	1	
April	2	10am	N	2	N	1	NNE
,,	3	5-20pm	N	3	ENE	1	
,,,	6	4pm	NW	1	W	3 2	W
,,	9 13	9-30am	NbW	2 2	WSW	_	NWbW
,,,	17	9am 6-30pm	NW .	3	NW b W	3	SWbW
,,,	18	10am	WNW	2	ESE	۱ŏ	NW
,,,	24	4pm	NWbW		W	2	SW
,,	27	4-30pm	w	3	₩ъв	4	SWbW
May	5	1-45pm	NW	3	WNW	2	w
_	6	8-30am	NNE	2	ENE	2	. "
",	7	5-45pm	NNW	3	ENE	2	w
,,	8	9-30am	NEbn	2	EbN	2	i ''
,,,	13	10 50am	SE	2	wsw	2	w
,,	16	9-15am	WbN	2	NEDE	0	W
,,	19	7-30am	WbS	3	WNW	2	w
,,	20	Noon	SFbS	3	NbW	5	NW
,,	21	7-30am	NbE	2	NbW	1	NW
٠,,	27	7-15am	SEBE	3	NEBE	1	NE
,,,	28	10-30am	WNW	2	E	1	NE
,,	29	11- <b>4</b> 5am	NW	3	NW	5	w
June	1	5-30pm	NW	8	NNW	0	w
,,	2	9am	w	2	NNE		
,,	6	8-30am	EbS	2	SSE	1	SE
\ ,,	8	4pm	S	3	N	1	NW

### OBSERVATIONS OF UPPER CLOUDS (Continued).

Dat		~ ~ ~	Oloud		Wind	L	Direction
1896	·	G. M. T.	Direction.	V'locity (0—6).	Direction.	Force. (0—12)	of Lower Clouds.
Tune	9	9am	SWbS	2	NE b E	1	NE
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	10	8-30pm	NNW	2	NbW	2	N
"	12	7am	8W	3	NWbW		-
•••	13	7-45am	8	2	NW	ŏ	sw
"	14	9-80am	l. šbw	2	Ebn	ŏ	NW
"	16	Noon	SW b W	8	ESE	2	W
"	18	2pm	sw	8	wbs	3	W
•••	19	4pm	w	8	w	3	Wbs
••	22	9am	NW	3	WNW	2	W
•••	28	Noon	w	3	WNW	4	SW
"	80	5-20pm	NW	2	WNW.	4	W
July	2	Noon	Nwbw	3	w	2	NW
,,	5	10am	NWbW	2	Wbs	3	W
"	6	9am	S	2	w	1	sw
"	7	9am	SbW	2	wsw	ī	SW
"	12	5pm	w	2	WNW	2	W
"	13	8-30am	NW	2	NNE	0	SbE
"	14	2pm	SSE	2	w	2	δW
"	16	3pm	NE	2	NE	ĩ	sw
"	17	5-30pm	NW	2	WbN	1	
"	19	2pm	NW	2	w	3	SE
"	28	2pm	sw	. 3	Wbs	4	sw
August	6	2pm	sw	2	w	3	$\mathbf{w}$
""	9	5pm	sw	3	NE	1	NW
"	10	7-30pm	NE	3	NEBE	1	w
19	11	5pm	NW	2	w	8	w
• • •	12	5pm	NW	8	WbN	8	w
"	15	6-80pm	WbN	3	NW	1	NW
,,	16	9am*	NWbN	2	wsw	2	w
,,	17	5pm	NbW	8	sw b w	1	8
,,	18	3pm	8	2	<b>w</b>	8	W
"	20	7pm	NE	8	SW b W	1	sw
"	24	4 30pm	NW	1	WbS	3	w
Sept.	1	7-30am	ESE	2	NbE	0	NbW
٠,,	1	Noon	E b S	2	NWbN	1	NW
,,	9	4pm	NW	2	ENE	1	NE
,,	10	4pm	NNW	2	ESE	1	NE
,,	15	4pm	wbs	8	8	2	sw
,,	18	9am	w	2	sw ь w	2	8W
,,	18	10am	SW b W	2	wsw	2	SW
,,	18	10 30am	sw	8	wsw	2	SW
,,	23	5-45pm	NW	2	WNW	6	w

### OBSERVATIONS OF UPPER CLOUDS (Continued).

Date 1896		G M.T.	Cloud	l.	Wind		Direction of Lower
1990	·.	G M.T.	Direction.	V'locity (0—6.)	Direction.	Force. (0—12.)	Clouds.
Sept.	24	5-50pm	w	3	8W b W	1	sw
,,	30	Noon	N	8	wsw	1	w
Oct.	7	7am	NW	8	sw	1	sw
99	12	7-30am	NNW	8	N	2	NE
,,	17	8-30am	NEbW	3	NNE	1	
,,	21	8am	NWbW	2	NNE	1	NE
,,	22	8am	NbW	3	SbE	0	sw
,,	26	2pm	WbS	3	NWbN	1	NW
,,	28	9am	NWbW	2	NWbW	0	
,,	28	2pm	NW	2	SW b W	1	NE
,,	29	8-30am	ENE	2	ENE	0	NE
Nov.	2	7-30am	NW	3	NbE	1	
<b>7</b> :	3	8am	WNW	3	NNE	1	NEbn
,,	4	9am	NbW	2	NNW	1	NW
:,	6	10am	N	2	NNE	0	NE
,,	11	4pm	N	2 2 3 2	wsw	2	w sw
,,	17	Noon	NWbN	2	NEbN	0	NE
,,	17	2pm	N	3	NEbN	0	NE
,,	19	Noon	NNW	2	sw ·	1	sw
,,	27	8-80am	E	2	ENE	1	NE
Dec.	1	9-15am	E	3	EbN	2	NE
,,	8	2am	NW	3	SbE	3	8
1,	14	10am	Wbs	2	NbE	0	NE
,,	17	8-30am	sw	2	WNW	1	W
,,	29	9-15am	NWbW	. 2	NWbW	0	

# SUMMARY OF SOLAR OBSERVATIONS.

## Number of days of Observation in each Month.

Solar Spectrum Photographs.	41122 285 285 286 286 167 1	189
Number of Sun Drawings 10¢ inches to diameter.	5 7 16 21 19 19 7 7 8	125
Amount of Sunshine expressed in hours.	24.6 88.8 98.0 166.6 239.0 210.6 191.1 114.7 62.9 60.0	1298-9
Recorded Sunshine.	10 28 28 30 30 30 30 11 11	976
1896.	January February March April May June July September October November December	Totals

November December	2 <del>5</del> .			-						.42			.47	-45		.41			3	<b>2</b>			.48		 	
	9	.39		÷	Ş 	} 				<del>9</del>				.52		.39									0	
October						÷	}		· <b>41</b>	9	<del>,</del>						<b>98</b>	.61	Ġ	80				· <del>1</del> 9	97	4.2
September							.45			.47		_		.32			0	.43			-			.22	-	1
August	-42																			69	3					
July	.73	7.1		<b>%</b>	.40		.65	·51	.92	.34	99.	34	68.	89.		66.	7.	88	Ę	2				.42		
June	<b>88</b> .		.52			68		.67			.45	.49	£3		.44			:	9	69.	}	.42	-	.23		
Мау	.45	67:	3 85 2 85	.35	4 %	8 89	68	.47	.43	.36	.35			.49		÷	.52	.43	ģ	3			.23		Ę	_
April	0ë 4±		99.			99.	88			.87		.39		.73	.84	.53		.87		.49	1		69.	•	44	74
March	.46		.43					69.	.44	07-										<u>e</u>	}			•	94.	200
February						.48	i		.41				-		99.	•		99.	9 ?	ļ.		.52	-			
January					87.	a P							_		.43				99.	;				7.7		
1896.	-8	<b>∞</b> ₹	F 10	91	- α		2	11	12	13	14	,15	16	17	18	19	S :	Z 2	22 6	24.	22	. 98	22	20 6	6 6 7 8	200

A LIGHT OF SELECTION OF A GRAY, THE GREENWICH CIVIL LIME AT WILL THE CLEANING THE MANNER.

\_

10	TOTAL AMOUNT		OF S	U.S	SUNSHINE	IIN	田	RE	RECORDED	RD]	ED	NO	· I	EACH		DAY.	κ.
1 . 2		""		4	20	9	7	æ	6	10	=	12	18	14	16	16	17
0		_	0	0	0	0	0	1.6	0	1.0	0	0	8.0	23 99	2.0	0	0
0		_	0	0	0.5	0.1	1.8	•	6.5	0	1.2	0	9.0	1.3	0	0	0
4.5 0.1 3		60	3.7	4.3	3.7	0	0	0	1.8	9.0	8.8	7.8	0	<b>4</b> ·8	2.1	99	1.9
6.7 9.6 1.		÷	1.2	0	5.2	4 4	3.5	<u>:</u>	œ œ	9.6	8.9	<b>8.4</b>	10.2	0	11.2	8.0	8.8
7.8 0.1 5.2		io		0.2	10.2	14.0	9.4	13.8	13.8 13.4	14.3	13.9	13.3	10.7	10.2	9.0	0	2.2
10.8 4.9 1.8		Ξ	<b>60</b>	5.3	9.8	7.5	1.4	8.8	ထ	4 5	80.80	3.1	8.5	12.4	12.8	8.5	2.4
5.8 7.4 2.6		Š		3.0	13.6	10.8	2.9	1.5	•	0.8	6.2	11.1	13.7	2.9	2.5	14.2	8 4
9.2 1.2 8.5		ë	20	9.0	3.0	10.2	3.7	4.5	5.5 2	0.9	4.4	2.0	1.4	3.4	2.9	10.2	3.6
5.4 0.4 0		0	8.0	0.1	0	0	5.4	2.2	0	3.6	9.0	0	3.5	8.0	8.0	<b>3</b> ·0	2·4
0 0		0	0.4	9.0	4.3	•	0	<b>4</b> ·8	7.2	9.0	8.0	9.8	0.8 8	6.5	2.0	8.8	8 9
1.8 8.0 6.8		9	60	<b>6.4</b>	8.5	4.8	0	6.5	1.0	0	0	5	0	0	1.9	9.0	4. či
0 0		Ò	4	0	•	0	0	0	0	0	1.2	0	1.0	0	0	0	4.2
		i	-		-					-	-					_	

Per centage each month	9.5	11.7	26.2	40.1	49.6	42.6	38.5	35.6	16.7	24.8	22.8	4.2
Monthly Total.	24.6	33.8	0.96	166.6	239.0	210.6	191.1	114.7	6.29	81.8	0-09	17.8
31	0	0	4.0	0	7.4	0	6.4	0	0	9.0	0	0
30	0	0	9.8	4.8	4.8		1.5	8.7	ň. ŵ	8.9	8.7	0.
29	2.2	0	2.6	6.5	4.3	7.3	1.6	1.8	1.8	3.0	2.1	0
28	5.5	<b>7.</b> 0	4.9	9.9	9.4	11.0	10.7	0.5	8.5	1.4	0	e. 0
22	0	0	2.8	1.5	0.6	0.9	မှ	9.0	9.0	•	0.1	အ ထ
26	0	3.5	3.0	6.1	0.2	11.7	3.7	2.7	0	8.0	5.0	0
25	0	0	0.5	6.9	8.9	80	6.0	9.9	9.0	0	0	0.5
24	0	4.0	2.2	6.5	9.9	9.4	0.3	2.9	2.1	2.0	0	0
23	0	8.8	7.4	9.9	6. 6.	9	4.2	0.3	0.5	8.8	0	0
22	3.2	2.2	8.0	4.2	0	12.2	0.2	1.5	0.5	₹.0	0	0
21	0	8.7	8.9	<b>7.9</b>	9.6	9.01	2.9	8.0	8.1	7.0	0	1.5
20	0	0	4.0	6.0	8.	4.7	11.7	1.5	8.5	9. 2	3.7	1.0
19	4.5	8.0	0	2.0	9.0	12.3		9. 9.	1.1	0	အ ဇ	6.4
18	2.8	•	1.2	10.9	<b>64</b>	11.4	€.0	8.3	1.3	6.0	2.0	Ξ
			•	•			•	•	•	,	•	•
Month.	January -	February -	March .	April -	May .	June -	July -	August -	September	October -	November	December -
	18 19 20 21 22 23 24 25 26 27 28 29 30 31 Monthly Total.	NTH. 18 19 20 21 22 28 24 26 27 28 29 30 31	TH. 18 19 20 21 22 23 24 25 26 27 28 29 80 81  - 2 2.8 4.5 0 0 8.2 0 0 0 0 0 5.5 2.2 0 0  - 0 0.8 0 2.8 2.2 8.8 4.0 0 3.5 0 0.4 0 0 0	TH. 18 19 20 21 22 28 24 25 26 27 28 29 30 31  - 28 4.5 0 0 8.2 0 0 0 0 0 5.5 2.2 0 0  - 12 0 0.8 0 2.8 2.2 8.8 4.0 0 3.5 0 0.4 0 0 0  - 12 0 4.0 8.9 0.8 7.4 2.7 0.5 3.0 8.7 4.9 9.7 8.6 0.4	MONTH.         18         19         20         21         22         23         24         26         26         27         28         29         80         81           uy         -         -         2.8         4.5         0         0         0         0         0         0         5.5         2.2         0         0           nary         -         -         1.2         0         4.0         8.8         4.0         0         3.5         0	MONTH.         18         19         20         21         22         23         24         26         26         27         28         29         30         31           ry         -         -         2-8         4-6         0 <td>MONTH.         18         19         20         21         22         23         24         26         26         27         28         29         80         81           ary         -         -         2.8         4.5         0         0         0         0         0         5.5         2.2         0         <td< td=""><td>MONTH.         18         19         20         21         22         23         24         26         26         27         28         29         80         81           Iry         -         28         4.5         0         32         0         0         0         6.5         29         80         81           Iry         -         28         4.5         0         28         20         0         0         6.5         29         0         0         0         6.6         6.7         0<!--</td--><td>MONTH.         18         19         20         21         22         23         24         26         26         27         28         29         30         81           ary         -         -         2.8         4.5         0         0         0         0         5.5         2.2         8.8         4.0         0         5.5         2.2         0         0         0         0         5.5         2.2         0         0         0         5.5         2.2         0         0         0         5.5         0</td><td>MONTH.         18         19         20         21         22         23         24         26         26         27         28         29         80         81           Iny         -         2.8         4.6         0         0         0         0         0         5.6         27         28         29         80         90         0</td><td>MONTH.         18         19         20         21         22         23         24         26         26         27         28         29         30         81           ary         -         2.8         4.5         0         0         0         0         0         5.5         2.2         0         0           h         -         2.8         4.5         0         2.8         2.0         0         0         0.5         5.2         0         0           h         -         -         1.2         0         2.8         2.7         0.5         3.0         0.4         0</td><td>MONTH.         18         19         20         21         22         23         24         26         26         27         28         29         80         81           ary         -         2-8         4-6         0         0         0         0         0         5-6         27         28         80         80         90         0         6-6         6-6         8-7         0         0         0         6-6         6-6         8-7         0         0         0         6-6         8-8         4-0         0         3-6         0</td></td></td<></td>	MONTH.         18         19         20         21         22         23         24         26         26         27         28         29         80         81           ary         -         -         2.8         4.5         0         0         0         0         0         5.5         2.2         0 <td< td=""><td>MONTH.         18         19         20         21         22         23         24         26         26         27         28         29         80         81           Iry         -         28         4.5         0         32         0         0         0         6.5         29         80         81           Iry         -         28         4.5         0         28         20         0         0         6.5         29         0         0         0         6.6         6.7         0<!--</td--><td>MONTH.         18         19         20         21         22         23         24         26         26         27         28         29         30         81           ary         -         -         2.8         4.5         0         0         0         0         5.5         2.2         8.8         4.0         0         5.5         2.2         0         0         0         0         5.5         2.2         0         0         0         5.5         2.2         0         0         0         5.5         0</td><td>MONTH.         18         19         20         21         22         23         24         26         26         27         28         29         80         81           Iny         -         2.8         4.6         0         0         0         0         0         5.6         27         28         29         80         90         0</td><td>MONTH.         18         19         20         21         22         23         24         26         26         27         28         29         30         81           ary         -         2.8         4.5         0         0         0         0         0         5.5         2.2         0         0           h         -         2.8         4.5         0         2.8         2.0         0         0         0.5         5.2         0         0           h         -         -         1.2         0         2.8         2.7         0.5         3.0         0.4         0</td><td>MONTH.         18         19         20         21         22         23         24         26         26         27         28         29         80         81           ary         -         2-8         4-6         0         0         0         0         0         5-6         27         28         80         80         90         0         6-6         6-6         8-7         0         0         0         6-6         6-6         8-7         0         0         0         6-6         8-8         4-0         0         3-6         0</td></td></td<>	MONTH.         18         19         20         21         22         23         24         26         26         27         28         29         80         81           Iry         -         28         4.5         0         32         0         0         0         6.5         29         80         81           Iry         -         28         4.5         0         28         20         0         0         6.5         29         0         0         0         6.6         6.7         0 </td <td>MONTH.         18         19         20         21         22         23         24         26         26         27         28         29         30         81           ary         -         -         2.8         4.5         0         0         0         0         5.5         2.2         8.8         4.0         0         5.5         2.2         0         0         0         0         5.5         2.2         0         0         0         5.5         2.2         0         0         0         5.5         0</td> <td>MONTH.         18         19         20         21         22         23         24         26         26         27         28         29         80         81           Iny         -         2.8         4.6         0         0         0         0         0         5.6         27         28         29         80         90         0</td> <td>MONTH.         18         19         20         21         22         23         24         26         26         27         28         29         30         81           ary         -         2.8         4.5         0         0         0         0         0         5.5         2.2         0         0           h         -         2.8         4.5         0         2.8         2.0         0         0         0.5         5.2         0         0           h         -         -         1.2         0         2.8         2.7         0.5         3.0         0.4         0</td> <td>MONTH.         18         19         20         21         22         23         24         26         26         27         28         29         80         81           ary         -         2-8         4-6         0         0         0         0         0         5-6         27         28         80         80         90         0         6-6         6-6         8-7         0         0         0         6-6         6-6         8-7         0         0         0         6-6         8-8         4-0         0         3-6         0</td>	MONTH.         18         19         20         21         22         23         24         26         26         27         28         29         30         81           ary         -         -         2.8         4.5         0         0         0         0         5.5         2.2         8.8         4.0         0         5.5         2.2         0         0         0         0         5.5         2.2         0         0         0         5.5         2.2         0         0         0         5.5         0	MONTH.         18         19         20         21         22         23         24         26         26         27         28         29         80         81           Iny         -         2.8         4.6         0         0         0         0         0         5.6         27         28         29         80         90         0	MONTH.         18         19         20         21         22         23         24         26         26         27         28         29         30         81           ary         -         2.8         4.5         0         0         0         0         0         5.5         2.2         0         0           h         -         2.8         4.5         0         2.8         2.0         0         0         0.5         5.2         0         0           h         -         -         1.2         0         2.8         2.7         0.5         3.0         0.4         0	MONTH.         18         19         20         21         22         23         24         26         26         27         28         29         80         81           ary         -         2-8         4-6         0         0         0         0         0         5-6         27         28         80         80         90         0         6-6         6-6         8-7         0         0         0         6-6         6-6         8-7         0         0         0         6-6         8-8         4-0         0         3-6         0

						•	38							
NE	6-8	0	0	0	0	0	0	0	0	0	0	0	0	0
HI	7-8	0	•	0	0	1.8	6	8.8	9.9	0	0	0	0	8.8
JNS	2-9	0	0	0	1.6	12.0	10.7	10.5	8 9	0	0	0	0	38.7
Sſ	5-6	0	0	2.8	11.1	15.4	12.7	18.6	10.5	1:1	0	0	•	2.99
ED	4-5	0	7.0	6.9	16.9	17.4	15.4	13.3	11.5	4.7	<b>69</b>	•	0	
FOR EACH HOUR OF RECORDED SUNSHINE	3.4	1.0	3.4	8.7	15.7	20.6 17.7 17.4 15.4	16.5	7.2 13.0 12.9 14.5 12.9 13.4 16.2 16.0 16.6 14.4 14.0 18.3	7.6 7.2 6.1 11.5 12.5 11.5 18.0 11.5	6.5	8.5	30	0	46.7 71.4 92.7 109.0122.7 128.4 180.8 182.9 126.0 108.5 90.4
00	2-3	3.2	5.5	10.1	17.2 15.7	9.02	17.9 19.0 18.0 17.0 16.5	14.4	11.5	6.4	11.3	6.5	3.0	126-0
RE	1-2	6.0	5.4	œ 69	12.5 15.1 15.7 15.5 14.3 16.1	8.9 12.6 16.8 19.4 20.3 17.3 19.0 19.8 19.6	18.0	16.6	12.5	8.	8.9 10.3 10.6 11.4	2.6	8 6.8	182.9
OF	12-1	5.3	80	9.6	14.3	19.8	19.0	15.0	11.5	7.3	10.6	9.01	2.1	130.8
UR	9-10 10-11 11-12 12-1 1-2	5.0	4.9	11.2	15.5	19.0		15.2	6.1	9.8	£.01	5.0 11.1 11.8 10.6	2.9	128.4
HO.	10-11	3.8	4.0	10.4	15.7	17.3	17.7	13.4	7.2	0.6		11:1	4.3	122.7
I	9-10	2.0	5.9	11 .5	15.1	20.3	16.6	12.9	9.2	4.5	6.8		1.7	109.0
AC]	6-8	0	1.0	9.6	12.5	19.4	12 8 15 0 16 6	14.5	4.2	5.4	6.5	1.5	•	92.7
ㅈ 퍼	7-8	0	9.0	5.3	10.8	16.8	12 8	12 9	1.4	3.6	1.5	9.8	0	71.4
F0]	2-9	0	•	1.7	4.6	12.6	10.9	13.0	3.0	•	•	•	•	
ES	9-9	0	0	0	0	. 8 •	9.9	7.2	•	•	•	•	0	2.1 28.1
BL	4-5	0	0	0	0	<b>4.</b> 0	6.0	8.0	•	0	•	<u> </u>	•	2.1
TA	Be.		•	•	ı		•	•	•	•	•	•	•	
$\sim$	nt ti			1	٠	•	•	•	•	•	•	•	•	٠,
ΓΉΙ	ppare		Ę	•	•	•	•	•	,	nber	H	per	per	Total
MONTHLY TABLES	Local apparent time.	January	February	March	April	May	June	July	August	September	October	November	December	I
_	<u> </u>	!												

### OBSERVATIONS OF UPPER CLOUDS (CIRRUS.)

Date. 1896.		G. M. T.	Cloud	.	Wind.		Direction of Lower
1000.		G. M. 1.	Direction	V'locity (0—6).	Direction.	Force. (0—12)	Clouds
January	19	10am	sw	2	. wsw	1	
,,	20	10am	NW	2	NbW	0	
,,	29	10am	SW b S	3	WbS	0 .	SWb W
February	7	2pm	WbN	2	.ssw	2	sw
,,	11	Noon	SEbS	3	WbS	3	W
,,	13	9am	SEbS	2	NEbN	1	NW
,,	14	1-30pm	Ebs	2	W	3	W
12	24	9-10am	NbW	2	КbN	1	
••	26	Noon	N	8	SE	0	
March	5	9am	NWbN	3	wnw	4	w
,,	12	9am	EbS	2	ENE	1	NE
,,	22	9-10am	NbW	2	W	0	S
,,	23	9 15am	NNW	2	SW b W		sw
,,	27	10-55am	WNW	2	WNW	5	NW
,,	30	7-45am	NbW	2	NNE	1	1
April	2	10am	N	2	N	1	NNE
٠,,	3	5-20pm	N	3	ENE	1	ł
,,	6	4pm	NW	1	w	3	W
,,	9	9-30am	NbW	2	wsw	2	W
91	13	9am	NW	2	NWbW		MMPM
,,	17	6-30pm	w	3	w	3	SWbW
,,	18	10am	WNW	2	ESE	0	NW
,,	24	4pm	NWbW	2	W	2	SW
,,	27	4-30pm	w	3	Wbs	4	swbw
May	5	1-45pm	NW	3	WNW	2	w
,,	6	8-30am	NNE	2	ENE	2	
3,9	7	5-45pm	NNW	3	ENE	2	W
,,	8	9-30am	NEbn	2	EbN	2	
,,	13	10 50am	SE	2	wsw	2	W
,,	16	9-15am	WbN	2	NEbE	0	W
٠,,	19	7-30am	WbS	3	WNW	2	W
,,	20	Noon	SFbS	8	NbW	5	NW
,,	21	7-30am	NbE	2	NbW	1	NW
,,	27	7-15am	SEbE	3	NEBE	1	NE
,,	28	10-30am	WNW	2	E	1	NE
,,	29	11- <b>4</b> 5am	NW	3	NW	5	w
June	1	5-30pm	NW	8	NNW	0	w
,,	2	9am	W	2	NNE		
,,	6	8-30am	EbS	2	SSE	1	SE
,,	8	4pm	l s	3	N	1	NW

### OBSERVATIONS OF UPPER CLOUDS (Continued).

Dat			Cloud	l <b>.</b>	Wind	L	Direction
1896	<b>I.</b>	G. M. T.	Direction.	V'locity (0—6).	Direction.	Force. (0—12)	of Lower Clouds.
Tune	9	9am	SWbS	2	NEbE	1	NE
, ,,	10	8-30pm	NNW	2	NbW	2	N
11	12	7am	8W	8	NWbW	0	
"	13	7-45am	8.	2	NW	0	SW
,,	14	9-80am	. sbw	2	EbN	0	NW
**	16	Noon	SWbW	8	ESE	2	w
"	18	2pm	SW	3	wbs	3	W
•,	19	4pm	W	3	W	3	w bs
,.	22	9am	NW	3	WNW	2	W
••	28	Noon	W	3	WNW	4	SW
,,	80	5-20pm	NW	2	WNW.	4	W
uly	2	Noon	NWbW	3	w	2	NW
٠,,	5	10am	NWbW	2	wьs	3	W
,,	6	9am	8	2	w	1	$\mathbf{sw}$
,,	7	9am	SbW	2	wsw	1	SW
,,	12	5pm	w	2	WNW	2	$\mathbf{w}$
,,	13	8-30am	NW	2	NNE	0	SbE
,,	14	2pm	SSE	2	w	2	Wa
,,	16	3pm	NE	2	NE	1	sw
,,	17	5-30pm	NW	2	WbN	1	
,,	19	2pm	NW	2	w	3	SE
"	23	2pm	sw	. 3	Wbs	4	sw
ugust	6	2pm	sw	2	w	3	w
٠,,	9	5pm	sw	3	NE	1	NW
,,	10	7-30pm	NE	3	NEPE	1	w
,,	11	5pm	NW	2	w	3	w
.,	12	5pm	NW	8	WbN	3	w
,,	15	6-80pm	WbN	3	NW	1	NW
,,	16	9am	NWbN	2	wsw	2	w
"	17	5pm	NbW	3	SW b W	1	8
"	18	3pm	S	2	w	3	W
,,	20	7pm	NE	8	SW b W	1 1	sw
"	24	4 30pm	NW	1	WbS	3	w
Sept.	1	7-30am	ESE	2	NbE	0	Nьw
٠,,	1	Noon	Ebs	2	NWbN	1	NW
,,	9	4pm	NW	2	ENE	1	NE
"	10	4pm	NNW	2 2	ESE	1	NE ;
"	15	4pm	WbS	3	s	2	SW i
**	18	9am	w	2 2	sw bw	2	SW
"	18	10am	swьw	2	wsw	2	sw
,,	18	10 30am	sw	3	wsw	2	SW
,,	23	5-45pm	NW	2	WNW	6	w

# OBSERVATIONS OF UPPER CLOUDS (Continued).

Date. 1896.		G M.T.	Cloud	l.	Wind	l.	Direction of Lower
1000		G M.1.	Direction.	V'locity (0—6.)	Direction.	Force. (0—12.)	Clouds.
Sept.	24	5-50pm	w	3	8W b W	1	sw
• ,,	30	Noon	N	8	wsw	1	w
Oct.	7	7am	NW	8	sw	1	sw
,,	12	7-30am	NNW	8	N	2	NE
,,	17	8-30am	NEbW	8	NNE	1	
,,	21	8am	NWbW	2	NNE	1	NE
,,	22	8am	NbW	3	SbE	0	sw
,,	26	2pm	WbS	3	NWbN	1	$\mathbf{N}\mathbf{W}$
,,	28	9am	NWbW	2	NWbW	0	
,,	28	2pm	NW	2	SW b W	1	NE
"	29	8-30am	ENE	2	ENE	0	NE
Nov.	2	7-30am	NW	3	NbE	1	
9:	3	8am	WNW	3	NNE	1 1	NEbi
,,	4	9am	NbW	2	NNW	ī	NW
:,	6	10am	N	2	NNE	0	NE
,,	11	4pm	N	2 2	wsw	2	wsw
,,	17	Noon	NWbN	2	NEbN	ō	NE
,,	17	2pm	N	3	NEbN	Ŏ	NE
,,	19	Noon	NNW	2	sw	i	SW
,,	27	8-30am	E	2	ENE	1	NE
Dec.	1	9-15am	E	3	EbN	2	NE
,,	8	2am	NW	3	SbE	8	8
"	14	10am	Wbs	2	NbE	Ō	NE
,,	17	8-30am	sw	2	WNW	i	W
,,	29	9-15am	NWbW	. 2	NWbW	ō	

#### OBSERVATIONS OF EARTH-MAGNETISM.

ABSOLUTE measures of Horizontal Magnetic Force have been made once each month, by the method of Vibration and Deflection.

In these observations the same Magnet has been employed from the beginning of the series in March. 1863. The weight of the Magnet with its stirrup is 825 grains, and its length 3.94 inches nearly. Its moment of inertia, measured by the method of vibrations, with and without a known increase of the moment, is 5.27303 to the English foot—second—grain units, at the temperature 35° Fahr., and its rate of increase is 0 00073 for increase of 10°

The temperature corrections have been obtained from the formula  $q(t^o-32^o)+q'(t^o-32^o)$ 2, where  $t^o$  is the observed temperature and 32° Fahr. the adopted standard temperature. The values of the co-efficient q and q' are respectively 0.0001128 and 0.000000486.

The induction co-efficient  $\mu$  is 0.000244.

The correction for error of graduation of the Deflection bar at 1.0 foot is + 0.00004ft. at 1.3 + 0.000064 ft.

The observed times of vibration are entered in the Table without corrections.

The time of one vibration has been obtained each month from the mean of twelve determinations of the time of 100 vibrations.

The angles of deflection are each the mean of two sets or readings.

In deducing from these observations the ratio and product of the magnetic moment m of the magnet, and the earth's horizontal magnetic intensity X, the induction and temperature corrections have always been applied, and the observed time of vibration has been corrected for the effect of torsion of the suspending thread; but no correction has been required for the rate of the chronometer, or for the arc of vibration, the former having been always under 1-5s and the latter never over 50'.

The average deflection of the magnet caused by a twist of the torsion circle through 90° has been about 12'.2 of arc.

In the calculations of the ratio—, the third and subsequent X

The value of the constant P was found to be-0.00055.

The Vertical and Total Forces are deduced from the measures of the Horizontal Force, and the Angle of Inclination or Dip.

All the computations are in English foot—second—grain units; and in the final table the results are given also in C. G. S units, in parallel columns.

The Dip, or angle between the direction of total force, and that of its horizontal component, has been measured with Barrow's Circle, once each month by two needles, always when possible on the days of vibration and deflection observations.

The Declination has been observed at the beginning of each week, usually on Mondays at 4 p.m and is quoted as the angle between the horizontal direction of force and the Astronomical Meridian, measured from the North Point.

The Differential Instruments, or Photo Magnetographs, are of the same pattern as those at the Kew Observatory, except that the radial distances between the centres of the magnets and the surfaces of the respective cylinders are shorter, and the clock is not provided with an automatic light-cut-off, for the time scale. The "cut-offs" are made by hand at the hours 0, 2, 20, and 22 of the astronomical day, to furnish two time marks at each end of the day's curves, the changes being made between 10-30 and 11 a.m., civil time.

The scale value of the Bifilar horizontal force torsion balance, has remained very constant at 0 00051 C. G. S. for one centemetre, during the last five years

The scale value of the Unifilar Declination Magnet is  $11^{\prime}.28$  arc per centimetre.

The corrections for diurnal range, employed in the tables, are taken from the Kew Reports 1891-95.

1896	G.M.	T.	WE	ST D	ECLINATION	l	M	GNETI	c D	IP.	
Монтн	Civil 1	Day		ons.	Monthly Mean.	Needle	I	DIP.	1	M.T.	
	D. H.	M.	•		0 1		-	,	-		_
	6 16	10	18	29 7	1			•	Ð.	н. м	•
Jan.	13 16	8	18	<b>31</b> · <b>2</b>	18 31.9	1	68	55.3	20	11 4	R
Jun.	20 16	0	18	<b>33·7</b>	10 01 3	3	69	3.4	1	12 1	
	27 16	0	18	<b>33 ·</b> 0	)	İ		• •	"	12 1	,
	4 16	0	18	37-0	١				1	•	
	10 16	0	18	<b>2</b> 8·9	18 33.5	1	68	56.1	25	15 4	3
Feb.	17 16	0	18	33 7	10 30 0	3	69	2.1	1	16 2	
	24 16	0	18	34 4	)				"	10 2	۰
	2 16	0	18	34.2							
March	9 16	0	18	34.7	1)	١.			1		
	16 16	0	18	31.2	18 34.5	1	68	<b>54·1</b>	20	10 8	55
	26 16	0	18	36.5		3	69	2.6	١,,	11 :	28
•	30 16	0	18	36 1	)						
	6 16	0	18	33.4	,						
April	13 16	0	18	33· <b>4</b>		1		<b>FO</b> 4			_
<b>-</b>	20 16	0	18	35.4	18 33.9	3	68	53.4	15	15	
	27 16	0	18	<b>3</b> 3 · <b>2</b>	)		69	1.9	,,	16	2
	4 16	0	18	83.7	ĺ						
	11 16	0	18	38.1	10 04.0	1	68	<b>50.0</b>	1.0	1.	
May	18 16	0	18	34.2	18 34.3	3	1	53.8		11	_
	25 16	0	18	31.1		·	68	58 <b>-6</b>	"	11	4
	1 16	0	18	30.4	ľ				1		
June	8 16	0	18	34 • 4	18 32.0	1	68	53.8	12	10	9
	15 16	0	18	31.8	10 52-0	3	69	0.0	1		
	23 16	0	18	<b>31·7</b>	)		09	UU	,,	11	1
	6 16	0	18	83.4	<b>\</b>						
July	13 16	0	18	33.3		1	68	53.8	15	11	,
	20 16	0	18	<b>26</b> · <b>2</b>	18 81.6	8	68	58-6			
	27 18	0	18	88.5		l	1 30	00.0	"	11	•

#### OBSERVATIONS OF DECLINATION AND DIP.

#### (Continued.)

1896	G.M.T.	WEST DECLINATI	MAGNETIC DIP.
Монтн	Civil Day	Cobserva- Month tions. Mean	
	D. H. M.	. , . ,	, о , р. н. м.
Aug.	3 16 0 10 16 0 17 16 0 24 16 0	18 31·1 18 30·3 18 30·0	0·8   1   68 58·4   26 11 0   69 1 9   ,. 11 30
Sept.	1 16 0 7 16 5 14 16 0 21 16 5 28 16 0	18 29·6 / 18 26·9   18 28·3   18 29·6   18 33·5   18 30·4	9·7 1 68 52 9 17 11 30 3 69 2·1 , 12 23
Oct.	5 16 5 12 16 0 20 16 0 26 16 5	18 30·6 18 27·5 18 26·8 18 27·9	8·2 1 68 52·5 19 8 5 68 59 8 ., 8 35
Nov.	2 16 0 9 16 0 16 16 5 23 16 0 30 16 0	18 29·0 18 26·8 18 33·2 18 24·1 18 27·5	8 1 8 1 68 57 6 17 11 23 69 1.5 ,, 11 50
Dec.	7 16 0 14 16 0 21 16 15 29 16 0	18 23·7 18 28·2 18 27·2 18 25·2	6 1 8 68 57 5 14 11 15 68 59 5 ,, 11 45
Yearly Mean		18 31	68 57.7

# OBSERVATIONS OF VIBRATIONS AND DEFLECTIONS FOR ABSOLUTE MEASURE OF MAGNETIC FORCE.

1896 Month.		M.		Temp.	Time of one vibration	G. M. T.	Temp.	Observed Deflection at 1.0 ft. at 1.3 ft.	Value of m
	D.	н.	м.	•		D. H. M.	0	0 /	
Jan.	20	9	49	42.5	5.9854	$20  \left\{ \begin{matrix} 10 & 45 \\ 10 & 44 \end{matrix} \right.$	42·0 42·0	12 2·0 5 27·0	0.38897
Feb.	25	9	56	34.0	5.9707	25 {\begin{subarray}{c} 11 & 50 \\ 11 & 49 \end{subarray}}	35·0 35·0	12 1·1 5 26·6	0.38891
Mar.	18	9	26	41.8	5.9793	$18  \Big\{ \begin{matrix} 10 & 40 \\ 10 & 44 \end{matrix} \Big\}$	44·0 44·0	12 0·3 5 26·3	0.38874
Apr.	15	10	7	45.5	5 9788	15 \bigg\{ \bigg\{ 10 & 13 \\ 10 & 19 \end{array} \}	47·6 47·8	11 59·2 5 25·6	0.38858
May	16	9	18	52.6	5.9805	$16  \left\{ \begin{matrix} 10 & 14 \\ 10 & 14 \end{matrix} \right.$	56·0 56·0	11 59·7 5 25·5	0.38900
June	15	8	20	63 · 2	5 9886	$15 \left\{ \begin{array}{l} 9 & 41 \\ 9 & 43 \end{array} \right.$	68 2 68·4	11 58·9 5 25·1	0.38915
July	15	9	33	63 0	5 986 <b>4</b>	$15  \left\{ \begin{matrix} 10 & 23 \\ 10 & 32 \end{matrix} \right.$	64·0 64·0	11 59 0 5 25·1	0.38914
Aug.	26	8	40	51.1	5.9839	$26  \left\{ \begin{matrix} 10 & 0 \\ 9 & 58 \end{matrix} \right.$	53·0 53·0	11 59·0 5 25·8	0.38863
Sept.	17	9	20	<b>59·1</b>	5-9918	$17  \left\{ \begin{matrix} 10 & 14 \\ 10 & 15 \end{matrix} \right.$	60·5 60·9	11 59·6 5 25·8	0.38880
O&.	17	10	57	55.3	5.9867	$17  \left\{ \begin{matrix} 11 & 47 \\ 11 & 45 \end{matrix} \right.$	56·0 56·0	11 58·1 5 25·5	0.38851
Nov.	17	9	20	<b>4</b> 0·0	5.9765	17 \( \begin{pmatrix} 10 & 33 \\ 10 & 34 \end{pmatrix}	43 0 43 0	11 57·0 5 24 8	0.38795
Dec.	14	9	80	89.0	5 9844	$14  \begin{cases} 10  20 \\ 10  20 \end{cases}$	39·5 39·7	11 57·9 5 24·8	0.38762

#### MAGNETIC INTENSITY.

BF	RITISH	UNITS		C. 0	G. S. UN	ITS.
1896	Horizon- tal force.	Vertical force.	Total Force.	Horizontal Force.	Vertical Force.	Total Force.
Jan	3.7246	9.6974	10.3880	0.1717	0.4471	0.4790
Feb	3.7324	9.7161	10.4084	0·1721	0.4480	0.4799
Mar	3.7302	9.7036	10.3959	<b>0</b> ·1720	0.4474	0.4793
April	3.7325	9.7036	10.3966	0·1721	0.4474	0.4794
May	3.7301	9.6853	10 3787	0.1720	0.4466	0.4785
June	3.7283	9.6864	10 <sup>.</sup> 3792	0·1719	0.4466	0.4786
July	3 · 7303	9.6857	10.8792	0.1720	0.4466	0.4786
Aug	3.7301	9.6978	10.8900	0.1720	0.4471	0·4791
Sept	3.7249	9.6828	10 <sup>.</sup> 8746	0.1718	0.4465	0.4784
oa	3·7313	9.6882	10.3818	0·1720	0.4467	0.4788
Nov	3.7397	9.7385	10.4318	0.1724	0 4490	0.4810
Dec	3·7350	9.7172	10 4102	0·1722	0.4480	0.4800
Means	3.7308	9.7002	10.3929	0.1720	0.4478	0.4792
l	<u>'                                      </u>	<u>'</u>		<u> </u>		

DIRECTION.	
MAGNETIC	
HORIZONTAL	
ė	

Horizontal Magnetic Direction, west of north, (from daily measures of the continuous curves.)

	Mean of the highest daily	Mean of the lowest dally	Means of a and b.	Means of daily readings	Differences	Difference of a and b, or or	Highest reading of the	Lowest reading of the	Monthly range.
	(a)	(6)	(0)	(4)	<b>d</b> -c.	range.			
1896.		18,	18°+				18,	18°+	
			,		•	•	,	-	•
January		14.4	23.9	27.5	3.6	0.61	6.07	9.7	46.5
February	34.8	14.6	24.7	27.1	2.4	20.5	46.7	9.9	£8·8
March		50.6	30.0	808	8.0	18.7	49.0	3.9	45.1
April		22.3	6.08	31.4	0.5	17.1	46.4	7.11	3 <del>4</del> .0
May	38.3	22.0	30.5	31.1	6.0	16.8	0.99	8.5	63.2
June		22.5	29.1	29.6	99	13.1	48.4	6.8	84.6
July	86.3	21.7	29.0	29.6	9.0	14.6	48.7	14.4	29.8
August	36.2	20.2	28.5	58.9	<b>7</b> ·0	16.0	<b>7.2</b>	104	87.0
September	36.2	19.7	28.0	282	0.5	16.5	48.7	9.6	58.8
October	82.8	80.8	28.4	28.6	0.5	14.9	50.4	2.4	45.0
November	82.5	20.3	26 4	27.7	1.8	12.2	<b>4</b> 0 9	- 2:1	48.0
December	32.5	19.2	26·0	27.8	æ.	13.0	<del>4</del> 0.9	-22.6	98.5
Means	82.9	19.9	27.9	29.0	1:1	16.0	0.24	100	46.0
Cor	Correction for diurnal range	liurnal rang	g.	<u>ه</u> ا					
Mea	Mean for the year	ar		18° 28' ·7					

Mean of the   Mean of the   Means	Hori:	HORIZONTAL Horizontal Magnetic Force in C. G. S. The figures in the columns	HORIZONTAL agnetic Force in C. G. She figures in the colum		HORIZONTAL MAGNETIC FOR dagnetic Force in C. G. S. units (from daily measures of The figures in the columns are entered to the unit 10	ETIC daily r	~ 47	CE. the contir	uous curve	s;
17000 +   1700	1896.	Mean of the highest daily readings.	Mean of the readings.	Means of a and b.	Means of daily readings	Differ- ences	Differences of a and b or Mean daily Range.	Highest reading of the Month.	Lowest reading of the Month.	Monthly Range.
257         181         219         225         6         76         820           270         187         229         227         —2         83         337           266         191         229         227         —2         83         387           272         191         229         226         6         75         317           278         172         223         231         8         101         471           269         196         224         225         1         88         419           260         168         204         226         12         88         419           250         168         204         216         12         88         419           251         168         204         216         12         87         801           246         204         225         227         2         42         268           250         184         222         227         2         42         268           260         184         222         227         5         76         344           Acarection for diurnal range         —				+			+0	170	+00	+0
270   187   229   227   -2   88   337     286   191   229   236   6   75   317     272   191   229   236   6   75   317     288   192   238   293   7   81   851     269   196   224   225   1   88   419     250   168   207   220   18   87   801     245   196   222   226   4   47     245   196   222   226   4   47     246   204   225   227   2   42   268     - 260   184   222   227   5   76   344     Correction for diurnal range   -4   -4   -4     Mean Horizontal Force for the year   0.17223 C.G. S. units.	January -	257	181	219	225	9	92	320	129	161
- 266	February	270	187	229	227	-2	83	337	136	201
272 191 282 289 7 81 851	March -	566	191	229	235	9	75	317	101	216
172   223   231   8   101   471   256   136   238   238   0   73   387   256   136   224   225   1   88   419   419   250   168   207   220   13   87   301   245   198   222   227   246   24	April .	272	191	232	239	1	81	351	159	192
269 196 288 288 0 78 887  268 180 224 225 1 88 419  27 250 18 87 801  27 250 18 88 419  27 250 18 88 419  27 250 18 88 81  28 207 220 28 87  29 25 226 4 47  29 204 225 227 226  4 47 271  Correction for diurnal range   Correction for diurnal range  Mean Horizontal Force for the year 0.17223 CG.S. units.	May -	273	172	223	231	00	101	471	-14	485
- 268 180 224 225 1 88 419 - 250 163 207 220 13 87 801 - 250 168 204 216 12 92 340 - 245 198 222 226 4 47 271 - 246 204 225 227 226 4 47 271 - 260 184 222 227 226 344  - 260 184 222 227 5 344  Correction for diurnal range ————————————————————————————————————	lune	569	196	233	233	0	73	387	174	213
250         163         207         220         18         87         801           251         186         294         216         12         92         340           17         245         196         226         4         47         271           16         204         225         227         22         42         268           17         260         184         22         227         5         76         344           18         222         227         5         76         344           18         222         227         5         76         344           18         222         227         5         76         344           18         222         227         5         76         344           18         222         227         5         76         344	July .	268	180	224	225	1	88	419	151	268
250         158         204         216         12         92         340           11         251         186         218         220         2         66         858           11         246         204         222         227         4         47         271           11         204         225         227         2         42         268           12         260         184         222         227         5         76         344           12         344         222         227         5         76         344           12         344         447         242         242         242         243           12         344         222         227         5         76         344           12         344         447         447         447         447         448           12         344         344         344         447         447         448         448           12         344         344         344         344         448         448         448         448         448         448         448         448         448         448	August -	250	163	202	220	13	87	801	91	210
Der - 251   185   218   220   2 66   353	September	250	158	204	216	12	92	340	-49	389
ber - 245 198 222 226 4 47 271  ber - 246 204 225 227 227 227 268  - 260 184 222 227 242 42 268  - 260 184 222 227 227 3 42 268  - 260 184 222 227 3 42 268  - 4 47 271  - 260 344  Correction for diurnal range — 4  Mean Horizontal Force for the year 0.17223 CG.S. units.	October -	251	185	218	220	2	99	353	139	214
Der . 246 204 225 227 2 42 268  260 184 222 227 5 76 344  Correction for diurnal range —4  Mean Horizontal Force for the year 0.17223 CG.S. units.	November	245	198	222	526	4	47	271	131	140
Correction for diurnal range — 4	December	246	204	225	227	67	43	268	121	147
- 1	Means -	260	181	222	227	10	92	344	106	238
1	သိ	rrection for div	urnal range	_	7					
	Me	an Horizontal	Force for	the year	0.17223 CG	S. units.				

#### DATES OF MAGNETIC DISTURBANCES, 1896.

The disturbances are divided generally into three classes, small, moderate, and greater; these are indicated by the initial letters of the classes, and the letter c denotes calm. Very great disturbances are marked vg. The days are reckoned astronomically from noon to noon. The asterisk signifies that the record was partly or wholly lost, according as it stands with or without an initial letter.

Month.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Day 1 2 3 4 5 6 6 7 8 9	С	m	s	s	s	С	s	m	С	m	С	s
2	m	m	S	S	vg vg	C	С	m	S	s	C	С
3	m	m	S	S	vg	S	m	m	m	S	C	m
4	m	m	g	S	S	S	m	S	s	S	S	m
5	m	S	S	S	S	s	m	C	S	s	m	
6	m	S	m	С	s	S	m	m	S	s	m	5
7	m	- s	m	C	S	S	m*		s	C	m	١ (
8	S	S	S	S	S	m	s	m	S	m	m	C
9	m	S	S	S	S	m	С	m	s	m	m	۱ ۹
10	S	S	S	S	s	s	s	s *	S	m	S	S
11	s	s	s	S	S	S	m	*	S	g	С	S
12	s	S	m	S	m	S	S	s	s	g	s*	\$
10 11 12 13 14 15 16 17 18	s	m	m·	С	S	S	S	S	S	m	C	m
14	s	m	S	S	S	m	S	C	S	S	s	5
15	S	S	s	S	S	C	s	S	S	s	S	m
16	S	S	S	С	S	m	S	С	S	S	S	•
17	m	s	С	S	m	s	S	m	vg	C	S	
18	S	S	С	S	m	s	S	S	vg	s	S	(
19	m	S	С	С	m	s	S	S	s	s	s	(
20 21	m	С	s	s	m	S	S	m	m	S	S	(
21	s	8	S	m	m	s	С	s	S	S	S	(
22	S	S	s	m	m	S	S	s	S	s	С	١ (
23	s	S	С	m	m	С	m	S	S	s	С	(
22 23 24 25 26	С	s	s	m	s	С	m	S	S	S	С	(
25	S	S	S	m	s	S	m	s	S	S	С	S
26	S	m	m	S	s	S	S	s	S	С	s	s
27	s	m	m	S	C	S	S	С	s	С	S	m
28	C	g	m	S	C	S	С	С	s	С	s	S
29	S	m	S	С	s	S	S	m	s	S	С	S
30	m		S	s	s	S	s	S	s	S	S	C
81	m		m		С		s	s		С		C
s ( c	3	1	4	6	3	5	4	15 15	1	6	10	14
in t	16	18	18	19	18	21	18	<u>ĕ</u> 15	25	18	15	12
풍 / m ·		9	8	5	8	4	9	<b>⊳</b> 10	2	5	5	5
H (g vg	0	1	1	0	0	0	18 9 0	1 day lost 0 0 ច្រុ	0	2	0	0
\vg .	0	0	0	0	2	0	0	<b>⊢</b> οΙ	2	0	0	0

#### PRESENTS RECEIVED.

Reduction of Greenwich Meteorological	
Observations, Part III. Tempera-	
ture	Royal Observatory
Greenwich Observations 1898	,,
Greenwich Spectroscopic and Photo-	.,
graphic Results, 1893	••
Hourly Means of the readings obtained	
from the self-recording Instru-	
ments at the Five Observatories	
1891-2	Meteorological Office
Meteorological Observations at Stations	
of the Second Order 1891	,,
Report of the Meteorological Council for	"
the year ending March 1895 -	,,
The Meteorological Record by William	"
Marriott, F.R. Met Soc	"
Report of the Kew Observatory Com-	**
mittee for 1895	Kew Observatory
Quarterly Record of the Royal Botanic	
Society of London 1895-6 -	Royal Botanic Society
Weekly Meteorological Report by E. W.	
Ellerbeck	Scarborough Obervatory
Meteorology of Bradford for 1895 by J.	Commonday Opervatory
M. Landsborough, C.E, F.R.A.S.,	
A. E Preston, C.E. F.R. Met.	
Soc. etc., and H. A. Johnson, C.E.	Bradford Observatory
The Summary of a Meteorological Jour-	Diddioid Observatory
nal kept C. Leeson Prince,	
F.R.A.S., etc	Crowborough Hill Obs.
Results of Astronomical and Meteorologi-	Clowbolough 11111 Obs.
cal Observations made at the	
Radcliffe Observatory, Oxford,	
1888 9, by Edward J. Stone, MA.,	
F.R.S., etc	Radcliffe Observatory
Report of the Visitors of the University	Radeline Observatory
Observatory 1895-6	Oxford University
Observatory 1080-0	Oxidia University

Annual Report of the Observatory Syn-	
dicate 1895	Cambridge Observatory
Report and Results of Observations for	
the year 1895	Southport Observatory
Astronomical Observations and Research-	
es made at Dunsink, the Observa-	
tory of Trinity College, Dublin,	m : :: a !!
(seventh part)	Trinity College
Records of Meteorological Observations	•
1895, taken at the Observatory of	
the Birmingham and Midland	Diania da Otamaria
Institute of Alfred Cresswell	Birmingham Observatory
Meteorological Observations 1895 by	D 1 Observation
Cuthbert E. Peek, M.A., F. S. A, etc.	Rousden Observatory
Monthly Meteorological Report 1896	Ben Nevis Observatory
Edinburgh Circulars	Royal Obs., Edinburgh
Journal of the Scottish Meteorological	Contrict Met Contate
Society, Vol. X.—Nos. X.—XII.	Scottish Met. Society
Forty-third Annual Report of the Com-	
mittee of the Public Libraries.	
Museums and Art Gallery of	C
Liverpool 1895	Committee
Lathe Fittings	Thomas Parkinson
Report of the Medical Officer of Health	Edmand Comment M.D.
1895	Edward Sergeant, M.D.
Quarterly Returns of the Registrar	Bariatura Cananal
General 1895 6	Registrar General
On Meteorology at the Seaside by Surgeon	Author
Major W. G. Black, F.R.M.S The Constitution and Functions of Gases	Author
by Severinus J. Corrigan	
The Radiant Heat from the Moon during	**
the Progress of an Eclipse by the	
Earl of Rosse, K.P., F.R.S., etc	
Dataile of the Total Solar Foliage of	••
Details of the Total So'ar Eclipse of 1896. August 8-9, for Kushiro in	
the Island of Yezo by A. M W.	
Downing	
A very simple and accurate Cathetometer	**
by F. L. O. Wadsworth	
The Modern Spectroscope by the same -	***
The Total Solar Eclipse of August, 1896,	19
by Walter Maunder, F.R.A.S.	
Essay on the Winter Storms on the coast	"
of China by the Rev. S. Chevalier,	
S.J	,,
On the Indefinite Quantitative Relations	"
of the Physical and Chemical	i
Forces by H. Wilde, F.R.S.	,,
On Helium and its place in the Natural	,,
Classification of Elementary	
•	1

	•
Substances by the same	Author
Tyhpoon Highways in the Far East	
(No 1) by D E Louis From S I	
(No. 1) by R. F. Louis Frog. S.J.	"
On the new Gases obtained from Uranite	
by J. Norman Lockyer, C.B.,	
F.R.S.	,,
On the Gases obtained from the Mineral	
Eliasite by the same	,,
On the unknown Lines observed in the	
Spectra of certain minerals by the	
same	,,
On the Variable Stars of the & Cephei	
Class by the same	•
The Total Solar Eclipse of the Sun, April	,,
15th, 1893, Report and Discussion	
of the Observations relating to	
Solar Physics by the same -	,,
Results of Meteorological Observations	
taken in Edinburgh during 1895 by	
R. C. Mossman, F.R.S.E. etc -	,,
Note on a curious light (The Zodiacal	
Light?) as seen at Oxford, March	
4th, 1896, by H. H. Turner, M.A.,	
B.Sc, etc	,,
Some notes of an unsuccessful Eclipse	<i>,,</i>
Expedition by the same	• ,,
Movements of the Earth's Crust by John	**
Milne, F.R.S., F.G.S., etc	
Flexure of Telescopes by Milton	,,
Updegaff	
A Magnetic Survey of the British Isles	,,
for the Epoch, January 1st, 1891,	
by A. W. Rücker, M.A., F R.S.,	
and T. E. Thorpe, D.Sc., L.L.D.,	
	A 4 la
F.R.S., etc	Authors
A Summary of the results of the recent	
Magnetic Survey of Great Britain	
and Ireland by the same	
Knowledge	Editor
The British Journal of Photography -	Editor
Royal Societies Proceedings	Royal Society
Report of the British Association for the	-
advancement of Science 1895 -	British Association
Record of Meteorological and Magnetical	
Observations made at the Mel-	
bourne Observatory and other	
Localities in the Colony of Vic-	
toria under the superintendence	
of R. L. J. Ellery, F.R.S., &c	Melbourne Observatory
Thirtieth Report of the Board of Visitors	
to the Observatory	
	**

Meteorological Observations made at the Adelaide Observatory and other	•
places in South Australia and the Northern Territory, 1891-92-93 Report of M. Tebbutt's Observatory, New	· Adelaide Observatory
South Wales, 1895  Observations and Researches made at the	Tebbutt's Observatory
Hong Kong Observatory, 1895, by W. Doberck Cape Meridian Observations, 1888 89-90-9	<ul> <li>Hong Kong Observatory</li> </ul>
Report of Her Majesty's Astronomer at the Cape of Good Hope, to the	
Secretary of the Admiralty, 1895 Meteorological Observations made at St. Varior's College Coleutte, 1886 95	
Xavier's College, Calcutta, 1886-95 Rainfall in the East Indian Archipelago, 1894	Batavia Observatory
Meteorological and Magnetic Observa- tions, 1894  Daily Meteorological Means, 1796—1890,	,,
by C. Michie Smith, B.Sc., F.R S.E. &c.	Madras Observatory
Magnetical and Meteorological Observa- tions made at the Government	
Observatory, Bombay, 1894-5  Brief Sketch of the Meteorology of the Bombay Presidency, 1895-6	Bombay Observatory
Indian Meteorological Memoirs, 1895-6, by J. Eliot, M.A., &c.	Met. Office, Calcutta
Monthly Weather Review, by the same Report of the Administration of the Meteorological Department of the	<b>,,</b>
Government of India in 1895-6, by the same Indian Weather Review Annual Sum-	**
mary, 1895, by the same Indian Rainfall Data for 1895, by the	**
Annual Tables for the year 1895 (Central Park)	,, New York Observatory
Magnetic Óbservations at the United States Naval Observatory, 1894,	•
by C. C. Marsh, Lieut U. S. Navy Meteorological Observations and Results obtained at the U. S. Naval Ob-	U. S. Naval Observatory
servatory, 1890 Astronomical, Magnetical, and Meteoro-	,,
logical Observations at the U S Naval Observatory, 1890 - Meteors and Sunsets observed by the	1)
Astronomers of the Lick Observa- tory in 1893-94-95	Lick Observatory


Publications of the Leander McCormick Observatory. Nebula of Orion by	
Ormond Stone	Virginia University
Transactions of the Astronomical Obser-	
vatory of Yale University, Vol. I	
Part V	Yale University
Report for the year 1895-6. Presented by	1445 0441101010
the Board of Managers of the	
Observatory of Yale University	•
to the President and Fellows -	
General Meteorological Register for 1895	Met. Office, Toronto
Monthly Weather Review 1895 6 -	Met. Omec. Toronto
Thirteenth Report of the Ohio Climate	**
	Weather Bureau
and Crop Service 1895.6	weather Bureau
Proceedings of the Rochester Academy	Dashartan Acadama
of Sciences 1894-5-6	Rochester Academy
Memoirs of the National Academy of	N
Sciences, Vol VII.	National Academy
Transactions of the Meriden Scientific	
Association, Vol. VII.	The Association
A Magnetic Survey of the Netherlands	
for the Epoch, January 1st, 1891,	
by Dr. Von Rijckevorsel	Inst. Met. des Pays-Bas
Contributions from the Observatory of	
Columbia College, New York, No.	
VIII., Part I.	Columbia Col. Obs.
Photographic Transits of One Hundred	
and Sixty-one Stars at Georgetown	
College Observatory	Georgetown Col. Obs.
Observations Météorologiques Suédoises,	-
publiées par L'Académie Royale	
des Sciences de Suède 1891	L'Académie Royale
Bulletin Mensuel de l'observatoire de	•
Zi-Ka-Wei 1894 5	L'Observatoire
Bulletin des Observations Météorolo-	
giques. Observatoire de St. Louis	
Jersey, par R.P Marc Dechevrens	
8. J	,,
Bulletin Météorologique et Séismique de	<i>,</i> ,
l'observatoire Impérial de Con-	
stantinople 1895-6	••
Annales de l'observatoire Astronomique	**
de Tōko. Université Impériale du	
Japon. Collége des Sciences Tome 1	,,
Bulletin Mensuel de l'observatoire	**
Météorologique de l'université	
de Upsal Année 1895, par Dr. H.	
Hildebrand Hildebrandsson -	
Rapport Annuel sur l'état de l'observa-	**
toire de Paris pour l'année 1895,	
par M F. Tisserand	
Em sie a i a soosteme	"

Annuaire de l'observatoire Municipal de	
Montsouris pour l'année 1897 -	L'observatoire
Observations faites à l'observatoire Mété-	
orologique de l'université Impéri-	
ale de Moscow 1896	,,
Observations Magnétiques faites à l'obser-	• •
vatoire du Pare Saint Maur pen-	
dant l'année 1893 Par M. Th.	
Moureaux	••
Déterminations Magnétiques faites en	**
France pendant l'année 1898 par le	
même	
Observations de l'éclipse totale du soleil	,;
du 16 avril 1893, par M. H. Des-	T 14
landres	L'Auteur
Loi du Rayonnement Solaire par Charles	
Honoré	**
Le Clino-Anémomètre par le R. P. Marc	
Dechevrens, S.J	,,
Mouvements des diverses couches de l'	
atmosphère par le même	1,
Boletin Mensual del Observatorio Meteor-	
ológico Central de México 1895-6	Observatorio
Boletin Mensual Meteorológico v Agri-	
Boletin Mensual Meteorológico y Agri- cola del Observatoris Central del	
Estado de Veracruz Llave 1895-6 -	
Anuario del Observatorio Astronómico	"
Nacional de Tacubaya para el año	
de 1896-7 por Angel Anguiano -	
Boletin del Observatorio Astronómico	**
Nacional de Tacubaya 1895-6 -	
	,,
Observaciones Meteorológicas del Colegio	•
Católico del Sagrado Corazon de	
Jesus Puebla 1895.	,,
Observaciones Meteorólogicas del Colegio	
de San Juan Nepomuceno Saltillo	
Coahuila México 1885-6, par R. P.	
Gustavo Heredia, S. J	11
Boletin del Observatorio Astronómico de	
Quito 1896, por el Teniente Coro-	
nel Augusto N. Martinez	,,,
Resúmen de las Observaciones Meteoro-	
lógicas verificadas en el año 1895-	
1896 por el mismo	• • • • • • • • • • • • • • • • • • • •
Observaciones Magnéticas y Meteorológi-	••
cas de R. C. de Belen en La Habana	
año de 1891 por R. P. Lorenzo	
Gangoiti, S.J	
Boletin Mensual del Observatorio de	"
Manila 1895-6	
Manife 1000-0	11

Anales del Instituto y Observatorio de San Fernando Sección 1ª Obser-	
vaciones Astronómicas Año 1892 - Anales de la Oficina Meteorológica Ar- gentina por su director Gualterio	Observatorio
G. Davis. Tomo X Boletin Mensual, 1896, Observatorio	91
Meteorológico y Vulcanológico del Seminario de Colima, Mexico	27
Observaciones Meteorológicas hechas en el Colegio Maximo de la Com- pañia de Jesus en Oña, Provincia	,,
de Burgos	11
Investigaciones relativas á la Circulacion	
y Traslacion Ciclónica en los	
Huracanes de las Antillas, por R. P. Benito Viñes, S.J	Autor
Nuevo Zenital Reflector y Prismas	Autor
Zenitales por Felipe Valle	.,
La Coronóide por el Dr. Alberto Sanchez	"
Numerosas Determinaciones de Latitud	
por El Conde de Cañete del Pinar	,,
Memorias y Revista de la Sociedad Científica "Antonio Alzate"	La Sociedad
Observations Magnétiques pour 1895 par	La Sociedad
Manuel Morena v Anda M.S.A.	
Rapporto Annuale del Osservatorio	
Astronomico-Meteorologico di Tri-	**
este per l'anno, 1893, Radatta da	
Eduardo Mazelle	Osservatorio
Bollettino Mensuale dell. oss, Centrale	
del R. Col. Carlo Alberto in Mon- calieri 1895-6	
Rubra Canicula, Considerazioni sulla	19
mutazione di colore che si dice	
avvenuta in Sirio, da Giovanni	
Schiaparelli	Il Autore
Osservazioni Astronomiche e Fisiche	
sull'asse di Rotazione e sulla	
Topografia del Planeta Marte dal medesimo	
Die Venus-Durchgänge 1874 and 1882	,,
Bericht über die Deutschen Beo-	
bachtungen im Auftrage der Com-	
mission für die Beobachtungen der	
Venus-Durchgänge Herausgegeben	
von A. Anwers	Die Commission
Ergebnisse der Meteorologischen Beo-	
bachtungen der Landesstationen in Bosnien-Hercegovina im Jahre	
1894	Die Landesregierung

Beobachtungen am Sechszölligen Rep- soldschen Heliometer der Leip- ziger Sternwarte, Von Bruno Peter	
No. IV.	Die Sternwarte
Das Eikonal Von Heinrich Bruns. No. V	
Resultate der Beobachtungen in Kasan	"
betreffend, die Veränderlichkeit	
der Polhöhe, No. VI, 1893-95	••
Publicationen der V. Kuffner'schen	
Sternwartein Wien Herausgegeben	
von Dr. Leo de Ball	,,
Meteorologische und Magnetische Beo-	
bachtungen an der Sternwarte des	
Hydrographischen, Amtes der	
K.U.K. Kriegsmarine zu Pola,	
1895—6	
	**
Meteorologische Termin-Beobachtungen	
in Pola und Sebenico, 1896 -	,,
Jahrbuch des Norwegischen Meteoro-	
logischen Instituts, für 1892,	
Herausgegeben von Dr. H. Mohn	Das Institut
Jahrbücher der Central Anstalt für Mete-	
orologie und Erdmagnetismus,	
Jahrgang, 1893	:1
Ergebnisse der Beobachtungen an den	••
Stationen II und III, Ordnung im	
Jahre, 1895, Von Wilhelm von	
Bezold	
Bericht über die Thätigkeit im Königl.	**
Sächsischen Meteorologischen In-	
stitut für das Jahr 1894 Herausgeg-	
ben Von Director Dr. Paul	
Schreiber	,,
Ergebnisse der Meteorologischen Beo-	
bachtungen an 12 Stationen II.	
Ordnung im Jahre 1895, Von Dem-	
selben	••
Ergebnisse der Meteorologischen Beo-	*-
bachtungen an der Station I.	
Ordnung Chemnitz im Jahre 1895	
Von Demselben	
Buletinul Observatiunilor Meteorologice	,,
din Romania de Stefan C. Hepites	
Anul IV. 1895	
Annalen des Physikalischen Central-Ob-	**
Annaich des Fhysikanschen Central-Ob-	
servatoriums Jahrgang 1894, Theil I. und II. Von H. Wild	Dec Obs.
	Das Observatorium
Meteorologische Beobachtungen anges-	
tellt zu Boroma in Süd-Afrika Von	
P. Ladislaus Menyharth, S.J., im	
Jahre 1891 and 1892, Publicationen	
des Haynald Observatoriums -	**

Beobachtungen des Tiflisser Physikalis- chen Observatoriums im Jahre	<b>5 6</b>
1894	Das Observatorium
Beobachtungen der Temperatur des Erd-	
bodens im Tiflisser Physikalischen	
Observatorium im Jahre 1890 -	,,
Untersuchungen über die Spectra der	
Metalle in Electrischen Flammen-	
bogen II. Spectrum des Titans von	
B Hasselberg	Der Verfasser
Untersuchungen über die Spectra der	
Metalle im Electrischen Flam-	
menbogen III. Cobalt und Nickel	
Von Demselben	**
Über das Spectrum von Mira Ceti, von	
H. C Vogel	,,
Die Lichtabsorption als maassgebender	
Factor bei der Wahl der Dimen-	•
sion des Objectivs für den grossen	
Refractor des Potsdamer Observa-	
toriums, Von Demselben	,,
Ergebnisse der Meteorologischen Beo-	
bachtungen im Reichsland Elsass-	
Lothringen im Jahre 1894, von Dr.	
Hugo Hergesell	**
Zur Bestimmung der Rotationszeit der	
Sonne, Von A. Wolfer	
Magnetische Beobachtungen in der	
Schweiz im Jahre, 1895, ausgefuhrt	
durch Dr Van Rijckervorsel und	
Dr. W. Van. Bemmelan	Der Verfasser
A Kis-Kartali Csillagda Tevékenysége,	
1893, Októbertől, 1895, Októberig	
Irta Wonaszek A. Antal	11



#### **APPENDIX**

# RESULTS

OF

# METEOROLOGICAL OBSERVATIONS

TAKEN AT

ST. IGNATIUS' COLLEGE, MALTA

BY THE

REV. J. F. DOBSON, S.J.

1896.

## ST. IGNATIUS' COLLEGE, MALTA.

Lat 35° 55' N.

Long. 14° 29' E. Barometer Readings

reduced to 32° F. at sea level.

## METEOROLOGICAL REPORT. JANUARY, 1896.

Result of Observations taken during the Month.	Mean for the last 13 years
Mean Reading of the Barometerinches 30 081	30.030
Highest ,, on the 30th ,, 30.597	30·408
Lowest ,, on the 10th ,, 29.718	29.559
Range of Barometer Readings ,, 0.879	0.849
Highest Reading of a Max. Therm. on the 1st 64.0	65-1
Lowest Reading of a Min. Therm. on the 21st 40·1	41.4
Range of Thermometer Readings 23.9	23.7
Greatest Range in 24 hours on the 4th 18.8	18-4
Mean of all the Highest Readings 58.3	59.0
Mean of all the Lowest Readings 480	48.3
Mean Daily Range 10.3	10.7
Mean Temperature (deduced from Max. & Min.) 52.4	58.0
Mean Temperature (deduced from Dry Bulb) 518	52.7
Adopted Mean Temperature 52·1	52.9
Mean Temperature of Evaporation 46.6	48.5
Mean Temperature of Dew Point 41.5	45.4
Mean elastic force of Vapourinches 0.262	0-804
Mean weight of Vapour in a cub. ft. of air grains 8.1	8.5
Mean additional weight required for saturation 1.0	0.9
Mean degree of Humidity 75	80
Mean weight of a cubic foot of airgrains 544.2	542-2
Fall of Raininches 3.050	3.730
Number of days on which Rain fell 15	14
Mean amount of Cloud (an overcast sky=10) 6.2	5.3
Total number of miles of Wind indicated 9205	8384
Mean Velocity of Wind per hourmiles 12.4	11.2

### FEBRUARY, 1896.

Results of Observations taken during the Month.	Mean for the last 13 years.
Mean Reading of the Barometer inches 30:183	30.020
Highest ,, on the 18th ,, \$0 488	30.317
Lowest ,, on the 25th ,, 29.633	29.630
Range of Barometer Readings, 0.855	0.687
Highest Reading of a Max. Ther. on the 15th & 27th 63.8	67.3
Lowest Reading of a Min. Therm. on the 18th 40.1	41.2
Range of Thermometer Readings 23.7	26.1
Greatest Range in 24 hours on the 27th 20.2	19.4
Mean of all the Highest Readings 60.2	60.2
Mean of all the Lowest Readings 51.3	49.1
Mean Daily Range 8.9	1.1
Mean Temperature (deduced from Max. & Min ) 54.7	53·7
Mean Temperature (deduced from Dry Bulb) 53.4	54.0
Adopted Mean Temperature 54·1	53.9
Mean Temperature of Evaporation 49.3	49.6
Mean Temperature of Dew Point 46.8	46.7
Mean elastic force of Vapour inches 0.321	0.320
Mean weight of Vapour in a cub.ft.of air grains 3.6	3.6
Mean additional weight required for saturation,, 0.7	0.8
Mean degree of Humidity 84	82
Mean weight of a cubic foot of air grains 544.4	540.6
Fall of Rain inches 1.907	2.163
Number of days on which Rain fell 9	9
Mean amount of Cloud (an overcast sky=10) 6.3	4.9
Total number of miles of Wind indicated 6607	7920
Mean Velocity of Wind per hourmiles 9.5	11.7

# MARCH, 1896.

Results of Observations taken during the Month.		Mean for the last 13 years.	
Mean Reading of the	he Barometer inches	29.991	29.995
Highest ,,	on the 17th ,,	30.317	30.351
Lowest ,,	on the 30th ,,	29.645	29.526
Range of Baromete	r Readings,	0.672	0.725
Highest Reading of	a Max. Therm. on the 29th	68.7	74.1
Lowest Reading of	a Min. Therm. on the 13th	46.2	42.8
Range of Thermon	eter Readings	22.5	21.3
Greatest Range in	24 hours on the 3rd	21.4	22 8
Mean of all the H	lighest Readings	63.6	63.1
Mean of all the L	owest Readings	<b>54·1</b>	50.7
Mean Daily Range		9.5	12.4
Mean Temperature	(deduced from Max. & Min.	) 58.1	56.1
Mean Temperature	deduced from Dry Bulb)	55.9	55.2
Adopted Mean Ten	perature	<b>57</b> ⋅0	55.7
	of Evaporation	<b>52</b> ·8	51.6
Mean Temperature	of Dew Point	<b>50</b> ·1	48.3
Mean elastic force of	of Vapour inches	0.362	0.340
Mean weight of Vap	our in a cub.ft.of air grains	4.1	3.8
_	ght required for saturation,,	0.9	1.1
Mean degree of Hu	midity	82	78
Mean weight of a c	ubic foot of airgrains	536.6	537.4
Fall of Rain	inches	1.026	1.040
	which Rain fell	8	7
_	ud (an overcast sky=10)	6.3	4.5
	iles of Wind indicated	8967	8087
	Vind per hour miles	12.1	11.7

### APRIL, 1896.

Results of observations taken during the Month.	Mean for the last 13 years.
Mean Reading of the Barometer inches 30 010	29.942
Highest ,, on the 18th ,, 30.21	9 30.254
Lowest ,, on the 2nd ,, 29.66	29.533
Range of Barometer Readings ,, 0.55	7 0.721
Highest Reading of a Max. Therm. on the 21st 67:	2 77.0
Lowest Reading of a Min. Therm. on the 9th 44	6 48.1
Range of Thermometer Readings 22	<b>28</b> ·9
Greatest Range in 24 hours on the 21st 20:	21.9
Mean of all the Highest Readings 63	67.5
Mean of all the Lowest Readings 51:	2 54.3
Mean Daily Range 11-3	3 13.2
Mean Temperature (deduced from Max. & Min.) 56:	1 60.0
Mean Temperature (deduced from Dry Bulb) 56	3 59· <b>7</b>
Adopted Mean Temperature 56:	2 59.8
Mean Temperature of Evaporation 52:	3 55.8
Mean Temperature of Dew Point 48	5 52.4
Mean elastic force of Vapourinches 0.34	2 0.394
Mean weight of Vapour in a cub. ft. of air grains 3:	9 4.4
Mean additional weight required for saturation, 1:	2 1.3
Mean degree of Humidity 75	78
Mean weight of a cubic foot of air grains 536:	3 531.4
Fall of Raininches 3.34	2 0.735
Number of days on which Rain fell 1	1 5
Mean amount of Cloud (an overcast sky=10) 6:	5 4.4
Total number of miles of Wind indicated 943	8186
Mean Velocity of Wind per hourmiles 13:	1 11.4

MAY, 1896.

Results of Observations taken during the Month.  Mean Reading of the Barometer inches 29 937	
Lowest ,, on the 19th ,, 29.717	29.626
Range of Barometer Readings ,, 0.428	0.558
Highest Reading of a Max. Therm. on the 22nd † 77.5	82.1
Lowest Reading of a Min. Therm. on the 14th 52 3	53.6
Range of Thermometer Readings 25.2	28.5
Greatest Range in 24 hours on the 16th 22 2	23.6
Mean of all the Highest Readings 69.7	72.7
Mean of all the Lowest Readings 57.0	58.6
Mean Daily Range 12-7	14.1
Mean Temperature (deduced from Max.& Min) 62.4	64.5
Mean Temperature (deducedfrom Dry Bulb) 61.7	64.0
Adopted Mean Temperature 62·1	64.3
Mean Temperature of Evaporation 58.5	60.2
Mean Temperature of Dew Point 55.2	56.6
Mean elastic force of Vapourinches 0.436	0.460
Mean weight of Vapour in a cub.ft. of air grains 4.9	5.0
Mean additional weight required for saturation,, 1.4	1.7
Mean degree of Humidity 78	76
Mean weight of a cubic foot of airgrains 528.3	526.8
Fall of Raininches 1.021	0.637
Number of days on which Rain fell	3
Mean amount of Cloud (an overcast sky=10)‡ 6.1	8.9
Total number of miles of wind indicated 8073	7806
Mean Velocity of Wind per hourmiles 10.8	. 9.8
† Lowest reading. ‡ Highest reading yet recorded for this month.	

JUNE, 1896.

Results of Observations taken during the Month	Mean for th last 13 years.	
Mean Reading of the Barometer inches 30 020	30-015	
Highest ,, on the 12th ,, 30 095	<b>80·1</b> 81	
Lowest ,, on the 28th ,, 29.619	29.818	
Range of Barometer Readings, 0.476	0.363	
Highest Reading of a Max. Ther. on the 25th 89.5	90.3	
Lowest Reading of a Min. Therm. on the 3rd 56.0	58 8	
Range of Thermometer Readings	31.5	
Greatest Range in 24 hours on the 13th 27.1	25.3	
Mean of all the Highest Readings 82.8	80 4	
Mean of all the Lowest Readings 66.1	64.7	
Mean Daily Range 16-7	15.7	
Mean Temperature (deduced from Max. & Min.) 73.8	71.8	
Mean Temperature (deduced from Dry Bulb) 728	71.1	
Adopted Mean Temperature 73.3	71.5	
Mean Temperature of Evaporation 68.0	65.9	
Mean Temperature of Dew Point 64.2	61.7	
Mean elastic force of Vapour inches 0.601	0 551	
Mean weight of Vapour in a cubic ft. of air grains 5.6	6.0	
Mean additional weight required for saturation,, 2.3	2.4	
Mean degree of Humidity* 78	72	
Mean weight of a cubic foot of air grains 517 6	519.8	
Fall of Raininches 0.0	0.074	
Number of days on which Rain fell 0	1	
Mean amount of Cloud (an overcast sky=10) 3.7	2.1	
Total number of miles of Wind indicated 6105	6279	
Mean Velocity of Wind per hour miles 8.5	8.8	
* Highest Reading yet recorded for June.		

JULY 1896.

Results of Observations taken during the Month	Mean for the last 13 years.
Mean Reading of the Barometer inches 30 026	30.007
Highest ,, on the 9th ., 30 162	30.146
Lowest ,, on the 30th ,, 29.865	29.834
Range of Barometer Readings, 0.297	0.312
Highest Reading of a Max. Therm. on the 19th 103.0	97.5
Lowest Reading of a Min. Therm. on the 1st 63 3	64.7
Range of Thermometer Readings 39.7 ·	32.8
Greatest Range in 24 hours on the 10th 31 1	26.9
Mean of all the Highest Readings 87 7	86.9
Mean of all the Lowest Readings 690	69-8
Mean Daily Range	17.1
Mean Temperature (deduced from Max. & Min.) 77.9	77-9
Mean Temperature (deduced from Dry Bulb) 77.3	77.0
Adopted Mean Temperature 77 6	77.5
Mean Temperature of Evaporation 70.6	70.4
Mean Temperature of Dew Point 65.6	65.8
Mean elastic force of Vapourinches 0.630	0.635
Mean weight of Vapour in a cub. ft. of air grains 6.8	6.7
Mean additional weight required for saturation,, 3.4	3.4
Mean degree of Humidity	67
Mean weight of a cubic foot of airgrains 513.2	513-4
Fall of Rain inches 0	0.035
Number of days on which Rain fell 0	e
Mean amount of Cloud (an overcast sky=10) 1.5	0.8
Total number of miles of Wind indicated 5244	5514
Mean Velocity of Wind per hourmiles 7-0	7.5

### AUGUST, 1896.

Results of Observations taken during the month.	Mean for the last 13 years.
Mean Reading of the Barometer inches 30.003	80.013
Highest ,, on the 31st ,, 30.153	30.164
Lowest ,, on the 6th , 29.889	29.859
Range of Barometer Readings, 0.264	0.305
Highest Reading of a Max Therm. on the 11th* 104.8	96.3
Lowest Reading of a Min. Therm. on the 31st‡ 59.4	65.7
Range of Thermometer Readings † 45.4	30.6
Greatest Range in 24 hours on the 11th 249	26.0
Mean of all the Highest Readings 86.6	87.2
Mean of all the Lowest Readings 71.0	70.8
Mean Daily Range 15.6	16.4
Mean Temperature (deduced from Max & Min) 78.0	78·2
Mean Temperature (deduced from Dry Bulb) 77.4	78.2
Adopted Mean Temperature 77.7	78.2
Mean Temperature of Evaporation 70.9	71.4
Mean Temperature of Dew Point 66.2	66.8
Mean elastic force of Vapour inches 0.644	0.656
Mean weight of Vapour in a cub. ft. of air grains 7.0	7.0
Mean additional weight required for saturation,, 3.2	3.4
Mean degree of Humidity	68
Mean weight of a cubic foot of air grains 512.8	512.3
Fall of Rain inches 0	0.111
Number of Days on which rain fell 0	1
Mean amount of Cloud (an overcast sky=10)† 2.2	1.0
Total number of miles of Wind indicated 7008	5343
Mean Velocity of Wind per hourmiles 9.4	7.2
* Absolute Highest Reading of 13 years.	
‡ Lowest Reading for August.	}
† Highest Reading for August.	l

### SEPTEMBER, 1896.

Results of Observations taken during the Month.	Mean for th last 13 years.
Mean Reading of the Barometer inches 30 010	80-067
Highest ,, on the 16th ,, 30·173	30-256
Lowest ,, on the 26th ,, 29 627	29.857
Range of Barometer Readings, 0.546	0 359
Highest Reading of a Max. Therm.on the 5th & 21st 91.1	92.8
Lowest Reading of a Min. Therm. on the 29th 606	62 9
Range of Thermometer Readings 30.5	29 9
Greatest Range in 24 hours on the 5th 24.7	24-0
Mean of all the Highest Readings 82.7	83.5
Mean of all the Lowest Readings 68-6	68.9
Mean Daily Range 14-1	14.6
Mean Temperature (deduced from Max.& Min.) 74.7	75.3
Mean Temperature (deduced from Dry Bulb) 74-6	74.9
Adopted Mean Temperature 74-7	75.1
Mean Temperature of Evaporation 69.7	69.8
Mean Temperature of Dew Point 66.0	65.6
Mean elastic force of Vapourinches 0 639	0 624
Mean weight of Vapour in a cub. ft. of air grains 6.9	6.7
Mean additional weight required for saturation, 2.4	2.7
Mean degree of Humidity	72
Mean weight of a cubic foot of airgrains 515.9	516·8
Fall of Raininches 0	1 085
Number of days on which Rain fell 0	4
Mean amount of Cloud (an overcast sky=10) 3.8	2.8
Total number of miles of Wind indicated 6227	5550
Mean Velocity of Wind per hourmiles 8.6	7:7

#### OCTOBER, 1896.

Results of Observations taken during the Month.	Mean for the last 18 years
Mean Reading of the Barometerinches 30.036	80.047
Highest ,, on the 16th ,, 30.249	30.262
Lowest ,, on the 2nd ,, 29.794	29.743
Range of Barometer Readings, 0.455	0.529
Highest Reading of a Max. Therm.on the 2nd 84.1	88.2
Lowest Reading of a Min. Therm. on the 27th 56.6	55.9
Range of Thermometer Readings 27.5	32.3
Greatest Range in 24 hours on the 1st 18-1	20.0
Mean of all the Highest Readings 76.5	77.5
Mean of all the Lowest Readings 62.7	64.8
Mean Daily Range	12.7
Mean Temperature(deduced from Max.& Min.) 68.7	70.0
Mean Temperature (deduced from Dry Bulb) 69.4	68.9
Adopted Mean Temperature 69:1	69.5
Mean Temperature of Evaporation 65.9	64.7
Mean Temperature of Dew Point 63.2	61.2
Mean elastic force of Vapour inches 0.580	0.543
Mean weight of Vapour in a cub.ft.of air grains 6.4	5.9
Mean additional weight required for saturation,, 1.5	1.8
Mean degree of Humidity	76
Mean weight of a cubic foot of air grains 522.0	523.0
Fall of raininches 2.502	2.787
Number of Days on which rain fell 4	7
Mean amount of Cloud (an overcast sky=10)* 6.5	4.2
Total number of miles of Wind indicated 5933	6688
Mean Velocity of Wind per hour miles 8.0	9.0
* Highest Reading yet recorded for October.	

# NOVEMBER, 1896.

. Results of Observations taken during the Month.	Mean for the last 13 years
Mean Reading of the Barometer inches*29.956	30 076
Highest ,, on the 6th ,, 30.191	30 325
Lowest ,, on the 16th ,, 29.603	29 714
Range of Barometer Readings 0.588	0 611
Highest Reading of a Max. Therm. on the 1st† 83.0	76.7
Lowest Reading of a Min. Therm.on the 23rd 49.4	50.1
Range of Thermometer Readings 33.6	26-6
Greatest Range in 24 hours on the 11th and 23rd*14.8	18-4
Mean of all the Highest Readings 69.2	68 9
Mean of all the Lowest Readings 58.8	57.7
Mean Daily Range 10-4	11.2
Mean Temperature (deduced from Max. & Min.) 62.9	62.4
Mean Temperature (deduced from Dry Bulb) 62.5	61.8
Adopted Mean Temperature 62-7	62.1
Mean Temperature of Evaporation 58.3	57-6
Mean Temperature of Dew Point 55.2	54.2
Mean elastic force of Vapourinches 0.436	0.420
Mean weight of Vapour in a cub.ft.of air grains 4.8	4.8
Mean additional weight required for saturation,, 1.3	1.3
Mean degree of Humidity 79	79
Mean weight of a cubic foot of airgrains 529.1	531.9
Fall of Raininches 5 115	3.293
Number of days on which Rain fell † 14.0	- 10
Mean amount of Cloud (an overcast sky=10)† 7:1	5.2
Total number of miles of Wind indicated 7767	6638
Mean Velocity of Wind per hourmiles 10.8	9-2
• Lowest.	
† Highest yet recorded for November.	

# DECEMBER, 1896.

Results of Observations taken during the Month.	Mean for the last 18 years.
Mean Reading of the Barometer inches 29.970	80-041
Highest ,, on the 9th 30.883	30 884
Lowest ,, on the 21st 29.499	29.580
Range of Barometer Readings 0.884	0.804
Highest Reading of a Max. Therm. on the 7th 68.6	68.7
Lowest Reading of a Min. Ther. on the 2nd 48.6	43.7
Range of Thermometer Readings 25 0	25.0
Greatest Range in 24 hours on the 2nd 19.9	17.4
Mean of all the Highest Readings 62.3	81.19
Mean of all the Lowest Readings 52.3	52.3
Mean Daily Range 10 0	9.5
Mean Temperature (deduced from Max & Min) 56.8	56.4
Mean Temperature (deduced from Dry Bulb) 56.2	56.1
Adopted Mean Temperature 56.5	56.3
Mean Temperature of Evaporation 52.6	51.9
Mean Temperature of Dew Point 50·1	48.6
Mean elastic force of Vapour inches 0 362	0 342
Mean weight of Vapour in a cub. ft. of air grains 4:0	3.9
Mean additional weight required for saturation,, 09	1.1
Mean degree of Humidity 82	79
Mean weight of a cubic foot of air grains 586.5	538.4
Fall of Rain inches 3 989	4.209
Number of days on which Rain fell 11	15
Mean amount of Cloud (an overcast sky=10) 6.8	5.7
Total number of miles of wind indicated 8506	8269
Mean Velocity of ind per hourmiles 11.4	11.2

# Summary of Observations FOR 1896

Besults of Observations taken during the Year.	Mean for the last 13 years.
Mean Reading of the Barometer inches 80 018	30-022
Highest ,, on January 30th ,, 30.597	30 486
Lowest ,, on Decem. 21st ,, 29 499	29.372
Range of Barometer Readings 1.098	1.114
Highest Reading of Max. Ther. on Aug. 11 104.8	99.4
Lowest Reading of a Min. Therm. on Jan. 21st* 40·1	40.3
Range of Thermometer Readings 64.7	59-1
Greatest Range in 24 hours on July 10th 31.1	28.7
Mean of all the Highest Readings 71.9	72.5
Mean of all the Lowest Readings 59.2	59.3
Mean Daily Range	13.2
Mean Temperature (deduced from Max. & Min.) 64.7	65·Q
Mean Temperature (deduced from dry bulb) 64 1	64.5
Adopted Mean Temperature 64:4	64.8
Mean Temperature of Evaporation 69 6	59.8
Mean Temperature of Dew Point 56 0	56.2
Mean elastic force of Vapourinches 0 468	0.455
Mean weight of Vapour in a cub. ft. of air grains 5.1	5.1
Mean additional weight required for saturation, 1.7	1.8
Mean degree of Humidity	76
Mean weight of a cubic foot of air grains 529.7	527.8
Fall of raininches 21.952	19.528
Number of Days on which rain fell 79	77
Mean amount of Cloud (an overcast sky=10) 5.2	<b>3·7</b>
Total Number of Miles of Wind indicated 89072	83988
Mean Velocity of Wind per hour miles 101	9.6
* And 18th February.	

#### SINCE MAY, 1883.

The Maximum yearly mean height of the Barometer was in 1884, and was	
The Minimum , , , in 1890, and was	The Maximum yearly mean height of the Barometer was in
The greatest monthly range of the Barometer was in January, 1886, and was	1884, and wasinches 30.057
January, 1886, and was	The Minimum ,, ,, in 1890, and was 29.996
The least ,, ,, in August, 1883, and was	The greatest monthly range of the Barometer was in
The least ,, ,, in August, 1883, and was	January, 1886, and was 1.201
1887, and was	
The lowest ,, ,, on January 17th, 1886, and was 29·155  Extreme range	The highest reading of the Barometer was on January 26th,
Extreme range inches 1.472 The highest temperature was on August 11th, 1896, and was 104.8 The lowest ,, ,, February 19th, 1895	1887, and was 30.627
Extreme range	The lowest ,, ,, on January 17th, 1886, and was 29.155
The lowest ", ", February 19th, 1895	
The highest mean temperature of a month, was in August, 1865, and was	The highest temperature was on August 11th, 1896, and was 104.8
The highest mean temperature of a month, was in August, 1865, and was	The lowest ,, ,, February 19th, 1895 84.2
The lowest ", ", ", February, 1891, 49.8  The greatest monthly mean weight of vapour in a cubic foot of air	
The lowest ", ", ", February, 1891, 49.8  The greatest monthly mean weight of vapour in a cubic foot of air	
The least , , , January and February, 1891, and was grs 3.0  The highest observed Dew point was on August 30th, 1885, and was	The lowest February, 1891 49.8
The highest observed Dew point was on August 30th, 1885, and was	The greatest monthly mean weight of vapour a cubic foot of air
The lowest ,, ,, February 19th, 1895, and was 27.9  The greatest fall of rain in a month, was in December, 1889, and was	The least " " January and February, 1891, and was grs 3.0
The lowest ,, ,, February 19th, 1895, and was 27.9  The greatest fall of rain in a month, was in December, 1889, and was	The highest observed Dew point was on August 30th,
The greatest fall of rain in a month, was in December, 1889, and was	1885, and was 78.7
and was	The lowest ,, ,, February 19th, 1895, and was 27.9
The greatest number of days on which rain fell in one month	The greatest fall of rain in a month, was in December, 1889,
The greatest fall of rain in a year was in 1889 and was inches 26.044 The smallest ,, ,, ,, 1895 ,, ,, 11 384 The greatest number of rainy days in a year was in 1894 and was 90 The least ,, ,, ,, 1888 ,, 59 The highest temperature registered in sunshine was on the 5th July, 1895, and was	and wasinches 8 952
The greatest fall of rain in a year was in 1889 and was inches 26.044 The smallest ,, ,, ,, 1895 ,, ,, 11 384 The greatest number of rainy days in a year was in 1894 and was 90 The least ,, ,, ,, 1888 ,, 59 The highest temperature registered in sunshine was on the 5th July, 1895, and was	The greatest number of days on which rain fell in one month
The smallest ,, ,, ,, 1895 ,, ,, 11 384  The greatest number of rainy days in a year was in 1894 and was 90  The least ,, ,, ,, 1898 ,, 59  The highest temperature registered in sunshine was on the 5th July, 1895, and was	
The greatest number of rainy days in a year was in 1894 and was  The least ,, ,, ,, 1888 ,, 59  The highest temperature registered in sunshine was on the 5th July, 1895, and was	771 11
The least ,, ,, , , , , , , , , , , , , , , , ,	
The highest temperature registered in sunshine was on the  5th July, 1895, and was	77h - 1000 50
5th July, 1895, and was	
The lowest temperature registered on ground was on the 19th February, 1895, and was	
19th February, 1895, and was	
The highest observed sea temperature was on the 5th August,  1887, and was	
The lowest ,, ,, 80th January, 1895, and was 55.5  The smallest mean amount of cloud observed in one month was in August, 1890, and was	
The lowest ,, ,, 30th January, 1895, and was 55.5  The smallest mean amount of cloud observed in one month was in August, 1890. and was	
The smallest mean amount of cloud observed in one month was in August, 1890. and was	
was in August, 1890. and was	
700 1004 1 man 7:00	
	m

#### NOTES FOR THE SEPARATE MONTHS.

#### JANUARY.

THE Dew point ranged between 54.9° on the 1st, and 32.2° on the 8th.

In Sunshine, the highest reading was 114.4° on the 5th.

On Ground, the lowest reading was 33.0° on the 21st.

The Sea has fallen to 58.0°, averaging 59.6°.

Thunderstorms passed on the 25th and 26th.

Hail fell on the 7th, 8th, and 25th.

Total Rainfall since last June 10.027 inches; the average of 13 years, 15.250 inches.

#### FEBRUARY.

The Dew Point ranged between 85.8° on the 17th and 56.9° on the 24th.

In Sunshine, the highest reading was 119.1° on the 15th.

On Ground, the lowest reading was 33.2° on the 18th.

The Sea has risen to 59.8, averaging 59.5.

Thunderstorms passed on the 24th.

Hail fell on the 16th and 17th.

Total Rainfall since last June, 11 984 inches; the average of 13 years, 17 418 inches.

#### MARCH.

The Dew-point ranged between 56.8° on the 24th, and 42.0° on the 30th.

In Sunshine, the highest reading was 132.3° on the 2nd.

On Ground, the lowest reading was 40.0° on the 18th.

The Sea has averaged 59 0°.

Thunderstorms passed on the 3rd.

Lightning was seen on the 30th.

Total Rainfall since last June 12:960 inches; the average of 13 years, 18:453 inches.

#### APRIL.

The Dew-point ranged between  $40.4^{\circ}$  on the 14th, and  $56.5^{\circ}$  on the 23rd.

In Sunshine, the highest reading was 134.7° on the 30th.

On Ground, the lowest reading was 37.2° on the 4th.

The Sea has averaged 60.0°

Thunderstorms passed on the 8th, 10th, and 28th.

Lightning was seen on the 4th and 6th.

Hail fell on the 8th.

Total Rainfall since last June 16:302 inches; the average of 13 years, 19:188 inches.

Mean temperature for the month, highest reading of Max. Ther., and lowest reading of Min. Ther. are the lowest yet recorded for April; whilst total rainfall and mean amount of cloud give notably the highest readings.

#### MAY.

The Dew-point ranged between  $47.8^{\circ}$  on the 2nd and  $60.8^{\circ}$  on the 29th.

In Sunshine, the highest reading was 129.7° on the 22nd

On Ground, the lowest reading was 44.8° on the 8rd.

The Sea has risen to 67.0°, averaging 63.2°.

Thunderstorms passed on the 12th.

Lightning was seen on the 23rd.

Total Rainfall since last June 17:323 inches; the average of 13 years, 19:825 inches.

#### UNE.

The Dew-point ranged between 50.2° on the 11th and 67.8° on the 27th.

In Sunshine, the highest reading was 146.6° on the 28th.

On Ground, the lowest reading was 50 0° on the 3rd and 8th.

The Sea has risen to 71.5°, averaging 68.8°.

Lightning was seen on the 1st and 16th.

Total Rainfall since last June 17:323 inches; the average of 13 years 19:899 inches.

#### JULY.

The Dew-point ranged between 55.8° on the 4th, and 73.9° on the 16th.

In Sunshine, the highest reading was 150.7° on the 19th.

On Ground, the lowest reading was 58:1° on the 10th.

The Sea has risen to 80.0°, averaging 77.3.

Thunderstorms passed on the 18th.

Lightning was seen on the 21st.

#### AUGUST.

The Dew-point ranged between 76.0° on the 6th, and 53.3° on the 29th.

In Sunshine the highest reading was 152 0° on the 11th.

On Ground the lowest reading was 52 9 on the 31st.

The Sea has fallen to 76.2°, averaging 79.0°.

Thunderstorms passed on the 28th.

#### SEPTEMBER.

The Dew-point ranged between 74.°1 on the 10th, and 58.5° on the 26th.

In Sunshine the highest reading was 143 7° on the 10th.

On Ground, the lowest reading was 55 3° on the 29th

The Sea has fallen to 74.6°, averaging 77.0°.

Thunderstorms passed on the 14th.

Lightning was seen on the 17th and 18th.

Total Rainfall since last June —— inches; the average of 13 years, 1 231 inches.

#### OCTOBER.

The Dew-Point ranged between 71 6° on the 14th and 47 3° on the 16th.

In Sunshine, the highest reading was 134.8° on the 12th.

On Ground, the lowest reading was 50.3° on the 27th.

The Sea has fallen to 72 0°, averaging 78.5.

Thunderstorms passed on the 1st, 2nd, 3rd, and 5th.

Lightning was seen on the 4th, 12th, 13th, 24th, and 25th.

Hail fell on the 3rd.

Total Rainfall since last June 2.502 inches; the average of 18 years, 4.018 inches.

#### NOVEMBER.

The Dew-point ranged between  $68.^{\circ}5$  on the 6th, and  $44.1^{\circ}$  on the 80th.

In Sunshine, the highest reading was 124 7° on the 16th.

On Ground, the lowest reading was 44.4° on the 23rd.

The Sea has fallen to 65.5°, averaging 69.8°.

Thunderstorms passed on the 16th, 24th, 25th.

Lightning was seen on the 1st, 6th, 9th, 11th, 13th, 14th, 17th, 22nd, 23rd, 29th.

Hail fell on the 16th, 26th.

Total Rainfall since last June 7.617 inches; the average of 13 years, 7.311 inches

#### DECEMBER.

The Dew-point ranged between  $40\cdot1^{\circ}$  on the 1st, and  $58\cdot1^{\circ}$  on the 20th.

In Sunshine, the highest reading was 117.2° on the 7th.

On Ground, the lowest reading was 38.0° on the 2nd.

The Sea has fallen to 59.5°, averaging 62.5.

Thunderstorms passed on the 20th.

Hail fell on the 20th.

Total Rainfall since last June, 11 604 inches; the average of 18 years, 11 520 inches.

#### NOTES FOR THE YEAR.

The Dew-point ranged between 32.2° on January 8th, and 76.0° on August 6th.

In Sunshine, the highest reading was 152.0° on August 11th. On Ground, the lowest reading was 33.0° on January 21st.

The Sea has ranged from 58.0° on January 50th, to 81.8° on August 5th.

Thunderstorms passed on 19 days.

Lightning was seen on 23 days.

Hail fell on 10 days.

#### CORRIGENDUM.

In the Summary for 1895, the lowest mean temperature of a month was given "February 1891, and was 49.5°," should be ... ... ... 49.8°.


STONYHURST COLLEGE OBSERVATORY.

mesults of Meteorological


Magnetical Observations,

WITH

REPORT AND NOTES OF THE DIRECTOR.



• •



# STONYHURST COLLEGE OBSERVATORY.

# STONYHURST COLLEGE OBSERVATORY, LANCASHIRE.

# With FATHER SIDGREAVES' COMPLIMENTS

1897.

CLITHEBOE:

PRINTED BY PARKINSON AND BLACOW, TIMES OFFICE.
1898.



# STONYHURST COLLEGE OBSERVATORY.

# RESULTS

OF

# METEOROLOGICAL & MAGNETICAL OBSERVATIONS

WITH REPORT AND NOTES OF THE DIRECTOR,

REV. W. SIDGREAVES, S.I., F.R.A.S.

1897.

CLITHEBOE:

PRINTED BY PARKINSON AND BLACOW, TIMES OFFICE.

1898.



# TABLE OF CONTENTS.

Directors' Report	••	• •	••		5
Monthly Meteorological Tables		••	••		8
Yearly Meteorological Summary	••	• •	••		<b>32</b>
Dates of Occasional Phenomena	• •	• •	••		34
Monthly Tables for each hour of	recorde	d Sunshi	ne		35
Total Amount of Sunshine recor	ded on e	ach day	••		36
Summary of Sunshine (Means)	• •	••	••	• •	38
Summary of Sunshine (Extreme	s)	••	••	• •	39
Observation of Upper Clouds (C	irrus)	••	••	• •	40
Dates of Solar Drawings	••	••	••		43
Magnetic Report-					
1. Absolute Values of the Eler	nents of	Ter <del>res</del> tria	al Magne	tism	44
2. Horizontal Direction and F	orce ded	uced fron	n the dail	ly	
curves	••	••			50
3. Magnetic Disturbances	••	••	• •	• •	<b>52</b>
List of Presents received	••	••	••	••	<b>53</b>
Appendix. Observations taken a	t St. Ign	atius' Co	llege, Ma	alta	63

• • .

#### REPORT AND NOTES.

ALL the meteorological self-recording instruments have been working well during the year. The photographic curves of atmospheric pressure and temperature have been uniformly clean and strong, excepting those of the last ten days of April, which were weak, and those for May 4th and 12th, September 3rd and 11th, which were lost when alterations had to be made at the gas works.

The mechanical traces of wind, velocity and direction, are clear, but not very strong in calm weather.

The pluviometer lines have been very clear and strong since August, 1896, when the Brevetée plume was substituted for the pencil.

The sunshine recorder was found to be somewhat out of level, owing to subsidence of the masonry on which it was mounted, and was re-set on July 12.

The usual meteorological reports have been forwarded regularly to the Meterological Office, and to the Registrar General; and occasional detailed reports have been sent to applications

The most noteworthy barometric depression of the year accompanied the gale of wind on November 28th, 29th, when the mercury fell from 29 356 at midnight, 27th, to 28 583 inches at halfpast eleven p.m., 28th, half-an-hour before the gale reached its highest velocity of 49 miles per hour. The strongest gale of the year occurred in February, on the 21st. March was the roughest month; and December took the second place.

A tabular summary of recorded sunshine during the last 17 years is given on page 38. The table has been compiled directly from the records, without reference to previous publications. The percentage figures will be found to be lower generally than the corresponding previous quotations, up to January, 1891. Before that year a computing table was used which seems to have been formed upon an estimated total of recordable instead of possible sunshine. The figures now are formed upon the ratio of the recorded number of hours of sunshine to the aggregate number of



. 

# STONYHURST COLLEGE OBSERVATORY.

# STONYHURST COLLEGE OBSERVATORY, LANCASHIRE.

# With FATHER SIDGREAVES' COMPLIMENTS

1897.

CLITHEROE :

PRINTED BY PARKINSON AND BLACOW, TIMES OFFICE.
1898.

# FEBRUARY, 1897.

Results of Observations takes		Mean for the last 50 years							
Mean Reading of the Baromet	er		inche	s 29	610		29.519		
Highest ,, on	166	i	30-0	74					
Lowest ,, or	n the	2nd	,,	28	814		28.70	)ŏ	
Range of Barometer Reading	s		,,	1	352	1	1.30	<b>39</b>	
Highest Reading of a Max. The	erm. e	on th	e <b>26</b> tl	h l	55·8	1	52	·1	
Lowest Reading of a Min. Th	erm.	on th	he 6tl	h :	27:0		22	•2	
Range of Thermometer Readi	ngs .	•••••		. :	8.89		29	.9	
Mean of all the Highest Read	lings	•••••	•••••		46·1		44	2	
Mean of all the Lowest Read	lings			. :	35· <b>1</b>		33	· <b>5</b>	
Mean Daily Range		•••••	•••••	. :	11.0		10	•7	
Deduced Monthly Mean (from and Min.)	Me:	an of	Max	ι. • '	10-2		38	2	
Mean Temperature from Dry	Bulb	•••••		. •	10∙9	Ì	38.3		
Adopted Mean Temperature	•••••				<b>40·6</b>	38.2			
Mean Temperature of Evapora	tion.		•••••	. :	39·1		36 8		
Mean Temperature of Dew Po	oint .		•••••	. :	3 <b>7·2</b>		34 6		
Mean elastic force of Vapour	•••••		•••••	. 0	<b>222</b> i 1	1	0·193i		
Mean weight of Vapour in a cu	b. ft.	of ai	r		2.6g	r	2 4gr		
Mean additional weight require	d for	satu	ratio	n	0.4g	r	0 4gr		
Mean degree of Humidity (sat	urati	on 1	·00)	. (	-88		0.87		
Mean weight of a cubic foot o	f air.		•••••	. 54	18·8g	r	549	·0gr	
Fall of Rain	•••••	•••••		. 4.	170 iı	ո	3.4	91in	
Number of days on which Ra	in fe	11	•••••	•	20		16	9	
No. of days in the month on	N	NE	E	SE	s	sw	w	NW	
which the prevailing wind was	4	4	1	0	3	6	10	0	
Mean Velocity in miles per hour	5.2	4.8	7.9	0	11.5	12.8	12:5	0	
Total No. of miles for each direction	501	<b>4</b> 58	190	0	828	1845	3011	0	

The total number of miles registered during the month was 6833. The max. Velocity of the wind was 56 miles per hour, W., on the 21st, at 2-0 a.m.

# FEBRUARY, 1897.

Mean amount of Cloud (an overcast sky being indicated by 10.0)								
In the month of February, the highest reading of the Barometer during 50 years, was on the 11th, in 1849, and was 30.452								
The lowest	, ,	6th, 1867	•••		28.208			
The highest	Temperature	8th, 1877	,,	••••	58 3			
The lowest	,,	18th, 1895	,,	••••	8.0			
The highest adopted mean temperature of the month, 1869 44.0								
The lowest	"	,,	18	855	<b>28</b> ·6			

#### TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average.

Mean barometric pressure	••	••	+	·091 inches
Monthly range ,,	••	••	_	·017 ,,
Mean of highest temperatures	••		+	1.9 degrees
Mean of lowest ,,	••	••	+	1.6 ,,
Mean daily range ,,	••	••	+	0.3 ,,
Adopted mean temperature	••		+	2·4 ,,
Total rainfall ,,	••	••	+	0.679 inches

Ground Frost on the 1st—4th, 6th—8th, 10th—12th, 16th—18th, 27th and 28th Snow on the 1st—4th. Hail on the 3rd. Heavy Rain on the 4th and 25th. Gale of Wind on the 21st. Fog on the 9th and 18th.

# MARCH, 1897.

Results of Observations taken	durir	ng the	Mont	h.			an for last ) year	
Mean Reading of the Baromet	er	i	nche	s 29·	145		29 · 46	<b>30</b>
Highest ,, or		30.06	39					
Lowest , or	ı the	3rd		28	157	1	28 6	55
Range of Barometer Reading	s		,,	1.	<b>562</b>	1	1.41	4
Highest Reading of a Max. Ther.	on th	e 21s	t & 23	rd 5	6.0	1	57	.2
Lowest Reading of a Min. The	rm. o	n the	29tl	1 2	24·2	1	22	·5
Range of Thermometer Read	ings.			. 8	31·8		34	·7
Mean of all the Highest Read	ings.			. 4	8· <b>9</b>		47	.3
Mean of all the Lowest Read	ings.			. 8	86·6		34	1
Mean Daily Range				. 1	2.3	ì	13	·2
Deduced Monthly Mean (from	Mea	ın of	Max					
and Min.)					1.8	1	39	-
Mean Temperature from Dry I					2.2	1	40 0	
Adopted Mean Temperature				-	12.0	1	39·9 38 0	
Mean Temperature of Evapor					10.0	1		-
Mean Temperature of Dew Po					37·5		35	-
Mean elastic force of Vapour					225 ir	1	0.20	
Mean weight of Vapour in a cub					2·6g1	1		·4gr
Mean additional weight required					0·5 gı )·85			·5gr
Mean degree of Humidity (sat			•				0.8	-
Mean weight of a cubic foot Fall of Rain				_	8 6 gı 393 ir	1	546	•
				-	27	1	3 24	
Number of days on which Rain	1 1611	•••		•	21	<u> </u>	1.7	8
No. of days in the month on	N	NE	E	SE	s	sw	w	NW
which the prevailing wind was	1	1	3	1	9	6	10	0
Mean Velocity in miles per hour	5.0	10·1	8.4	6.2	16.5	14.5	19-2	0
Total No. of miles for each Direction	120	242	604	149	3558	2094	4611	0

The total number of miles registered during the month was 11378. The max. Velocity of the wind was 50 miles per hour, W.S.W., on the 19th at 1-0 p.m.

### MARCH, 1897.

Mean amount of Cloud (an overcast sky being indicated by 10.0) 9.2									
In the month of March, the highest reading of the Barom- eter during 50 years, was on the 6th in 1852, and was 30.401									
The lowest	,,		3rd,	1897	,,		28.157		
The highest	Temperature	,,	25th,	1871	,,		68.0		
The lowest	,,	,,	6th,	1886	,,		11·5		
The highest	adopted mean	tem	perature c	f the n	nonth, 18	71	44·0		
The lowest	,,		,,	1858	and 189	2	85.6		

#### TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average.

Mean barometric pressure		••		0.815 inches
Monthly range ,,	••	••	÷	0.148 ,,
Mean of highest temperatur	e	••	+	1.6 degrees
Mean of lowest ,,	••	••	+	2.5 ,,
Mean daily range ,,		••		0.9 ,,
Adopted mean temperature	••	••	. +	2·1 ,,
Total rainfall	••	••	+	2·147 inches

The lowest reading of the barometer during the month of March for the last 50 years occurred on the 3rd, when the mercury stood at 28·157 inches. Ground frost on the 1st, 2nd, 4th, 6th—8th, 10th, 11th, 14th, 16th and 29th—31st. Snow on the 2nd, 12th, 15th, 29th and 30th. Hail on the 1st, 3rd, 4th, 5th, 10th and 12th. Heavy rain on the 4th and 26th. Gales of wind on the 2nd, 3rd, 4th, 17th, 18th, 19th and 24th—28th. Thunder on the 16th.

# APRIL, 1897.

Results of Observations take	n du	ring t	he M	onth			an for last 50 year	
Mean Reading of the Baromet	er	i	nche	s 29	432		29.48	38
~		2nd			857	į	29.9	39
Lowest , on t	he 1	st	,,	28.	766	l	28.8	10
Range of Barometer Readings			,,	1.0	091		1.18	59
Highest Reading of a Max. The	rm. c	n th	e 28tl	ı 6	2.1		66	.0
Lowest Reading of a Min. The	rm.	on tl	ne 4tl	1 2	6.8		28	·1
Range of Thermometer Reading	ngs .		• • • •	. 8	5.3	1	37	.9
Mean of all the Highest Rea					2.5	i	55	.9
Mean of all the Lowest Read	lings			. 8	<b>5·7</b>	į	37	8
Mean Daily Range				. 1	6.8	i	18	•1
Deduced Monthly Mean (from and Min.)	Mea	un of	Max	. 4	2·6		44	·5
Mean Temperature from Dry	Bulb			. 4	3.3	l	44	6
Adopted Mean Temperature	· • • • •			. 4	3.0	1	44	5
Mean Temperature of Evapora	ation			. 4	:0·1	1	41.7	
Mean Temperature of Dew Po	int .			. 3	6.6	į .	38.2	
Mean elastic force of Vapour				. 0.	217 ir	ı l	0.23	36in
Mean weight of Vapour in a cub	. ft.o	fair.			2·5 gı		2	·7gr
Mean additional weight require	d for	satu	ratio	n	0 ·7 gr	-	0	7gr
Mean degree of Humidity (sat	urati	on 1	00).	. 0	79		0.8	30
Mean weight of a cubic foot of	áir .			54	2∙9g1	-	<b>54</b> 2	·1 gr
Fall of Rain	• • • •			. <b>3</b> ·(	0 <b>45</b> in	d	2.29	9 in
Number of days on which Rain	n fel	٠	• • • •		15		14	6
No. of days in the month on	N	NE	E	SE	s	sw	w	NW
which the prevailing wind was	8	5	7	1	2	3	8	1
Mean Velocity in miles per hour	7-6	9.8	10.9	13.5	17:7	10.7	13.2	6-6
Total No. of miles for each Direction	548	1118	1824	325	849	767	25 <b>2</b> 8	164

The total No. of miles registered during the month was 8128. The max. Velocity of the wind was 35 miles per hour, S., on the 11th at 3-0 p.m.

### APRIL, 1897.

Mean amount of Cloud (an overcast sky being indicated by 10·0) 7·5 In the month of April, the highest reading of the Barometer									
during 50	years, was on t	he 17th, in 1887	, and w	as	30 251				
The lowest	,,	20th, 1868	,,		28.358				
The highest	Temperature	14th, 1852	,,		<b>74·1</b>				
The lowest	,,	13th, 1892	,,		20.8				
The highest adopted mean temperature of the month, 1865									
The lowest	,,	,,	18	379	40.7				

#### TABLE OF DIFFERENCES.

The signs + and — mean respectively above and below the monthly average.

Mean barometric pressure ... ... — 0.056 inches

 Monthly range
 ,, ...
 ...
 — 0.068
 ,,

 Mean of highest temperatures ...
 ...
 — 34 degrees

 Mean of lowest
 ...
 — 2·1
 ,,

 Mean daily range
 ,, ...
 ...
 — 1·3
 ,,

 Adopted mean temperature
 ...
 — 1·5
 ,,

 Total rainfall
 ...
 ...
 + 0.746 inches

Ground frost on the 1st—8th, 10th, 11th, 15th, 22nd, 23rd and 25th. Snow on the 4th and 15th. Hail on the 1st, 14th and 15th. Heavy Rain on the 13th and 17th. Thunder on the 14th. Lightning on the 14th.

MAY,	1897.
------	-------

Results of observations take	n duri	ng the	Mont	h.			ean fo last 50 yea	
Mean Reading of the Barome	ter		inche	s 29	•553		29.5	17
Highest ,, on	Į	29.9	55					
Lowest ,, or	the	28th	,,	28	·8 <b>73</b>	1	28.9	55
Range of Barometer Reading	s		,,	1	·207	1	1.0	00
Highest Reading of a Max. Th	erm.	on th	e 24ti	h '	70 <b>·4</b>	1	75	2.1
Lowest Reading of a Min. Th	erm.	on th	e 10t	h :	29·8	1	31	L •3
Range of Thermometer Read	ings				40·6		40	8 (
Mean of all the Highest Rea	dings				59· <b>5</b>	1	59	9
Mean of all the Lowest Read	ings			. :	39· <b>7</b>	1	42	9-0
Mean Daily Range	-				19·8		17	9
Deduced Monthly Mean (from and Min.)	n Me	an of	Max	• •	<b>47</b> ∙9		49	)·1
Mean Temperature from Dry					18.7	1	49	6
Adopted Mean Temperature		•			48.3	1	49	1.4
Mean Temperature of Evapor					14-2	ı	46	1
Mean Temperature of Dew P	oint			. :	39.7	1	42	-5
Mean elastic force of Vapour					<b>245</b> i	n	0.2	76in
Mean weight of Vapour in a cu					2·8g	r	8	·1g
Mean additional weight requir	ed for	satu	ratio	n	1·1g	r	0	19g
Mean degree of Humidity (sa					72	1	0.	•
Mean weight of a cubic foot of	f air			. 58	39·3 g	r	537	·1g
Fall of Rain					524 i		2.5	72 iu
Number of days on which Ra	in fel	1	••••	•	17		15	-1
No. of days in the month on	N	NE	E	SE	s	sw	w	NW
hich the prevailing wind was	0	8	8	0	2	8	13	9
Mean Velocity in miles per hou	0	9.4	9.0	0	13.8	14.8	11-2	11.
Fotal No. of miles for each	0	1812	649	0	636	1062	3491	554

#### MAY, 1897.

Mean amoun	t of Cloud (an o	overcast	sky bei	ng indic	ated by10·0	6.9
In the month	h of May, the years, was on t	highest	reading	g of the	Barometer	90.017
during oo	years, was our	ine zna i	III 1090	, and w	35	00 217
The lowest	,,	28th, 1	187 <b>7</b>	"	·	28.559
The highest	Temperature	19th, 1	1864	,,		82.5
The lowest	,,	4th, 1	1855	,,	•••••	23.5
The highest	adopted mean	tempera	ature o	f the m	onth, 1848	55.1
The lowest	,,		,,		1855	45.0
	TABLE	of D	IFFERI	ENCES.		
	_					

The signs + and - mean respectively above and below the monthly average. Mean barometric pressure 0.036 inches Monthly range 0207 Mean of highest temperatures 0.4 degrees Mean of lowest 2.3Mean daily range 1.9 ,, ,, Adopted Mean temperature 1.1 Total rainfall 0.950 inches Ground Frost on the 1st, 4th, 10th—12th and 23rd. Snow on the

Ground Frost on the 1st, 4th, 10th—12th and 23rd. Snow on the 10th and 12th. Hail on the 5th, 6th, 10th and 29th. Heavy rain on the 28th. Thunder on the 9th, 28th and 29th. Lightning on the 28th.

# JUNE, 1897.

Results of Observations takes	n duri	ing the	Mont	h.			Mean fo las 50 yes	
Mean Reading of the Baron	eter		inche	s 2	9.604	4	29	44
Highest "		on th	e 12t	h 29	9.853	1	29-8	395
Lowest		on th	ie 18t	h 28	3.902		29.0	34
Range of Barometer Reading	s			. (	951		0.8	61
Highest Reading of a Max. Th	erm.	on th	ne 23r	d	81.6		7	7.6
Lowest Reading of a Min. Ther.	on t	he 16	th .		40.2		3	3.9
Range of Thermometer Readi	ings				41.4		3	3.7
Mean of all the Highest Read	lings				67.4		68	5.9
Mean of all the Lowest Read	ings				50.2		4	7.9
Mean Daily Range					17 2		18	3.0
Deduced Monthly Mean (from and Min.)					57.0		5	5-1
Mean Temperature from Dry	Bulb				56.6		5	.2
Adopted Mean Temperature					56.8	1	58	1
Mean Temperature of Evapor	ratio	n			53.9	1	52	1.1
Mean Temperature of Dew Po	oint				51.2	1	48	3.7
Mean elastic force of Vapou	r			. 0	377 i	n	0.3	55 in
Mean weight of Vapour in a cul	b. ft.	of air			4.28	r		9g
Mean additional weight require	ed for	r satu	ratio	n	1.0g	r	(	)·9g
Mean degree of Humidity (sat	urat	ion 1	00)		0.82			79
Mean weight of a cubic foot of	of ai	r		. 5	30.6g	r	531	·2g
Fall of Rain				. 4	832 i	n	3.6	42 in
Number of days on which Ra	in fe	ell			18		15	.9
No. of days in the month on	N	NE	E	SE	s	sw	w	NW
which the prevailing wind was	4	6	2	0	2	3	12	1
Mean Velocity in miles per hour	5.8	7.4	9.2	0	6.3	6.5	10 4	13:
Total No. of miles for each	558	1068	440	0	304	466	2993	317

The total number of miles registered during the month was 6146. The max. Velocity of the wind was 45 miles per hour, W., on the 16th, at 1 p.m.

# JUNE, 1897.

Mean amount of C	•	• •		•	8.8
In the month of during 50 years	June, the hi s, was on th	ighest reading e 15th, in 1874	of the Baro , and was	meter	30.219
The lowest	,,	23rd, 1893	,, ,		28 813
The highest Ten	perature	18th, 1893	••		88.7
The lowest	,,	17th, 1892	,, ,		34 1
The highest adopt	ed mean ten	nperature of th	e month, 1	858	<b>59</b> ·0
The lowest	**	,,	1856 and 1	1860	$\mathbf{52 \cdot 2}$

# TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average.

Mean barometric pressure	•••	•••	+	0.060 inches
Monthly range ,,	•••	•••	+	0.090 ,,
Mean of highest temperatures	•••	•••	+	1.5 degrees
Mean of lowest ,,	•••	•••	+	2·3 ,,
Mean daily range ,,	•••	•••	_	0.8 ,,
Adopted mean temperature	•••	•••	+	1.7 ,,
Total rainfall	•••	•••	+	1·190 inches

Heavy Rain on the 1st, 17th and 19th. Gale of Wind on the 16th. Thunder on the 1st and 29th. Lightning on the 1st.

JUI	.Υ,	189	7.					
Results of Observations take	n du	ring t	he M	onth.		М	ean for last 50 yea	1
Mean Reading of the Barome	Mean Reading of the Barometer inches 29:597							
Highest ,, on the 11th ,, 29.979								81
Lowest ,,		28.9	99					
Range of Barometer Readings, 0.756								82
Highest Reading of a Max. Th	erm.	on th	16t ne	h	80 O		78	.8
Lowest Reading of a Min. Th	erm.	on t	he 6t	h	<b>4</b> 3·0		42	·1
Range of Thermometer Readi	ngs				37·0	İ	36	.7
Mean of all the Highest Read	ings			•	70·5		67	9
Mean of all the Lowest Read	ings	•••••			50 <b>·</b> 6		50	.7
Mean Daily Range					19·9	İ	17	.2
Deduced Monthly Mean (from and Min.)		n of	Max		58· <b>7</b>		57	.7
Mean Temperature from Dry	Bulb	•••••		. 1	59· <b>2</b>		57 8	
Adopted Mean Temperature				. 1	59·0	1	57.8	
Mean Temperature of Evapora	ation		•••••	. (	55 • 4	1	54.7	
Mean Temperature of Dew Po	int		•••••	. (	52 · <b>2</b>	1	<b>52·1</b>	
Mean elastic force of Vapour				. 0	391 i	a	0.38	39 in
Mean weight of Vapour in a cub	icft.	of air	••••		4.4 g	r	4	·5gr
Mean additional weight require	d for	satu	ratio	1	1.2g	r	1	·0gr
Mean degree of Humidity (sa	turat	ion 1	·00)	. (	)·78		0.8	32
Mean weight of a cubic foot of	air .		• • • • • • • • • • • • • • • • • • • •	. 52	8.0g	r	527	4 gr
Fall of Rain	•••••	•••••	•••••	2.	748 ir	1	4.18	34 in
Number of days on which Rain	fell.	•••••	•••••		11		17	9
No. of days in the month on	N	NE	E	SE	s	sw	w	NW
which the prevailing wind was	2	5	3	0	1	3	17	0
Mean Velocity in miles per hour	3.6	5.2	10.0	0	7-6	9.8	12·7	0
Total No. of miles for each Direction	171	621	718	0	182	706	5182	0

The total number of miles registered during the month was 7580. The max. Velocity of the wind was 30 miles per hour, W., on the 7th, at Noon, and at 1 p.m.

### JULY, 1897.

	nt of Cloud (an o h of July, the h years, was on th	•	•	•	,
The lowest	,,	15th, 1877			28.564
The highest	Temperature	22nd, 1878	"		88·2
The lowest	•	1st, 1857	**		36.0
The highest	adopted mean ter	nperature of the	month, 18	52	63.0
The lowest	,,	,,	1888	••••	<b>54</b> · <b>5</b>

#### TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average. Mean barometric pressure .. 0.093 inches 0.126Monthly Range Mean of highest temperatures ... 2.6 degrees + Mean of lowest 0.1 ,, Mean daily range + 2.7 Adopted mean temperature 1.2 Total rainfall 1.441 inches

Hail on the 25th. Heavy Rain on the 8th and 25th. Thunder on the 25th. Lightning on the 25th.

# AUGUST, 1897.

_	•	•	•					
Results of Observations taken	durin	g the	Month	ւ.			in for last year	
Mean Reading of the Baromete	r	in	ches	29.8	51		<b>29·4</b> 8	7
Highest ,, on	the a	Brd	,,	29.8	31		29.88	3
Lowest , on		28·94	9					
Range of Barometer Readings.		•••	,,	0.8	20		0.98	14
Highest Reading of a Max. The	erm. c	on the	e 2nd	81	3·8		77	1
Lowest Reading of a Min. Ther.o					5∙0	İ	41	8
Range of Thermometer Readin	gs .			38	8.8		35	8
Mean of all the Highest Reading				70	0-0		67	2
Mean of all the Lowest Readin	gs .	. <b>.</b>		51	<b>I ∙</b> 9	١.	50-	4
Mean Daily Range				1	8·1	1	16	8
Deduced Monthly Mean (from						l		
and Min.)				-	9.8	[	57	1
Mean Temperature from Dry F				•	0·1	Ì	<b>57</b>	5
Adopted Mean Temperature .	,			-	9.7	57· <b>8</b>		
Mean Temperature of Evapora				-	6.1		54	-
Mean Temperature of Dew Poi					2.9		51	8
Mean elastic force of Vapour		•			102 in	1	0.88	
Mean weight of Vapour in a cub					4∙5 gr	1	4	·8gr
Mean additional weight required					1-8 gr	1	0	·9gr
Mean degree of Humidity (sat			•		·79		0.8	32
Mean weight of a cubic foot of					2·7 gr	1	5 <b>27</b>	·8gr
Fall of Rain					685 in	5 <b>-0</b> 89 in		39 in
Number of days on which Ra	ain fe	11	• • • •	•	24		19	2
No. of days in the month on	N	NE	R	SE	s	sw	w	NW
which the prevailing wind was	2	2	2	4	5	6	10	0
	_							
Mean Velocity in miles per hour	2.6	4.5	6.0	8.4	9.1	11.0	8.9	0
Total No. of miles for each Direction	127	216	285	802	1097	1581	2184	0
The total number of miles re	egiste	red d	lurin	g the	mon	th w	as 624	12.

The total number of miles registered during the month was 6242. The max. Velocity of the wind was 29 miles per hour, S. b E., on the 20th at 11-0 a.m.

# AUGUST, 1897.

Mean amount	of Cloud (an ove	rcast sky being in	dicated	by 10	0) 8· <b>4</b>
In the month ter during t	of August, the h 50 years, was on t	ighest reading of the 21st, in 1874,	the Ba and wa	rome-	80.114
The lowest	,,	81st, 1876	"		<b>2</b> 8·555
The highest	Temperature	2nd, 1868	,,	••••	88.0
The lowest	**	18th, 1887	**	• • • •	88.4
The highest as	lopted mean temp	erature of the mo	nth, 185	7&'84	61.0
The lowest	**	**	184	8	<b>52</b> ·5

### TABLE OF DIFFERENCES.

*******	-	TIT BELLEVIOLOGIC			
The signs + and — m monthly average.	ean	respectively al	oove	and be	low the
Mean barometric pressure	••	• •	_	0.186	inches
Monthly range ,,	••	••		0 014	,,
Mean of highest temperatures	••	••	+	2.8	degrees
Mean of the lowest ,,	••	••	+	1.5	,.
Mean daily range ,,	• •	••	+	1 ·8	.,
Adopted mean temperature	••	••	+	2.4	,,
Total rainfall	••	••	+	2 596	inches
Heavy Rain on the 6th, 10 the 4th, 5th, 6th, 11th, 21					

Lightning on the 4th, 5th, 6th, 11th and 18th.

# SEPTEMBER, 1897.

Mean Reading of the Barometer inches 29:545       29:545         Highest on the 18th 30:144       30         Lowest on the 2nd 28:735       28:735	99.517 30.028 88.846 1.182 72.5 36.4 86.1	7 3 3 3 4
Highest , on the 18th ,, 30·144  Lowest , on the 2nd ,, 28·735 28  Range of Barometer Readings, 1·409  Highest Reading of a Max. Therm. on the 18th 70·4  Lowest Reading of a Min. Therm. on the 17th 32·0	30 · 028 28 · 846 1 · 182 72 · 5 36 · 4	3 3 1 5
Lowest ,, on the 2nd ,, 28.735 28 Range of Barometer Readings, 1.409 Highest Reading of a Max. Therm. on the 13th 70.4 Lowest Reading of a Min. Therm. on the 17th 32.0	28 · 84 6 1 · 182 72 · 5 36 · 4	3 3 5
Range of Barometer Readings, 1.409 Highest Reading of a Max. Therm. on the 13th 70.4 Lowest Reading of a Min. Therm. on the 17th 32.0	1·182 72·5 36·4	} 5 L
Highest Reading of a Max. Therm. on the 18th 70.4  Lowest Reading of a Min. Therm. on the 17th 32.0	72·5	5 L
Lowest Reading of a Min. Therm. on the 17th 32.0	36.4	ı.
9	86.1	_
Mean of all the Highest Readings 62.2	62.3	}
Mean of all the Lowest Readings 44-2	47 0	)
Mean Daily Range 18:0	15.9	3
Deduced Monthly Mean (from Mean of Max.		
and Min.) 51.9	53	5
Mean Temperature from Dry Bulb 53.2	54-0	
Adopted Mean Temperature 52.6	53·7	
Mean Temperature of Evaporation 49.3	51-0	
Mean Temperature of Dew Point 46.0	48	3
Mean elastic force of Vapour 0.311 in	0.33	9in
Mean weight of Vapour in a cub. ft. of air 3.5gr	4.	0gr
Mean additional weight required for saturation 1.0gr	0.8gr	
Mean degree of Humidity (saturation 1.00) 0.79	0.8	2
Mean weight of a cubic foot of air 534-3gr	532·	3gr
Fall of Rain 5.783 in	4.62	0in
Number of days on which Rain fell 18	17	9
No. of days in the month on N NE E SE S SW	w	NW
which the prevailing wind was 5 8 0 0 2 5	14	1
Mean Velocity in miles per hour 3.2 4.2 0 0 6.8 11.2 1	10-6	9:2
Total No. of miles for each 379 300 0 0 325 18493	3565	221

The total number of miles registered during the month was 6139. The max. Velocity of the wind was 38 miles per hour on the 21st. Direction W.N.W. at noon.

#### SEPTEMBER, 1897.

	•	ercast sky being indic			•
In the month of ometer during	September, t 50 years, was	the highest reading of son the 15th, in 1851,	of the and wa	Bar- as	80.274
The lowest	**	25th, 1896	.,	•••	28.314
The highest Ten	nperature	6th, 1868	,,	•••	<b>85·0</b>
The lowest	,,	25th, 1885, and 36	0th, 18	38	<b>29·8</b>
The highest adop	ted mean ten	perature of the mon	th, 186	5	<b>59·1</b>
The lowest	**	•	186	В	<b>50</b> ·9

#### TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average. Mean barometric pressure 0.028 inches 0.227 Monthly range Mean of highest temperatures ... 0.1 degrees Mean of lowest 2.8 Mean daily range 2.7 •• Adopted mean temperature 1.1

Total rainfall 1.113 inches ... Ground Frost on the 10th, 18th and 19th. Hail on the 3rd. Heavy Rain on the 1st, 2nd, 3rd, 4th, 23rd and 24th. Gales of Wind on the 21st. Fog on the 14th and 26th. Lightning on the 16th. Gales of

# OCTOBER, 1897.

Besults of Observations taken	durin	g the	Montl	ì.			an for last ) year	
Mean Reading of the Baromet	er	i	nche	s 29·	732		29.42	6
Highest ,, on the 21st ,, 30.207								13
Lowest ,, on	1	28.64	15					
Range of Barometer Reading	s	••••	,,	1:	342	1	1.37	8
Highest Reading of a Max. Th	erm.	on t	he 1s	t 6	6·9	ł	6 <b>4</b> ·	3
Lowest Reading of a Min. The	rm. c	n the	11th	ı 8	1.7	1	<b>2</b> 8·	7
Range of Thermometer Read	ings .	•••••		. 8	5.2	1	<b>85</b> ·	6
Mean of all the Highest Read	ings.	•••••	•••••	. 5	7.7	1	54	5
Mean of all the Lowest Read	ings.			. 4	2.5	1	41.	4
Mean Daily Range				. 1	5.2	l	13	1
Deduced Monthly Mean (from and Min.)	ı Me	an o	f Ma	x.	9·1		47	0
Mean Temperature from Dry					9.5	1	47	6
Adopted Mean Temperature					9 3	1	47	8
Mean Temperature of Evapor					6.4		45	·1
Mean Temperature of Dew F					8.8		42	·6
Mean elastic force of Vapour					282 ir	1	0.27	74in
Mean weight of Vapour in a cu					8·2 gr	-	3	·1gr
Mean additional weight require					0.8g1	t		·6gr
Mean degree of Humidity (sat					)⋅80		0.8	34
Mean weight of a cubic foot			•		1·1 gr	-	587	·7 gr
Fall of Rain					698 ir		5-01	L5 in
Number of days on which Ra					12		21	· <b>4</b>
No. of days in the month on	N	NE	E	SE	s	sw	w	NW
which the prevailing wind was	7	8	4	0	4	6	5	2
Mean Velocity in miles per hour	5.8	4.7	9.0	0	18.8	7.9	7.6	3-6
Total No. of miles for each Direction.	978	841	861	0	1826	1182	910	171

The total number of miles registered during the month was 5719. The max. Velocity of the wind was 44 miles per hour, S., on the 17th at noon.

# OCTOBER, 1897.

In the month	nt of Cloud (an overca h of October, the hig g 50 years, was on the	hest reading of	the Ba	rom-	
The lowest	,,	19th, 1862	,,	••••	<b>28</b> ·189
The highest	Temperature	9th, 1869	,,	• • • •	<b>72</b> ·8
The lowest	<b>"</b>	28th, 1895	,,	••••	17.8
The highest	adopted mean temper	rature of the mo	nth, 18	61&'76	51.6
The lowest	,,	**	189	5	<b>42</b> ·8

### TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average.

Mean barometric	pressure	••	••	+	0.806 inches
Monthly range	,,	••	•• ••		0.036 ,,
Mean of highest te	mperatur	es	••	+	8·2 degrees
Mean of lowest	,,	••	• ••	+	1·1 ,,
Mean daily range	,,	••	••	+	2·1 ,,
Adopted mean temp	perature	••	••	+	2.0 ,,
Total rainfall	••		••		2.817 inches

Ground Frost from the 12th—14th. Heavy Rain on the 14th and 15th. Gales of Wind on the 10th and 17th. Thunder on the 15th and 17th. Lightning on the 15th.

# NOVEMBER, 1897.

Results of Observations taken	dur	ing th	he Mo	nth		1 -	an for last 0 years	-
Mean Reading of the Baromet	er		inches	29	731		29.33	9
Highest ,, or	n the	20th		30	272		30.06	3
Lowest ,, o	n the	28th	1 ,,	28	592		28.56	4
Range of Barometer Readings			. ,,	1	680		1.49	9
Highest Reading of a Max. Th	erm.	on th	e 13th		57.3		55	8
Lowest Reading of a Min. The	erm.	on th	e 30th	. 1	31.0		25	5
Range of Thermometer Readi	ngs .				26.3		30	3
Mean of all the Highest Read	ings.				51.2		47	2
Mean of all the Lowest Read					10-9		36	4
Mean Daily Range					10 3	1	10	8
Deduced Monthly Mean (from and Min.)	n Me	an of	Max	1	15.7		41.	4
Mean Temperature from Dry					15.6	1	41	7
Adopted Mean Temperature					15.7		41	6
Mean Temperature of Evapora					14.5	1	39	3
Mean Temperature of Dew Po					43-1	1	38	0
Mean elastic force of Vapour					279 in	1	0.23	0 in
Mean weight of Vapour in a cul					3-2g1	-	2	6gr
Mean additional weight require	d for	satu	ration	1	0.5gr		0	4gr
Mean degree of Humidity (sat	urati	ion 1	.00)		0.91	1	0.8	7
Mean weight of a cubic foot of	air.			5	45 ·5gr	-	545	0gr
Fall of rain				5	·835in		4.24	7 in
Number of Days on which rais					14		19	3
No. of days in the month on	N	NE	E	SE	s	sw	w	NW
which the prevailing wind was	3	3	8	0	4	6	5	1
Mean Velocity in miles per hour	5.5	2.4	7.1	0	13.8	6.2	13.5	21:
Total No. of miles for each Direction	396	174	1371	0	1324	886	1624	523

The total number of miles registered during the month was 6298. The max. Velocity of the wind was 48 miles per hour, N.W. by W., on the 29th at 1 and 8 a.m.

#### NOVEMBER, 1897.

Mean amount of Cloud	(an overcast sk	y being indicate	d by 10	0) 8.2
In the month of Novem ometer during 50 year	ber, the higher irs was on the 1	st reading of the 2th, in 1857, a	e Bar- nd was	30.350
The lowest	11	11th, 1891	••	27 938
The highest Temperat	ure	2nd, 1894	••	62·0
The lowest	,,	17th, 1861	,,	19·1
The highest adopted n	nean temperatu	re of the mont	h, 1881	47.0
The lowest	-		1851	36.7

#### TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average.

Mean barometric pressure	•••	•••	+	0·392 i	nches
Monthly range ,,	•••	•••	+	0.181	,,
Mean of highest temperatur	es	•••	+	4.0 €	legrees
Mean of lowest ,,	•••	•••	+	4.5	,,
Mean daily range ,,	•••	•••	_	0.2	,,
Adopted mean temperature	•••		+	4.1	,,
Total rainfall	•••		+	1.588 i	nches

Ground Frost on the 15th, 16th, 23rd, 24th, and 28th—31st. Hoar Frost on the 24th Hail on the 28th. Heavy Rain on the 17th, 26th, 28th, and 30th. Gales of Wind on the 28th and 29th. Fog on the 22nd and 23rd. Thunder on the 28th. Lightning on the 28th.

# DECEMBER, 1897.

Results of Observations take	n dur	ing th	ne Mo	nth.		1	ean for last 50 year	1000
Mean Reading of the Baromet	er		inche	s 29	409		29.4	54
Highest , on	the	22nd	**	30	255	1	30.0	75
Lowest ,, on	the	10th		28	458		28.5	87
Range of Barometer Readings			,,	1	797		1.4	88
Highest Reading of a Max The	erm.	on th	e 16tl	1	57.0		53	1
Lowest Reading of a Min. The					20.3		20	-2
Range of Thermometer Read	ings				36.7		32	9
Mean of all the Highest Read	ings				46.2		43	1
Mean of all the Lowest Read	lings				84.3	1	32	.9
Mean Daily Range				143	11.9	1	10	.2
Deduced Monthly Mean (from and Min.)	Me	an o	f Max		£0·3	1	38	.0
Mean Temperature from Dry	Bulb				11.4	1	38	.7
Adopted Mean Temperature					10.9		38	.3
Mean Temperature of Evapora	ation			. 1	38.8	1	36	8
Mean Temperature of Dew Po	int				36.2		34	.9
Mean elastic force of Vapour				. 0	213 ir	1	0.20	05 in
Mean weight of Vapour in a cul	b. ft.	of air			2.5 g	r	2	·4g
Mean additional weight require	d for	satu	ration	1	0.5 gr	r	0	4g
Mean degree of Humidity (sat	urati	on 1	00)	. (	84	1	0.8	37
Mean weight of a cubic foot of	f air.			54	5.0g	г	548	·3g
Fall of Rain				4.	699 ir	1	5.26	34 in
Number of Days on which rain	fell				20		19	0
No. of days in the month on which the prevailing wind was	N	NE	E	SE	s	sw	w	NV
which the prevailing wind was	2	1	3	3	10	7	5	0
Mean Velocity in milesper hour	6.3	5.6	11.0	6.3	16.4	11.4	20.2	0
Total No. of miles for each	302	135	795	455	3927	1914	2426	0

The total number of miles registered during the month was 9944. The max. Velocity of the wind was 51 miles per hour, S. b E., on the 30th at 3-0 a.m.

#### DECEMBER, 1897.

	•	rcast sky being indice highest reading of		•	•
ometer durin	g 50 years, was	e highest reading of on the 22nd, in 1849	, an	d was	30.378
The lowest	13	8th, 1886	,,		<b>27·35</b> 0
The highest Te	mperature	9th, 1876	,,		58.1
The lowest	,,	24th, 1860	,,		6.7
The highest ad	opted mean tem	perature of the mon	th 1	857	44.6
The lowest	,,	1878	,,	• • • •	30.3

### TABLE OF DIFFERENCES.

The signs + and - mean respectively above and below the monthly average.

Mean barometric	pressure		• •	_	0.045 inches
Monthly range	• • • • • • • • • • • • • • • • • • • •		••	+	0.309 ,,
Mean of highest ter	nperature	s	••	+	3·1 degrees
Mean of lowest	,,		••	+	1.4 ,,
Mean daily range	,,	••	••	+	1.7 ,,
Adopted mean temp	eratures		••	+	2.6 ,.
Total rainfall					0 565 inches

Ground Frost from the 1st—4th, 12th—15th, 21st—26th, and on the 29th. Snow on the 1st, 2nd, and 8th. Hail on the 6th, 8th, 11th, 14th and 15th. Heavy Rain on the 5th and 7th. Gales of wind on the 8th, 9th, 27th, 29th, 30th and 31st. Fog on the 3rd. Lightning on the 30th.

# Summary of Observations FOR 1897.

Results of Observations taken during the Year.	Mean for the last 50 years.
Mean Reading of the Barometerinches 29.517	29.491
Highest ,, on November 20th ,, 30.272	30.283
Lowest , on March 3rd ,, 28:157	28 262
Range of Barometer Readings, 2:115	2.021
Highest Reading of Max. Ther. on Aug. 2nd 83.8	81.7
Lowest Reading of a Min. Therm. on Dec. 22nd 20.3	15.4
Range of Thermometer Readings 63.5	66.3
Mean of all the Highest Readings 56.0	54.8
Mean of all the Lowest Readings 40.9	40.6
Mean Daily Range	14.2
Deduced yearly Mean (from Mean of Max.	
and Min.) 47.4	46.8
Mean Temperature from dry bulb 47.9	46.7
Adopted Mean Temperature 47.7	46.8
Mean Temperature of Evaporation 45.0	44.5
Mean Temperature of Dew Point 42.2	43.1
Mean elastic force of Vapour 0.278 ir	0·273 in
Mean weight of Vapour in a cub. ft. of air 3.2 gr	3.3gr
Mean additional weight required for saturation 0.8 gr	r 0.7gr
Mean degree of Humidity (saturation 1 00) . 0.82	0.84
Mean weight of a cubic foot of air 539.3 gr	
Total fall of rain in the year 51 622 in	47·261 in
Number of days per month on which rain fell 17.5	18.0
The Maximum monthly mean height of the Baromete in February, 1891, and was i	
The Minimum ,, ,, in December, 1868, and	d was 28 984
The Maximum yearly mean height of the Barometer w	vas in
1896, and was	
1	
The Minimum ,, ,, in 1866, and was	29.389

## SUMMARY, 1897.

The greatest	monthly ran	nge	of t	he l	Baron	neter	was i	n	
January	y, 1884, and w	vas .					inche	s 2·4	09
The least,	,, ,, in	July	185	2, and	d was	3 <b>.</b>	,	0.2	05
The highest re	eading of the ary 9th, 1896	Bar , and	omet l was	er du	ring	50 ye	ars wa .inche	.s :s 30·5	97
The lowest	,, ,,	on I	ecen	iber :	8th, :	1886, a	ınd wa	s 27·8	50
Extreme range	e						inche	s 3·2	47
The highest to	emperature wa	as on	June	e 18tl	ı, 189	93, and	l was.	. 88	<b>3·7</b>
The lowest	,, ,,	Jа	nuar	y 15t	h, 18	81		. 4	16
The highest a	dopted mean						h, July		2·4
The lowest	,,	••	,,	. ]	Febru	ıary, I	855, .	. 2	8· <b>6</b>
The highest a					of a	vear.	1868.	. 49	9·1
The lowest	_	•	_	,,		,,	1050		<b>4</b> ·1
The greatest in a cul	monthly mean	weis	ht o	f vap	our)	July,	1852.		5·1 gr
The least	,, ,,				-	18 <b>5</b> 5 a	nd 189	5 1	l·4gr
The greatest i		a m	onth,	was	in (			0,	37 in
The least		••		,,		Marc	h, 185	2 0 0	47
The greatest r rain fel		•	whic	• •	uly, 1	.861, D	ec.186	88	31
The least	9,	,,		,,			h 185		3
	Summ	ARY	OF	W	IND	•			
No of days in		N	NE	E	SE	s	sw	w	NW
which the pro	evailing wind	42	47	39	9	47	56	114	11
was									
Mean Velocity hour	in miles per	5.5	6.7	9.5	8.0	13.5	10.5	12.3	9.8
Total No. of n	niles for each	5582	75 <b>3</b> 8	8868	1721	15206	14062	88688	2444
The total	No. of miles r	egist	ered	durii	ng the	e year	was 8	9104.	

The total No. of miles registered during the year was 89104

The max. Velocity of the wind was 56 miles per hour, W., on February 21st, at 2 a.m.

	Heavy Rain.	4, 25 4, 26 18, 17 28 1, 17, 19	6, 10, 17, 20, 21 1, 2, 8, 4, 23, 24 14, 15 17, 26, 28, 80 5, 7	Solar Halo.	
fENA.	Hail.	16, 26, 81 8 1, 8, 4, 5, 10, 12 1, 14, 16 5, 6, 10, 29	14, 15	Lunar Halo.	
DATES OF OCCASIONAL PHENOMENA.	 	9,14,20,23-25,28,29 15, 14, 25, 12, 15, 29, 80 1, 8, 4, 15 10, 12 5, 0		Lightning.	14 28 1 26 4, 5, 6, 11, 18 16 16 16 16 10, 18
IONAL	Snow.	8,9,14,20,23-25,28,29 1, 1, 1, 4 2, 12, 15, 29, 30 4, 15 10, 12	1, 2, 8	Thunder.	9, 18 16 14 14 14 14 15 17 17 16 16 17 17 16 18 18 18 18 18 18 18 18 18 18 18 18 18
OCCAS	Hoar Frost.		54	<b></b>	4-6,11,21,
OF		3—31 —18,27,28 16,29—31 2, 23, 25	28—31 —26, 29	F08.	
DATES	Frost.	1—8, 6, 9, 10, 13—31 1—4,6—8,10—12,16—18,27,28 1, 2, 4, 6—8, 10,11,14,16,29—31 1—8, 10, 11, 15, 22, 23, 26 1, 4, 10—12, 28	10, 18, 19 12—14 15, 16, 28, 24, 28—31 1—4, 12—15, 21—26, 29	Gales of Wind.	21 2,8,4,17,18,19,2428 16 21 10,17 28,29 8,9,14,27,29,80,81
	1897.	January February March April May June	August September October November December	1897.	January February March April May July August September October November

MONTHLY TABLES FOR EACH H	FOR EACH	FOR EACH	FOR EACH	EACH			$\equiv$ 1	0	HOUR	OF		0	\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	RECORDED	1	SUNSHINE	SHI	NE
Local apparent time.	ë	4-5	9-9	2-9	4.8	8-9	9-10	9-10 10-11 11-12 12-1	11-12	12-1	1-2	2-3	8-4	4-6	9-9	2-9	7-8	8-9
		0	0	0	0	2-0	4.5	2.2	8.7	8.9	9.4	9.6	1.4	0	•	•	0	0
	•	0	0	0	9.0	2.1	5.3	6.9	2.9	8.0	8.8	8.	1.0	0	•	0	0	0
		.0	0	2.0	29.52	4.6	8.	6.6	8.7	11.0	10.6	11.9	10.0	4.7	0.3	0	0	0
		0	1.2	7.0	8.6	13.5	14.4	13.8	13.9	13.2	12.9	12.9	12.5	13.2	10.1	6.	0	0
		2.3	10.7	16.3 19.6		17.7	19.3	21.3	20.6	20.4	20.4	90.9	20.3	21.1	15.5	12.5	4.4	0
	•	1:1	4.3	2.9	7.6	10.1	10.7	12.6	12.5	13.5	11.3	13.4	12.5	11.0	12.0	8.9	6.0	0
		2.1	9.0	12.7	12-9	12.9	14.1	15.4	17.1	19.0	18.6	17.8	18.6	16·1	16.2	12.1	4.4	0
•	•	0	5.3	7.1	8.01	13.3	15.8	16.6	17.1 16.9	6.91	15.3	16.0 12.6	13.6	10.4	2.2	3.1	0.5	0
•	•		0	8.2	8.0	13.0	13.0 14.9 16.4		15.4 16.2	16.2	13.3	11 0	11.4	6. 2	2.7	0	0	0
•	•	0	0	2.0	2.4	6.9	11.6	14.3	16.2	15.3	12.2	12.4	9.4	8.8	9.0	0	0	.0
	•	c	0	0	0	1.8	8.8	9.9	0.9	9.9	6.5	<b>4</b> ·8	2.4	0	0	0	0	0
•	•	0	0	0	0	0.2	1.6	3.1	4.8	9.9	2.2	2.2	0	0	0	0	0	0
		6.1	27.0	53.5	15.4	8.76	124.5	124.5142.6146.7153.4139.8129.0112.187.2	146.7	153.4	139.8	129.0	112.1	87.2	64.9	39.8	6.6	0

ON EACH DAY.	
-	12 18 14 15
0 0	
6 0	•
8 0	
2 0	
9 0	
4 6	
*	_
<b>~</b>	_
<u></u>	8
_	-
	TH.
	Month

EACH DAY.	Monthly Per centage Total.		46.5 18.7	91.9	83.4 22.8	153-2 86.5	268.3 58.3	148.8 29.8	219.1 43.0	165.0 36.1	133-0 85-1	103.7 31.9	37.5 14.7	24.8 10.5
	$_{ m T}$	-	0	0	7.0	•	4-11	•	9.5	4.8	•	8.9	•	•
NO	88		0	•	2.6	5.4	1.5 1	8.0	8 2	8.8	5.3	10	•	2.0
SUNSHINE RECORDED (Continued.)	29		8.8	0	8.3	5-0	8.5	•	8.8	8.0	0	5.1	8.9	0
RD	87		1.9	0.9	2.0	1.8	1.7	2.5	2.7	2.0	0	4.4	0	1.2
300	1.8		4.4	9:0	85 85	8.8	3.7	5.3	7.3	9. 2	6.3	1.9	0	0
RI	98		5.6	7.0	1.8	œ œ	11.3	7.2	မဲ့	5.3	8.9	3.6	0	•
HINE (Continued.)	35		3.9	•	89 99	3-7	•	0	6.5	1.2	8.6	5.1	0	1.3
HI	24		•	1.0	0.1	11.5	14∙4	2.4	1.8	2.7	0	5. 5.	0	0.4
NS	28		9.0	e: 0	1.8	ro co	14.4 15.2	13.3	7.8	<b>9.4</b>	•	9.0	0	0
SC	22		3:	•	•	13.3	14.4	9.4	3.0	2.5	•	8.9	0.7	0
OF	21		0.5	0.2	3.6	•	14.9	1.7	9.0	6.1	9.2	2.4	0	•
T	20		1.9	4.2	1.0	10.4	11.4	<b>8</b> .8	•	1.7	7.3	8.9	2.3	9
JU(	19		1.4	•	5.8	•	14.6	0.6	14.0	£0.3	9.4	4.0	•	4.0
MC	18		1.2	9.0	9.e	9.0	13.6	•	8.7	6.4	9.5	0.9	5.4	•
A			•	•	•	•	•	•	•	•	•	•	•	•
TOTAL AMOUNT	Month.		January .	February -	March .	April -	May .	]une -	July -	August .	September	October .	November	December -

# SUMMARY OF SUNSHINE.

	Number of	Amount	Per	Mean i	Mean for the last 17 Years.				
1897.	days on which Sunshine was recorded.	or Total Number of Hours	centage of possible Sunshine.	Days.	Amount	Per centage of possible Sunshine			
Januar <del>y</del>	18	46 5	18.7	14-1	86.4	14-7			
February	14	81-9	11.7	17 4	57·1	20.8			
March	26	83.4	22.8	23 5	104.3	28 5			
April	28	158-2	86 5	25-8	146-8	35.0			
Мау	28	263·3	53.8	28-0	197·8	40 2			
June	24	148 8	29.8	27 ·4	190 6	37-5			
July	29	219·1	43.0	28.4	178 · 1	84-0			
August	80	165-0	86·1	27-6	142-1	31·1			
September	21	138-0	85·1	25.2	122.9	82.4			
October	25	108.7	31·9	28·1	86.8	26-6			
November	9	37 5	14.7	16:4	48.5	17-0			
December	15	24 · 8	10.5	12.9	26.5	11 5			
Year	262	1409-7	81.6	269-8	1827-9	297			

# SUMMARY OF SUNSHINE

(Continued)

# EXTREMES FOR THE LAST 17 YEARS.

Monte	Number of Days on which Sunshine was recorded.			Aı	nount numb Hot			Percentage of possible Sunshine.				
	GRE	ATEST	LI	EAST	GREATEST LEAST		ST	GREATEST		LEAST		
	Days	Year	Dayı	. Year	Hours	Year	Hours	Year	0/0	Year	0/0	Year
Jan.	21	1881	9	{1885 {1889	64.2	1881	14 9	1885	<b>24</b> ·8	1881	5.8	1885
Feb.	24	1895	11	1882	89.3	1887	29 6	1882	32·1	1887	10.6	1882
Mar	28	1894	19	§1881 {1882	16 <b>2</b> ·1	1893	67.0	1895	44 2	1893	18-3	1895
Apr.	28	1884 1887 1892 1893 1896	23	\begin{pmatrix} 1883 \\ 1885 \\ 1888 \\ 1897 \end{pmatrix}	223 · 7	1898	95 7	1889	<b>53</b> ·9	1893	23 · 1	1889
Мау	<b>30</b> ·	(1881 1884 (1888	22		266·6	1881	127.0	1886	55·3	1881	26·3	1886
June	30	1896	24	{1888 {1897	<b>272</b> 5	1887	115.0	1890	55·2	1887		1890
July	31	1882	25	1888	247 · 2	1887	98.0	1888	<b>49</b> ·8	1887	19.7	1888
Aug	81	{1886 {1893	28	1894	194.8	1893	88.4	1891	43·5	1898	19·5	1891
Sept	29	1895	21	1897	170.0	1895	62.9	1896	45·1	1895	16.7	1896
Oct.	28	1891	17	1889	119·2	1881	50-0	1889	36·1	1881	15.2	1889
Nov	23	1883	9	1897	60 5	1884	18.5	1891	23.0	1884	7.0	1891
Dec.	18	1886	6	1882	60·1	1886	14.5	1882	2 <b>4</b> ·8	1886	6 0	1882
Year	290	1887	 252	1885	1613.7	1887	1132·1	1888	36.3	1887	25 4	1888

# OBSERVATIONS OF UPPER CLOUDS (CIRRUS)

Data. 1897.	1	G M.T.	Cloud		Wind	•	Direction of Lower
1001.		<b>G 1.1.</b>	Direction.	V'locity (0—6.)	Direction.	Force. (0—12.)	Clouds.
January	4	4 40pm	8 b W	8	SbE	3	sw
,,	15	8 40am	NNW	2	NNE	1	NE
.,	16	9-0am	SE b S	8	ENE	0	NW
,,	21	Noon	NNW	2	NW	8	N
,•	27	Noon	NWbN	2	NNW	2	NW
"	29	8- <b>45</b> am	NWbN	8	wьs	0	
February	1	8-45am	N	2	NbE	1	NEDN
,,	11	7-80am	W	8	NbW	i	
,,	16	Noon	NW	2	wsw	3	SW
91	17	Noon	8W	2	SW	1	1
	21	9-15am	NW	8	w	4	WbS
"	23	1-40pm	NW	2	wsw	1 4	SW
,,	27	7-80am	8bW	2	WbN	ī	
March	8	Noon	NW	8	wnw	7	WbN
١,,	5	5-10pm	N	2	SWbW	2	ì
١,,	16	5-15pm	NNE	8	SWbS	5	SSW
,,	19	5-10pm	WbN	8	Wbs	6	W
,,	28	2-20pm	w	8	wsw	8	SW
,,	25	3 20pm	NW	2	Wbs	5	W
,,	29	4-0pm	sw	8	NW	2	NW
,,	80	Noon	wsw	2	WbS	2	
April	1	7-30am	sw	3	NEbN	1	
,,	8	9-0am	WbN	2	E	8	E
,,	4	10-0am	sw	2	ENF	1	E
,,	15	8-0pm	NW	8	wsw	5	sw
,,	20	11-80am	NW	8	Wbs	8	NW
,,	24	9-15am	NW	8	NWE	2	NE
,,	26	4-0pm	NW	8	ENL	8	ļ
May	6	9-40am	NW	2	wnw	4	WbN
٠,,	7	9-80am	sw	2	Wbs	1	W
,,	10	9-10am	sw	2	WbN	2	W
,,	11	11-50am	NWbN		NWbW	8	NW
,,	16	11-30am	w	2	NE	2	NE
,,	19	8-30am	W	2	ENE	2	NE
,,	26	4-0pm	Wbs	2	wsw	8	SW
,,	27	1-45pm	E	8	Eb8	2	sw
June	4	8-20am	s	8	NEbN	1	
٠,,	5	9-10am	SbE	8	NbE	0	N
,,	9	4 0pm	WbN	2	EbN	2	E
٠,,	10	9-0am	SW	2	RSE	1	1 K

	<b>OBSERVATIONS</b>	OF	UPPER	CLOUDS	(Continued).
--	---------------------	----	-------	--------	--------------

Date 1897.		G. M. T.	Cloud	<b>L</b>	Win	d.	Direction of Lower
		U	Direction.	V'locity (0—6).	Direction	(Force. 0—12.)	Clouds.
Tune	12	10-30am	8 b W	2	sw	1	
, ,,	12	Noon	8W	2	ssw	2	8
,,	15	Noon	NE	8	W	2	WbS
,,	19	9-0am	NWbW	2	NWbW	8	NW
3.	22	4-0pm	Wbs	2	wsw	2	8W
,,	26	10-50am	SSE	2	NNE	1	
[uly	2	Noon	sw	2	sw	2	ļ
,,	4	6-0pm	NW	2	WbS	2	sw
,,	12	4-0pm	NE	2	Eb8	2	
,,	15	10 0am	SEBE	2	NWbN	1	1
,,	16	5-0pm	NWbW	2	SW	1	W
,,	19 (	7-80am	ENE	2	NNE	1	ĺ
"	22	7-80am	NW	2	wsw	1	ŀ
"	26	2-0pm	NE	3	wsw	4	sw
"	27	2-30pm	NW	2	W	8	w
"	81	11 15am	S₩	2	NEbN	1	
August	1	9-0am	N	2	NEbN	1	
,,	2	9-0am	NbE	2	NNE	1	
"	8	4-0pm	w	8	ESE	1	
97	10	8 0am	NW	2	EbN	1	
,,	14	1-0pm	NbE	2	sw	2	SWbV
,,	16	8-0pm	NW	2	SW b W	8	8W
"	18	7-20pm	NWbW	2	WNW	1	W
"	19	9-80am	NWbW	2	WbS	1	W
"	21	11.0am	NE	2	SWbW	4	sw
"	24	8-0pm	SbE	3	E	8	EbN
• • •	28	8-0am	8	2	8 b W	2	8
"	80	Noon	NNW	3	8 b E	4	8W
"	81	4-0pm	NEDE	2	sw_	8	sw
Sept.	4	11-30am	NbW	3	wnw	8	w
٠,,	8	7 80am	W	8	NNW	0	
"	16	4-40pm	N	8	wsw	2	W
"	17	8-0am	NEBE	2	w	8	W
"	19	9-0am	SEBS	2	wsw	0	NE
",	20	10-0am	NWbW	2	Wbs	1	N
Oct.	1	Noon	NNW	3	ESE	0	N ·
,,	5	7-0am	SSE	2	EbS	0	SE
"	12	Noon	NW	2	WNW	8	NW
.,	18	9-0am	w	8	NWbW	1	
,,	19	4-0pm	NNW	8	WNW	2	sw
,,	20	8-0am	NWbN	3 1	SWbW	0	SW

# OBSERVATIONS OF UPPER CLOUDS (Continued).

Date 1897		G. M. T.	Cloud.		Wind.		Direction of Lower	
1091		G. M. 1.	Direction V'loci		Direction. (0—12)		Clouds	
Oct.	27	10-0am	N	2	NNE	1 1	NbW	
,,	28	9-0am	NW	3	NNE	1	i i	
,,	29	10-0am	N	2	NNE	1	1	
,,	30	10-0am	N	2 3 2 2	NbE	0	]	
**	31	9 0am	N	2	NbE	1	NEbN	
Nov.	10	11-0am	NbE	2	NEbN	1	NE	
,,	15	9-0am	N	2	NW	1	1	
11	18	4-0pm	N	2 2 2 2	WbS	2 2	1	
"	20	1-30pm	NNW	2	WbS	2	w	
Dec.	1	1-20pm	N	2	NNW	0	NE	
95	3	8-15am	NbE	2 3 2 2 2 2 1 2 2 2	NNE	0	l .	
,,	9	12-10pm	${f E}$	2	WbS	7	wsw	
,,	16	11.45am	NEbN	2	SbE	6	S	
,,	23	2-15pm	N	2	NNE	6	NE	
,,	24	10-10am	NW	2	NEbN	0	NE	
,,	25	9-45am	SE	1	ssw	1		
,,	26	9-10am	N	2	SWBS	1	S	
,,	28	9-10am	N	2	S	3	8	
,,	30	9-0am	NW N	2	SSW	7	18	

.54 & .58 -60 November | December \$ 42 **46** ÷ 244 The figures express, in hundredths of a day, the Greenwich Civil time at which the drawing was made. 46 6 43 52 268 45 & 60 October 22443 \$4 8 8 6 6 89 88 55. 41. August September -89 67 -87 & -67 -89 -89 38 **7448**2888 884 4 4 41 £8.55 194 £. ₩ July **5**49 84388834 48 ÷ ÷ ÷ ÷ **8**.4 **4**2 Jupe 88 88 84 85 75 42 52 51 **4**1 8 ±89± 7 May **348843848** 34 84468 3 4 4 6 5 5 April 4 4 4 35 \$ 83 242 823484 March 3 22 46 # # 88 43 ස 34 February 9 3 89 841 45 January 44 3243 ß £ 29 59 74 83 Ŧ 1897. 

#### OBSERVATIONS OF EARTH-MAGNETISM.

ABSOLUTE measures of Horizontal Magnetic Force have been made once each month, by the method of Vibration and Deflection.

In these observations the same Magnet has been employed from the beginning of the series in March. 1863. The weight of the Magnet with its stirrup is 825 grains, and its length 3.94 inches nearly. Its moment of inertia, measured by the method of vibrations, with and without a known increase of the moment, is 5.27303 to the English foot—second—grain units, at the temperature 35° Fahr., and its rate of increase is 0 00073 for increase of 10°

The temperature corrections have been obtained from the formula  $q(t^0-32^\circ) + q'(t^0-32^\circ)_2$ , where  $t^\circ$  is the observed temperature and 32° Fahr, the adopted standard temperature. The values of the co-efficient q and q' are respectively 0.0001128 and 0.000000136.

The induction co-efficient  $\mu$  is 0.000244.

The correction for error of graduation of the Deflection bar at 1.0 foot is + 0.00004ft. at 1.3 + 0.000064 ft.

The observed times of vibration are entered in the Table without corrections.

The time of one vibration has been obtained each month from the mean of twelve determinations of the time of 100 vibrations.

The angles of deflection are each the mean of two sets of readings.

In deducing from these observations the ratio and product of the magnetic moment m of the magnet, and the earth's horizontal magnetic intensity X, the induction and temperature corrections have always been applied, and the observed time of vibration has been corrected for the effect of torsion of the suspending thread; but no correction has been required for the rate of the chronometer, or for the arc of vibration, the former having been always under 1.5s and the latter never over 50'.

The average deflection of the magnet caused by a twist of the torsion circle through 90° has been about 11' ·2 of arc.

In the calculations of the ratio—, the third and subsequent X

terms of the series  $1 + \frac{P}{+--} + &c.$ , have always been omitted.

The value of the constant P was found to be-0.00096.

The Vertical and Total Forces are deduced from the measures of the Horizontal Force, and the Angle of Inclination or Dip.

All the computations are in English foot—second—grain units; and in the final table the results are given also in C. G. S units, in parallel columns.

The Dip, or angle between the direction of total force, and that of its horizontal component, has been measured with Barrow's Circle, once each month by two needles, always when possible on the days of vibration and deflection observations.

The Declination has been observed at the beginning of each week, usually on Mondays at 4 p.m. and is quoted as the angle between the horizontal direction of force and the Astronomical Meridian, measured from the North Point.

The Differential Instruments, or Photo-Magnetographs, are of the same pattern as those at the Kew Observatory, except that the radial distances between the centres of the magnets and the surfaces of the respective cylinders are shorter, and the clock is not provided with an automatic light-cut-off, for the timescale. The "cut-offs" are made by hand at the hours 0, 2, 20, and 22 of the astronomical day, to furnish two time marks at each end of the day's curves, the changes being made between 10-30 and 11 a.m., civil time.

The scale value of the Bifilar horizontal force torsion balance, has remained very constant at 0.00051 C. G. S. for one centemetre, during the last five years

The scale value of the Unifilar Declination Magnet is  $11^{\prime\prime}28$  arc per centimetre.

The corrections for diurnal range, employed in the tables, are taken from the Kew Reports 1891-96.

# OBSERVATIONS OF DECLINATION AND DIP.

1897	G.M.T.	WEST DECLINAT	ON MAGNETIC DIP.
Монтн	Civil Day	Observa- tions. Mean	
	D. H. M.	. ,	, о , в. н. м.
Jan.	4 16 5 11 16 5 18 16 0	18 29 7 18 29 7 18 28 7	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Feb.	25 16 0 1 16 40 8 16 0 15 16 0	18 28·2 18 28·1 18 28·2	1 68 51·1 16 11 43 68 59·8 ,, 12 18
March	22 16 0 1 16 0 8 16 0 15 16 20	18 34·2   ) 18 30·7	1 68 54-6 20 11 7
	22 16 0 29 16 0 5 16 0	18 26·8 18 34·2 18 31·0	3 00 09 1 ,, 11 04
April	12 16 5 26 16 0 3 16 0	18 30·1 18 25·9 18 30·4	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
May	10 16 0 25 16 5 31 16 0	18 25·9 18 29·6 18 23·7	1 68 56·8 15 10 36 8 68 57·8 , 11 18
June	7 16 20 14 16 15 21 16 10 28 16 0	18 26·7 18 29·6 18 27·6 18 30·5	1 68 39·7 19 10 26 8 68 55·2 ,, 10 54
July	5 16 0 19 16 0 26 16 0	18 25·6 18 33·9 18 26·1	68 52·2 17 10 8 68 56·3 , 10 41

## OBSERVATIONS OF DECLINATION AND DIP.

## (Continued.)

1897	G.M.T.	WEST DE	CLINATION		Magnet	IC DIP.
	CIVIL DAY	Observa- tions.	Monthly Mean.	Needle	DIP.	G.M.T. CIVIL DAY
	D. H. M.	o ,	0 1		o ,	D. H. M.
Aug.	2 16 20 9 16 0 16 16 5 23 16 0 30 16 25	18 28·4 18 29·2 18 28·4 18 23·9 18 28·5	18 27.7	1 3	68 49·2 68 55·7	16 11 3 ,, 12 20
Sept.	18 16 5 20 16 0 27 16 0	18 26·7 18 24·5 18 26·0	18 25.7	1 3	68 58·0 69 0·2	20 11 39
Oct.	4 16 0 11 16 5 18 15 50 25 16 0	18 29·2 18 27·8 18 22·6 18 22·4	18 25.4	1 3	68 42·5 68 53·5	20 11 18
Nov.	3 16 0 8 16 0 15 16 0 22 16 0 29 16 0	18 23·7 18 25·2 18 22·2 18 20·7 18 26·7	18 23.7	1 3	68 46·6 68 58·0	19 11 9
Dec.	6 16 0 13 16 15 27 16 0	18 24·6 18 26·8 18 26·9	18 26 1	1 3	68 51 6 68 58·9	18 9 25
Yearly Mean			18 27.6		68 53.9	

# OBSERVATIONS OF VIBRATIONS AND DEFLECTIONS FOR ABSOLUTE MEASURE OF MAGNETIC FORCE.

1897 <b>Y</b> onth.	G. M. T. (Civil Day).	Time Temp. of one vibration	G. M. T.	Temp.	Observed Deflection at 1.0 ft. at 1.3 ft.	Value of m
	D. H. M.	0	D. H. M.	o	o ,	
Jan.	15 9 51	85.0 5.9884	15 {10 85 10 50	88·0 88·0	11 57·4 5 24·8	0.88750
Feb.	16 9 89	49.8 5.9810	16 {\frac{10 48}{10 51}}	50·5 50·9	11 55·8 5 24·7	0.38793
Mar.	20 9 81	46-6 5-9868	20 {\begin{pmatrix} 10 & 20 \\ 10 & 20 \end{pmatrix}	49·5 49·9	11 54·8 5 24·2	0.38714
Apr.	17 8 38	46.7 5.9888	$17 \left\{ \begin{array}{l} 9 & 32 \\ 9 & 48 \end{array} \right]$	48·0 48·0	11 57·4 5 23·2	0.38765
May	15 8 10	50.0 5.9907	15 { 9 59 9 59	52·9 52·9	11 55·6 5 23·8	0·38728
June	19 8 34	52.0 5.9878	$19 \left\{ \begin{array}{l} 9 & 49 \\ 9 & 50 \end{array} \right.$	52·5 52·9	11 55·0 5 24·0	0·38735
July	17 8 18	59 · 8 5 · 9867	17 { 9 86 9 36	62·0 62·0	11 53 9 5 23·1	O·38769
Aug.	16 10 50	62.0 5.9981	16 {\frac{11 36}{11 35}}	61·9 62·1	11 53·5 5 23·7	0.38735
Sept.	20 10 23	56.0 5.9878	20 {11 11	58·1 58·4	11 53·3 5 23·2	0-38730
oa.	20 8 16	51.2 5.9856	20 { 9 80 9 80	56·8 56·3	11 55·0 5 24·1	0-38778
Nov.	18 10 13	49.0 5.9952	18 {\frac{11 44}{11 45}}	59·0 59·0	11 53·2 5 23·2	0-38667
Dec.	14 10 38	48.5 5.9863	14 {\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	46·0 46·0	11 54·3 5 23·4	0-38698

# MAGNETIC INTENSITY.

BR	ITISH	UNITS.		C. (	G.S. UN	ITS.
1897	Horizon- tal Force.	Vertical Force.	Total Force.	Horizontal Force.	Vertical Force.	Total Force.
Jan	3.7368	9·6778	10:3737	0·17280	0.44620	0.47830
Feb	3.7388	9.7014	10.3969	0.17239	0.44781	0.47987
Mar	8.7371	9.7087	10.4081	0·17281	0.44765	0.47966
April	8.7357	9.6891	10.3845	0.17225	0·44674	0.47880
May	3.7342	9.7051	10 3988	0.17218	0.44748	0·47946
June	3.7371	9.6301	10.8298	0·17231	0.44402	0.47628
July .	3.7416	9-6987	10.3954	0.17252	0.44718	0.47981
Aug	3.7380	9.6744	10.8718	0.17235	0.44606	0.47820
Sept	8.7424	9.7416	10.4357	0.17255	0.44916	0.48116
oa	3.7386	9-6383	10.3380	0.17288	0.44440	0.47666
Nov	3.7361	9.6683	10.3651	0.17227	0•44578	0.47791
Dec	3.7417	9.7076	10.4038	0.17252	0.44759	0.47970
Means	8.7382	9.6867	10:3830	0·17286	0.44668	0.47878
	1	<u> </u>	<u> </u>	<u> </u>	<u> </u>	

HORIZONTAL MAGNETIC DIRECTION.  Horizontal Magnetic Direction, west of north, (from daily measures of the continuous curves.)	Mean of Means daily the lowest of readings the lowest of the lowest of readings of the lowest of the lowest of the lowest of the lowest of the of the lowest of the of the of the of the of the fam. & 4p.m.   Tange.   T	+,81	24.5 29.5 29.8 3 9.9 53.0	21.8 27.5 28.8 1.3 12.4 88.5 9.0	19.4 27.5 28.7 1.2 16.2 42.8 5.0	18.1 27.0 28.8 1.8 17.7 46.8 7.0	20.1 27.1 27.4 .8 14.0 49.6 8.0	18.6 25.0 25.7 .7 12.7 85.3 10.2	17.9 24.4 24.9 .5 12.9 45.0 5.0	17.9 24.6 24.2 +·4 13.8 87.6 12.0	17·8 24·2 28·8 +·4 12·8 86·5 8·0	16·8 22·7 23·9 1·2 12·8 38·0 8·5	17·2 22 8 24·0 1·2 11·1 37 8 6·0	14.6 22.1 24.0 1.9 15.1 56.415.5	186 25.8 26.1 .8 18.4 42.6 5.4 87.2	r diurnal range
RIZONTAL ic Direction, west	Mean of the lowest daily readings	18°+	24.5	21.8	19.4	18:1	20.1	18.6	17.9	17.9	17.8	16.8	17.2	14.9	18.6	Correction for diurnal range
HO Horizontal Magnet	Mean of the highest daily readings.		:	:	:	-	May 84·1	-:	:	:	:	:	:	<del>-</del>	Means 82.0	Correction for

	•
17)	
六	
FORCE.	•
Ā	٠
0	
Ή	
$\circ$	
Ţ	
5	:
MAGNETIC	:
Z	
'n	
$\mathbf{a}$	;
_	
≥	•
,	0
ᅥ	•
촞	(
Η	(
$\mathbf{z}$	
$\overline{}$	•
$\lesssim$	
7	
$\sim$	1
Ť	
HORIZONTAL	:
I	
	•
	1

Horizontal Magnetic Force in C. G. S. units (from daily measures of the continuous curves.)

The figures in the columns are entered to the unit 10 C. G. S.

1897.		Mean of the highest daily readings.	Mean of the lowest daily readings.	Means of a and b.	Means of daily readings 4a m. & 4p.m.	Differ- ences	Differences of a and b or Mean daily	Highest reading of the Month.	Lowest reading of the Month.	Monthly Range.
		(a)	(8)	(0)	(4)	d-c	Bange.	170	17000±	40
			3	+	Ī		<u> </u>		+	-
January -		277	238	258	261	ಣ	89	290	151	139
February		588	235	262	263		24	356	91	265
March -		291	234	263	268	10	22	886	<b>508</b>	130
April .	,	303	213	258	568	10	06	372	121	251
May -	,	293	217	255	260	ъ	92	348	991	182
nue	ī	287	222	256	260	4	62	326	181	145
]uly	ķ	277	211	244	253	6	99	326	146	180
August -	i	267	202	237	241	4	8	294	136	158
September		267	212	240	245	9	22	304	171	133
October -	•	272	216	244	245	-	26	818	191	122
November	÷	265	222	244	246	61	43	296	174	122
December		283	216	250	245	٩	29	431	126	305
Means -		281	221	251	255	4	09	838	155	178
	Corre	Correction for diurnal range	ırnal range		Î	-	_	_	_	
	Mean	Mean Horizontal Force for the year	Force for	the vear	0.17252 C.G.S. units.	S. units				

# DATES OF MAGNETIC DISTURBANCES, 1897.

The disturbances are divided generally into three classes, small, moderate, and greater; these are indicated by the initial letters of the classes, and the letter c denotes calm. Very great disturbances are marked vg. The days are reckoned astronomically from noon to noon. The asterisk signifies that the record was partly or wholly lost, according as it stands with or without an initial letter.

Mont	<b>h</b> .	Jan.	Feb.	March	April	May	June	July	A ugust	Sept.	Oct.	Nov.	Dec.
Day	1	m	s	m	g	•	s	С	m	s	m	s	s
,	2	g	s	s	g	*	m	s	S	*s	m	s	C
	3	m	m	m	s	*c	m	S	S	*	s	С	s
	4	S	m	m	S	8	m	S	С	m	S	S	S
	5	S	m	S	m	s	S	S	С	S	S	S	S
	6	S	S	S	m	S	S	S	С	S	S	S	S
Ì	7	S	S	S	m	C	S	S	S	S	С	S	S
	8	S	S	m	m	C	S	S	S	S	C	S	С
	9	С	S	m	m	S	С	С	m	С	S	S	s
	10	S	m	m	8	S	S	S	S	m	m	S	m
į	11	S	S	S	S	S	С	S.	S	m	S	S	m
	12	m	S	m	S	S	S	S	S	S	S	С	s
	18	S	m	S	m	m	S	S	S	С	S	S	C
	14	S	m	S	S	m	s	m	S	S	С	S	S
	10	С	S	S	С	S	m	S	m	S	S	С	m
	10	S	С	C	m	S	m	S	С	S	S	S	5
	10	S	С	S	m	g	m	С	S	S	m	m	m
İ	10	S	C	S	m	m	m m	S	s		m	m	S
	19	C	C S	C	m m	m	S	S	m	S	C	m	S
	91	c	c	s	C	m	S	m	S	S	· c	S	g m
	99	c	s	m	s	m	S	S	S	S	S	C	m
	22	c	m	s	g	m	S	S	s	8	S	s	s
	24	c	s	m	m	s	S	s	c	s	S	m	S
1	25	s	m	c	m	S	s	c	s	s	s	m	s
	26	C	m	c	m	s	S	m	s	c	s	m	ci
	27	s	m	s	s	s	s	s	s	c	m	s	C
	28	m	s	s	S	S	S	S	s	c	m	5	S
	29	m		m	s	m	С	C	s	c	m	s	m
	30	m	1	s	*	S	С	m	s	c	s	С	m i
	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 6 17 18 19 22 23 24 22 5 26 27 28 30 31	s		m		s		m	s		s		m
		9	5	5	1 day lost 5 11 0 0	; S	4	5	5	# 7	6	6	5
<u>s</u> ( s	- n -	9 15 6	13	15	811	호 3 17	4 18	5 21	22	7 lost 8	6 17	6 18 6	16
E I	n -	6	18 10	11	F.14	g 8	8	5	4	<b>5</b> 3	8	6	9
		1	0	5 15 11 0 0	1 day lost 5 11 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	<b>E</b> 1	Ö	0	5 22 4 0 0	1 day lost 0 0 % 6.	Ō	0	1 0
\ v	g -	0	0	0	<b>⊣</b> 0	₩ 0	0	0	0	1 da	0	0	0

## PRESENTS RECEIVED.

Mean Areas and Heliographic Latitudes of Sun-spots in the year 1894, deduced from Photographs taken at the Royal Observatory, Green-	
wich, at Dehra Dûn and in the	
Mauritius	Royal Observatory
Report of the Kew Observatory Commit-	resident observatory
tee of the Royal Society, for the	
year ending December 31st, 1896	Kew Observatory
Description of the Kew Observatory -	••
Non-cyclic Effects at the Kew Observa-	
tory during the selected "Quiet"	
days of the six years 1890 5, by	
Dr. C. Chree	,,
Proceedings of the Royal Society, 1897	Royal Society
On the Establishment of a National	•
Physical Laboratory—Report of	
the Committee	British Association
Report of the Sixty-sixth Meeting of the	
British Association held at Liver-	
pool in September 1896	,,
Report of the Meteorological Council	
for the year ending March 1896	Meteorological Office
Meteorological Observations at Stations	
of the Second Order for the year	
1892-98	***
Hourly Means of the readings obtained	
from the self recording instruments	
at the Five Observatories under	
the Meteorological Council 1893	***
Report of the International Meteoro-	
logical Conference held at Paris	
Quarterly Return of the Registrar	"
General	Registrar General
C-2004 88	7.09.30.00

Report of the Director, and Meteorologi- cal Results deduced from the	
Observations taken at the Liver-	
pool Observatory, Bidston, 1895-6	Liverpool Observatory
Forty-fourth Annual Report of the Com-	-
mittee of the Public Libraries,	
Museums and Art Gallery of	
Liverpool	Library Committee
Burnley Literary and Scientific Club	D 1 7 0 0 Ch
Transactions, Vol xii., 1894 -	Burnley L. & S. Club
Report of Mr. Tebbutt's Observatory,	
New South Wales, for the year	Tabbutt's Observatory
Weekly Meteorological Report, 1897, by	Tebbutt's Observatory
E. W. Ellerbeck	Scarborough Observatory
Meteorological Report for the year 1896	Scarborough Observatory
by the same	19
Report and Results of Observations for	17
the year 1896, by Joseph Baxen-	
dell, F.R. Met. Soc	Fernley Observatory
An Account of an Investigation by the	•
late Joseph Baxendell, F.R.S. etc.,	
as to short period Cyclical	
Changes in the Magnetic Condi-	
tion of the Earth, and in the dis-	
tribution of Temperature on its	
surface	,,
Records of Meteorological Observations	
taken at the Observatory of the	
taken at the Observatory of the Birmingham and Midland In-	Birmingham Observatory
taken at the Observatory of the Birmingham and Midland In- stitute, 1896, by Alfred Cresswell	Birmingham Observatory
taken at the Observatory of the Birmingham and Midland In- stitute, 1896, by Alfred Cresswell Twenty-second Annual Report of the	Birmingham Observatory
taken at the Observatory of the Birmingham and Midland In- stitute, 1896, by Alfred Cresswell Twenty-second Annual Report of the Savilian Professor of Astronomy	Birmingham Observatory
taken at the Observatory of the Birmingham and Midland In- stitute, 1896, by Alfred Cresswell Twenty-second Annual Report of the	Birmingham Observatory Oxford Observatory
taken at the Observatory of the Birmingham and Midland In- stitute, 1896, by Alfred Cresswell Twenty-second Annual Report of the Savilian Professor of Astronomy to the Visitors of the University Observatory for the year 1896 7 Annual Report of the Observatory	· ·
taken at the Observatory of the Birmingham and Midland In- stitute, 1896, by Alfred Cresswell Twenty-second Annual Report of the Savilian Professor of Astronomy to the Visitors of the University Observatory for the year 1896 7 Annual Report of the Observatory Syndicate for the year 1896-7	Oxford Observatory  Cambridge Observatory
taken at the Observatory of the Birmingham and Midland In- stitute, 1896, by Alfred Cresswell Twenty-second Annual Report of the Savilian Professor of Astronomy to the Visitors of the University Observatory for the year 1896 7 Annual Report of the Observatory Syndicate for the year 1896-7 Meteorological Observations, 1897	Oxford Observatory Cambridge Observatory Ben Nevis Observatory
taken at the Observatory of the Birmingham and Midland In- stitute, 1896, by Alfred Cresswell Twenty-second Annual Report of the Savilian Professor of Astronomy to the Visitors of the University Observatory for the year 1896 7 Annual Report of the Observatory Syndicate for the year 1896-7 Meteorological Observations, 1897 Edinburgh Circulars	Oxford Observatory  Cambridge Observatory
taken at the Observatory of the Birmingham and Midland In- stitute, 1896, by Alfred Cresswell Twenty-second Annual Report of the Savilian Professor of Astronomy to the Visitors of the University Observatory for the year 1896 7 Annual Report of the Observatory Syndicate for the year 1896 7 Meteorological Observations, 1897 Edinburgh Circulars The Summary of a Meteorological Jour-	Oxford Observatory Cambridge Observatory Ben Nevis Observatory
taken at the Observatory of the Birmingham and Midland Institute, 1896, by Alfred Cresswell Twenty second Annual Report of the Savilian Professor of Astronomy to the Visitors of the University Observatory for the year 1896 7 Annual Report of the Observatory Syndicate for the year 1896-7 Meteorological Observations, 1897 Edinburgh Circulars The Summary of a Meteorological Journal, 1896, kept by C. Leeson	Oxford Observatory Cambridge Observatory Ben Nevis Observatory Royal Obs. Edinburgh
taken at the Observatory of the Birmingham and Midland Institute, 1896, by Alfred Cresswell Twenty-second Annual Report of the Savilian Professor of Astronomy to the Visitors of the University Observatory for the year 1896 7 Annual Report of the Observatory Syndicate for the year 1896-7 Meteorological Observations, 1897 Edinburgh Circulars  The Summary of a Meteorological Journal, 1896, kept by C. Leeson Prince, F.R.A.S., &c., &c.	Oxford Observatory Cambridge Observatory Ben Nevis Observatory
taken at the Observatory of the Birmingham and Midland Institute, 1896, by Alfred Cresswell Twenty-second Annual Report of the Savilian Professor of Astronomy to the Visitors of the University Observatory for the year 1896 7  Annual Report of the Observatory Syndicate for the year 1896-7  Meteorological Observations, 1897  Edinburgh Circulars  The Summary of a Meteorological Journal, 1896, kept by C. Leeson Prince, F.R.A.S, &c., &c.  Meteorological Observations for the year	Oxford Observatory Cambridge Observatory Ben Nevis Observatory Royal Obs. Edinburgh Crowborough Observatory
taken at the Observatory of the Birmingham and Midland In- stitute, 1896, by Alfred Cresswell Twenty-second Annual Report of the Savilian Professor of Astronomy to the Visitors of the University Observatory for the year 1896 7 Annual Report of the Observatory Syndicate for the year 1896 7 Meteorological Observations, 1897 Edinburgh Circulars The Summary of a Meteorological Journal, 1896, kept by C. Leeson Prince, F.R.A.S, &c., &c. Meteorological Observations for the year 1896 by Cuthbert E. Peek, M.A. &c.	Oxford Observatory Cambridge Observatory Ben Nevis Observatory Royal Obs. Edinburgh
taken at the Observatory of the Birmingham and Midland Institute, 1896, by Alfred Cresswell Twenty second Annual Report of the Savilian Professor of Astronomy to the Visitors of the University Observatory for the year 1896 7 Annual Report of the Observatory Syndicate for the year 1896-7 Meteorological Observations, 1897 Edinburgh Circulars  The Summary of a Meteorological Journal, 1896, kept by C. Leeson Prince, F.R.A.S, &c., &c.  Meteorological Observations for the year 1896 by Cuthbert E. Peek, M.A. &c. Variable Star Notes No. 2, by the same	Oxford Observatory Cambridge Observatory Ben Nevis Observatory Royal Obs. Edinburgh Crowborough Observatory
taken at the Observatory of the Birmingham and Midland Institute, 1896, by Alfred Cresswell Twenty-second Annual Report of the Savilian Professor of Astronomy to the Visitors of the University Observatory for the year 1896 7 Annual Report of the Observatory Syndicate for the year 1896-7 Meteorological Observations, 1897 Edinburgh Circulars The Summary of a Meteorological Journal, 1896, kept by C. Leeson Prince, F.R.A.S., &c., &c Meteorological Observations for the year 1896 by Cuthbert E. Peek, M.A. &c. Variable Star Notes No. 2, by the same India Weather Review, Annual Summary	Oxford Observatory Cambridge Observatory Ben Nevis Observatory Royal Obs. Edinburgh Crowborough Observatory Rousden Observatory
taken at the Observatory of the Birmingham and Midland In- stitute, 1896, by Alfred Cresswell Twenty second Annual Report of the Savilian Professor of Astronomy to the Visitors of the University Observatory for the year 1896 7 Annual Report of the Observatory Syndicate for the year 1896 7 Meteorological Observations, 1897 Edinburgh Circulars The Summary of a Meteorological Journal, 1896, kept by C. Leeson Prince, F.R.A.S, &c., &c. Meteorological Observations for the year 1896 by Cuthbert E. Peek, M.A. &c. Variable Star Notes No. 2, by the same. India Weather Review, Annual Summary by J. Eliot, M.A., F.R.S., &c.	Oxford Observatory Cambridge Observatory Ben Nevis Observatory Royal Obs. Edinburgh Crowborough Observatory
taken at the Observatory of the Birmingham and Midland Institute, 1896, by Alfred Cresswell Twenty second Annual Report of the Savilian Professor of Astronomy to the Visitors of the University Observatory for the year 1896 7 Annual Report of the Observatory Syndicate for the year 1896-7 - Meteorological Observations, 1897 - Edinburgh Circulars	Oxford Observatory Cambridge Observatory Ben Nevis Observatory Royal Obs. Edinburgh Crowborough Observatory Rousden Observatory
taken at the Observatory of the Birmingham and Midland Institute, 1896, by Alfred Cresswell Twenty second Annual Report of the Savilian Professor of Astronomy to the Visitors of the University Observatory for the year 1896 7 Annual Report of the Observatory Syndicate for the year 1896-7 - Meteorological Observations, 1897 - Edinburgh Circulars - The Summary of a Meteorological Journal, 1896, kept by C. Leeson Prince, F.R.A.S., &c., &c Meteorological Observations for the year 1896 by Cuthbert E. Peek, M.A. &c. Variable Star Notes No. 2, by the same India Weather Review, Annual Summary by J. Eliot, M.A., F.R.S., &c Rainfall Data for 1895 by the same - Report of the administration of the Meteorological Department of the	Oxford Observatory Cambridge Observatory Ben Nevis Observatory Royal Obs. Edinburgh Crowborough Observatory Rousden Observatory
taken at the Observatory of the Birmingham and Midland Institute, 1896, by Alfred Cresswell Twenty second Annual Report of the Savilian Professor of Astronomy to the Visitors of the University Observatory for the year 1896 7 Annual Report of the Observatory Syndicate for the year 1896 7 - Meteorological Observations, 1897 - Edinburgh Circulars The Summary of a Meteorological Journal, 1896, kept by C. Leeson Prince, F.R.A.S., &c., &c Meteorological Observations for the year 1896 by Cuthbert E. Peek, M.A. &c. Variable Star Notes No. 2, by the same India Weather Review, Annual Summary by J. Eliot, M.A., F.R.S., &c. Rainfall Data for 1895 by the same - Report of the administration of the Meteorological Department of the Government of India in 1895-6-7	Oxford Observatory Cambridge Observatory Ben Nevis Observatory Royal Obs. Edinburgh Crowborough Observatory Rousden Observatory
taken at the Observatory of the Birmingham and Midland Institute, 1896, by Alfred Cresswell Twenty second Annual Report of the Savilian Professor of Astronomy to the Visitors of the University Observatory for the year 1896 7 Annual Report of the Observatory Syndicate for the year 1896-7 - Meteorological Observations, 1897 - Edinburgh Circulars - The Summary of a Meteorological Journal, 1896, kept by C. Leeson Prince, F.R.A.S., &c., &c Meteorological Observations for the year 1896 by Cuthbert E. Peek, M.A. &c. Variable Star Notes No. 2, by the same India Weather Review, Annual Summary by J. Eliot, M.A., F.R.S., &c Rainfall Data for 1895 by the same - Report of the administration of the Meteorological Department of the	Oxford Observatory Cambridge Observatory Ben Nevis Observatory Royal Obs. Edinburgh Crowborough Observatory Rousden Observatory

Monthly Weather Review 1897, by the	
same	Met. Office Calcutta
Indian Meteorological Memoirs, vol. vii,	
by the same Report of the conditions and progress of	"
the G. V. Juggarow Observatory	
Vizagapatam. including the results	
of Observations for the year 1895	Juggarow Observatory
Report of the Government Astronomer	J-06
for the year 1896	Natal Observatory
Record of Results of Observations in	•
in Meteorology and Terrestrial	
Magnetism made at the Melbourne	
Observatory and other localities in	
the Colony of Victoria, 1896-7, by	Malhauma Ohaamatama
Pietro Baracchi	Melbourne Observatory
Annual Report of the Director of the Royal Alfred Observatory for the	
year 1894-5	Mauritius Observatory
Results of Meteorological Observations	
taken during the year 1895 at the	
Royal Alfred Observatory	,,
Report of Her Majesty's Astronomer at	••
the Cape of Good Hope, to the Secretary of the Admiralty, for	
Secretary of the Admiralty, for	
the year 1896	Royal Obs Cape
Independent Day Numbers for the year	
1897, as used at the Royal Obser-	
Annals of the Cape Observatory, Vols.	**
III., VI., VII.	
Results of Meridian Observations made	••
at the Royal Observatory during	
the years 1861-65	,,
Appendix to Cape Meridian Observa-	••
tions 1890-91; Star Correction	
Tables by W. H. Finlay, M.A.	••
Observations made at the Magnetical	
and Meteorological Observatory at	Dataria Observator
Batavia, 1895—6, by Van der Stok	Batavia Observatory
Wind and Weather, Currents, Tides and Tidal Streams in the East Indian	
Archipelago, by the same	
Report of the New York Meteorological	**
Observatory of the Department of	
Public Parks	Central Park Observatory
Report for the year 1896 - 7, presented	•
by the Board of Managers of the	
Observatory of the Yale Univer-	
sity to the President and Fellows	Yale University
Monthly Weather Review, 1896—7	Met. Office, Toronto

Monthly Weather Review, 1896-7	U.S. Dept. of Agriculture
Rainfall of the United States, with An-	
nual, Seasonal, and other Charts,	ļ
Bulletin D	,,
Contributions from the Observatory of	
Columbia University, New York,	Calumbia University
Nos. 10 and 11	Columbia University
Report of the Superintendent of the	!
Naval Observatory for the year	New York Naval Obs.
ending June 30, 1894 and 1897 -	NEW IUIE Mavai Obs.
The "Iltis" Typhoon, July 22—25, by	Author
the Rev. Louis Frog, S.J.	Author
Researches on the Evolution of the Stel-	
lar Systems, Vol. I., by T. J. J.	
See, A.M. Phd., etc., etc.	,,
On the Chemistry of the Hottest Stars, by Sir J. Norman Lockyer, K.C.B.	
Preliminary Report on the Results ob-	**
tained in Novaya Zemlya, with	
the Prismatic Camera during the	
Eclipse of the Sun, Aug. 9, 1896,	
by the same	,,
On the Classification of Stars of the 8	••
Cephei Class, by the same	
On the Cause of the Darkness of Sun-	**
Spots, by J. Evershed	,,
Results of Meteorological Observations	••
taken in Edinburgh during 1896	
by R. C. Mossman, F.R.S.E., &c.	,,•
Report on the Meteorology of Scotland	
for the year 1896, by the same -	33
Tables tor facilitating the Computation	
of Star Constants as arranged by	
the late E. J. Stone, M.A., F.R.S.,	
Modified and Revised by Prof. H.	
H. Turner, M.A., B. Sc., etc.	**
Tables of the Practical Resolving Power	
of Spectroscopes by F. L. O.	
Wadsworth	**
On the conditions of Maximum Effi-	
ciency in Astrophotographic Work	
Part 1, by the same	• ••
The Application of the Interferometer to the measurement of small an-	
gular deflections of a suspended	
system, by the same	
Ephemeris for Physical Observations of	. ,, [
the Moon, September 1897, to	: )
April 1898, by A. Marth, F.R.A.S	• • • • • • • • • • • • • • • • • • • •
Climatology of Valencia Island, County	·
Kerry, by J. E. Cullum, F.R. Met	•
Society	- ,,

•	
On some original unpublished Observa-	
tions of the Comet of 1652, by	
E. B. Knobel, F.R.A.S.	Author
An Essay on Planetary Rotation, the	
Precession of the Equinoxes, and	
the Production of Tides by Wil-	
liam Thompson	,,
On a Fundamental Optical defect in the	<i>"</i>
Images formed by a Parabolic	
. Reflector by J. M. Schaeberle -	
Notes descripive of some of the Astro-	**
nomical and Physical Instruments	
of the Royal Observatory, Edin-	
burgh, by Thomas Heath, B.A., etc.	
Of Atmospheres upon Planets and Satel-	"
lites by G. Johnstone Stoney,	
M.A., D. Sc., F.R.S., etc	1)
Organisation of the Yerkes Observatory	
of George E. Hale	,,
The Effect of a Total Eclipse of the	
Sun on the Visibility of the Solar	
Prominences, by the same -	**
The Modern Spectroscope XIX., by	
George E. Hale, and F. L. O.	
Wadsworth	Authors
Spectroscopic Notes by Sir William and	,
Lady Huggins	,,
On the relative behaviour of the H. and	••
K. lines of the Spectrum of Cal-	
cium, by the same	1,
On the Bright Bands in the present	••
Spectrum of Nova Aurigæ, by the	
same	
Nineteenth Annual Report of the Librar-	
ian of Wigan Free Public Library	Wigan Library Committee
Essay on the variations of the Atmos-	Wight Labrary Committee
pheric Pressure over Siberia and	
Eastern Asia during the months of	
January and February, 1890, by	
the Rev. S. Chevalier, S.J. Presi-	
dent	Changhai Mat Coo
Report of the Medical Officer of Health	Shanghai Met. Soc.
for the County Palatine of Lan-	D. B. C
caster, 1896	Dr. E. Sergeant
Report of the Medical Officer of Health	
for the Borough of Darwen, 1896	Dr. F. G. Haworth
The British Journal of Photography -	Editor
Knowledge	,,
Liste des Tremblements de Terre,	
Observés en Orient et en particu-	
lier dans l' Empire Ottoman	
-	
	i

	•
pendant les mois de Janvier et	
Fevrier 1897	L'Obs. Imp. de Constan-
	tinople
Bulletin Mensuel de l'observatoire de	-
Zi-Ka-Wei, 1895-6	L'Observatoire
Bulletin Mensuel du Bureau Central	
Météorologique de France Année,	
1896, Par E. Mascart	,,
Annales de l'observatoire Météorologique	••
de l'Université Impériale à Odessa,	
1894, '95, '96, Par A. Klossowsky	,,
1894, '95, '96, Par A. Klossowsky Jours de perturbations Magnétiques à	•
Odessa, 1896, par le même	,,
Marche diurne des éléments magnétiques	**
à Odessa, 1896, par le même	
Revue Météorologique — Travaux du	••
réseau Météorologique du Sud-	
Ouest de la Russie Dix ans d'exis-	
tence, 1886—95, par le même	
Bulletin des Observations Météorologiques	**
IIIème Année, 1896 — L'Obser-	
mateine de Ct. I enin James	
vatoire de St Louis, Jersey	,•
Annales de l'observatoire Physique	
Central, 1895, par M. Rykatchew	37
Annales de l'Observatoire Magnétique	
de Copenhague Publiées par Adam Paulsen Années 1893-4,	
Adam Paulsen Années 1893-4,	
Livraison I.	"
Bulletin Mensuel de l'Observatoire	
Météorologique de l'université	
d'Upsal 1896 par Dr. H. Hilde-	
brand Hildebrandsson	,,
Rapport Annuel sur l'état de l'observa-	
toire de Paris pour l'année 1896,	
par M. M. Loewy	11
Observations Météoroliques Suédoises	
publiées par L'Académie Royale	
des Sciences de Suède	L'Académie
Annuaire de la Société Météorologique	
de France	La Société
Annales de l'observatoire de Nice	
publiées sous les Auspices du	
Bureau des Longitudes par M.	
Perrotin	Bureau des Longitudes
Un interrupteur rapide au Mercure par	J
R. P. J. D. Lucas, S. J	L'Auteur
Sur la forme Analitique de l'attraction	
Magnétique de la Terre, exprimée	
en fonction du Temps par V.	
Carlheim-Gyllensköld	••
Recherches préliminaires du spectre de	"

l'étoile variable $\mu$ Aquilæ par A.	
Belopolsky	L'Auteur
Recherches nouvelles du spectre de $\beta$	
Lyræ par le même	,,
Observations Magnétiques sur 509 lieux	
faites en Asie et en Europe pen-	
dant la période de 1867 1894 par	
Dr. H Fritsche	**
Spécimens de photographies Astro-	
nomiques par H. Deslandres	11
Trude Astronomicheoi Observatorů In-	
peratorskago Kazanskago Univer-	Observatorii
siteta 1892-98	Observatorü
Buletinul Observatiunilor Meteorologice	
din Romania de Stefan C. Hepites Anul V. 1896	Institutului Meteorologic
Publikationen der Sternwarte des Eidg.	rustitutuini meteorologic
Polytechnikums zu Zürich Band	
I. Herausgegeben von A. Wolfer	Sternwarte
Veröffentlichungen des Hydrographis-	Jich warte
chen Amtes der K. U. K. Kriego-	
Marine in Pola Gruppe II—V.	••
Meteorologische Termin-Beobachtungen	**
in Pola und Sebenico 1897	,,
Ergebnisse der Meteorologischen Beo-	**
bachtungen in Potsdam im Jahre	
1895, Von Wilhelm von Bezold	Institut
Ergebnisse der Beobachtungen an den	
Stationen II und III, Ordnung in	
den Jahren 1893-96-97, Von	
Demselben	**
Ergebnisse der Gewitter-Beobachtungen	
in den Jahren 1892-93 94, Von	
Demselben	,,
Ergebnisse der Niederschlags-Beobach-	
tungen im Jahre 1894, Von Dem-	
selben	"
Ergebnisse der Magnetischen Beobach-	
tungen in Potsdam in den	
Jahren 1894-95, Von Demselben	**
Bericht über die Thätigkeit des Koniglich Preussischen Meteorologischen	
Instituts im lahre 1896, Von	
Demselben	
Die klimatographischen Arbeiten des	**
Königl. sächsischen meteorologis-	
chen Instituts bei der sächsisch—	
Thüringischen Industrie-und—	
Gewerbe-Ausstellung Leipzig 1897	
Von Prof. Dr. Paul Schreiber	**
	77

Beiträge zur meteorologischen Hydro-	
logie der Elbe Von Demselben - Jahrbücher der K. K. Central-Anstalt	Institut
für Meteorologie und Erdmag- netismus. Wien Jahrgänge	
1894-5-6	,,
Beobachtungen des Tiflisser Physikalis- chen Observatoriums im Jahre	
Magnetische Beobachtungen an der Kieler Föhrde und Eckemförder	
Bucht, übertragen auf 1895, von Kapitän Schück	Verfasser
Thätigkeit der Manora—Sternwarte im Jahre 1896, Von Leo Brenner	
Die Triangulation von Java Fünfte Abtheilung Bearbeitet von Dr. J.	"
A. C. Oudemans Neber das Vorkommen des Vanads in	
dea Skandinavischen Rutilarten von B. Hasselberg	
Zur Chemischen Constitution des Rutils Von Demselben	***
Die Gravitations-Constante, die Masse und Mittlere Dichte der Erde, nach einer neuen experimentellen Bestimmung von Dr. Carl Braun,	,,
S.J	"
Von Prof. K. W. Zenger	11
Die Sonnenfleche im Zufammenhang mit dem Copernifchen Weltsystem, von Adolph Müller, S J.	
Astronomische Mitteilungen Heraus-	.,
gegeben, von A. Wolfer - Die Totale Sonnenfinsterniss, 9th August,	• • • • • • • • • • • • • • • • • • • •
1896, Von. A. Belopolsky	**
Neber die Bestimmung der Coefficienten der Gaussischen Allgemeinen	
Theorie des Erdmagnetismus für	
das Jahr 1885 und über den Zus-	
ammenhang der drei erdmagnetis- chen Elemente untereinander, von	
Dr. H. Fritsche	• • • • • • • • • • • • • • • • • • • •
Die tägliche Periode des Luftdruckes in	
Kalosca, von R. P. J. Fenyi, S.J. Tafeln zur Berechnung der Mondparal- laxe für Vorausberechnung von Sternbedeckungen, Von H. Batter-	,,
mann	**

Ergebnisse der Meteorologischen Beo-	
bachtungen im Reichsland Elsass-	
Lothringen im Jahre 1095, Von	
Dr Hugo Hergesell	Verfasser
Bestimmung der Bahn des Periodischen	
Kometen von Wolf (Komet 1884	
iii und 1891 ii) von A. Thraen -	••
Uitmeting van den Sterrenhoop G.C.	•
4410, Zoowel door rechtstreeksche	
waarneming, als op fotografische	
platen. Door Albert Antonie	
Nijland	:9
Boletin Mensual Meteorológico y Agrico-	•
la del Observatorio Central del	
Estado de Veracruz Llave Enero	
de 1897	Observatorio
Boletin Mensual del Observatorio Mete-	
orológico Central de Mexico, 1896-7	, ,,
Boletin Mensual del Observatorio Mete-	•
orológico del Colegio de San Juan	
Nopomuceno, 1896-7	**
Anales del Instituto y Observatorio de	
Marina de San Fernando, 1894 95,	
por el Director Don Juan Viniegra	***
Almanaque Naútico para el año, 1898 -	**
Observaciones Meteorológicas del Colegio	
Católico del Sagrado Corazon de	
Jesus, año de 1896	,,
Boletin Mensual del Observatorio de	
Manila 1896-7	**
Observaciones Magnéticas y Meteor-	
ológicas del Real Colegio de Belen en la Habana 1892-3-4-5	
Observaciones Meteorológicas hechas en	17
el Observatorio Meteorológico y	
Astronómico de San Salvador 1897	
Observaciones Meteorológicas hechas en	••
el Colegio Maximo de la Compañia	
de Jesus en Oña Provincià de	
Burgos 1896	
Boletin del Observatorio Astronómico	,,
Nacional de Tacubaya 1898-97	
Boletin Mensual del Observatorio Meteor-	"
ológico de Leon 1897	••
El Sol. por Carlos Honore	Autor "
Rapporto Annuale dell 'Osservatorio-	
Meteorologico di Trieste per l'anno	
1894 Radatto da Edoardo Mazelle	Osservatorio
Bollettino Mensuale dell oss. Central del	
R. Col. Carlo Alberto in Moncalieri	
1896-7	,,
	l
	l

Determinazioni assolute della declina-	
zione Magnetica nel R. Osserva-	
torio di Capodimonte 1892-98-96	
	Osservatorio
Variazioni della declinazione Magnetica	
1892 dal medesimo	
Osservazioni Meteoriche 1894-6, dal	**
medesimo · · · ·	
Riassunti decadici e mensuali delle	77
osservazioni Meteoriche 1893 Nota	
di F. Brioschi, 1894-95 di Dr. V.	
Alberti	Il Autore
Determinazioni Assolute dalla Inclin	II Autore
azione magnetica eseguite negli	
anni 1892-93-96, dal Dr. F.	A 4
Cantarino	Autore
Sa di un Metodo per Determinare la	
Latitude Geografica indipente-	
mente dai piccoli errori delle	
coordinate delle stelle dal medesimo	"
Sopra un antico Sismometro a mercurio	
ideato dall Abate A Cavalli, da	
Giovanni Agamennone	
Terremoto Siculo-Calabro della notte	
dall' 11 al 12 Febbraio 1897, dal	
medesimo	,,
Rubra Canicula, Nuove considerazioni	**
circa la Mutazione di colore che	
si dice avvenuta in Sirio da Giov-	
ani Schianarelli	,,
Osservazioni Astronomiche e Fisiche	••
sul'asse di Rotazione e sulla Topo-	
grafia del Pianeta Marte dal	
medesimo	
	99

### **APPENDIX**

# **RESULTS**

OF

# METEOROLOGICAL OBSERVATIONS

TAKEN AT

ST. IGNATIUS' COLLEGE, MALTA

BY THE

REV. J. F. DOBSON, S.J.

1897.

# ST. IGNATIUS' COLLEGE, MALTA.

Lat. 85° 55' N.

Long. 14° 29' E.

Barometer Readings reduced to 32° F. at sea level.

# METEOROLOGICAL REPORT.

JANUARY, 1897.

Results of Observations taken during the Month.	Mean for the last
Mean Reading of the Barometer inches 29 998	30-034
Highest ,, on the 6th ., 30.298	30.421
Lowest ,, on the 22nd ,, 29.428	29.570
Range of Barometer Readings, 0.875	0 851
Highest Reading of a Max. Therm. on the 9th 66.6	65.0
Lowest Reading of a Min. Therm. on the 31st 39.4	41.3
Range of Thermometer Readings 27.2	23 7
Greatest Range in 24 hours on the 31st 16.3	18.4
Mean of all the Highest Readings 60.1	58.9
Mean of all the Lowest Readings 49.1	48.3
Mean Daily Range	10.6
Mean Temperature (deduced from Max. & Min.) 58.9	52.9
Mean Temperature deduced (from Dry Bulb) 53.7	52.6
Adopted Mean Temperature 58.8	52.8
Mean Temperature of Evaporation 49.8	48.4
Mean Temperature of Dew Point 47.2	45.2
Mean elastic force of Vapour inches 0.325	0.301
Mean weight of Vapour in a cub. ft. of air grains 3.7	3.4
Mean additional weight required for saturation,, 08	09
Mean degree of Humidity 82	80
Mean weight of a cubic foot of air grains 540.4	542.3
Fall of Rain inches 1.051	3.680
Number of days on which Rain fell 10	14
Mean amount of Cloud (an overcast sky=10) 5.6	5.3
Total number of miles of Wind indicated 8614	8442
Mean Velocity of Wind per hourmiles 11-6	11.8

## FEBRUARY, 1897.

Results of Obs	servations	taken during the l	fonth.		Mean for the last 14 years.
Mean Reading of	the Bar	rometerin	ches	30· <b>22</b> 9	80.081
Highest	,,	on the 19th	,,	30·488	30.329
Lowest	,,	on the 1st	,,	29.582	29.630
Range of Barome	eter Re	adings	,,	0.906	0-699
Highest Reading	of a Max.	Ther.on the 22nd	1&28r	d 63·0	67.1
Lowest Reading	of a Min	. Therm. on the	19th	43.2	41.1
Range of Therm	ometer l	Readings	•••••	19.8	26.0
Greatest Range i		-		18.1	19.4
Mean of all the	Highest	Readings	•••••	60.8	60.2
Mean of all the	Lowest	Readings	•••••	<b>50</b> ·8	49.2
Mean Daily Rang	χе			10.0	11 0
Mean Temperatur	re (dedu	ced from Max. &	Min.)	<b>54</b> ·8	53.7
Mean Temperatu	re (dedi	iced from Dry E	Bulb)	55· <b>7</b>	53.9
Adopted Mean 7	empera	ture	•••••	55.3	58 8
Mean Temperatu	re of Ev	aporation		<b>50</b> ·2	49.6
Mean Temperatu	re of D	ew Point		48.5	46.7
Mean elastic forc	e of Va	pourin	ches	0.342	0.820
Mean weight of V	apourin	acub. ft. of airgr	rains	8.5	3.6
Mean additional w	veight re	quired for saturat	ion,,	1.1	0.8
Mean degree of I	lumidit	y	•••••	75	82
Mean weight of a	cubic	foot of airgr	rains	<b>542</b> ·9	540.9
Fall of Rain		in	ches	0.492	2.144
Number of days	on whic	h Rain fell	•••••	4	9
Mean amount of	Cloud (	an overcast sky:	=10)	5.2	5.0
Total Number of	•	•		8626	7826
Mean Velocity of	Wind 1	per hour	miles	<b>12</b> ·8	11.7

# MARCH, 1897.

Results of Observations taken during the Month.	Mean for the last 14 years.
Mean Reading of the Barometerinches 30 062	29 995
Highest ,, on the 11th ,, 30.327	30.349
Lowest ,, on the 16th ,, 29.563	29.535
Range of Barometer Readings ,, 0.764	0.814
Highest Reading of a Max. Therm on the 29th 79.2	73.7
Lowest Reading of a Min. Therm. on the 9th 44.1	43.1
Range of Thermometer Readings 85.1	30.6
Greatest Range in 24 hours on the 29th 21.1	22.7
Mean of all the Highest Readings 64:1	63 <b>2</b>
Mean of all the Lowest Readings 51.5	50-9
Mean Daily Range 12:6	12.3
Mean Temperature (deduced from Max. & Min.) 57.1	56 2
Mean Temperature (deduced from Dry Bulb) 56 0	55-2
Adopted Mean Temperature 56.6	55 7
Mean Temperature of Evaporation 52.4	51-6
Mean Temperature of Dew Point 49.3	48.4
Mean elastic force of Vapourinches 0.352	0.341
Mean weight of Vapour in a cub.ft.of air grains 3.9	3.8
Mean additional weight required for saturation. 10	1.1
Mean degree of Humidity	79
Mean weight of a cubic foot of airgrains 537.8	537-8
Fall of Raininches 0.751	1 039
Number of days on which Rain fell 7	7
Mean amount of Cloud (an overcast sky=10) 4.5	46
Total number of miles of Wind indicated 8810	8150
Mean Velocity of Wind per hourmiles 11.8	10.9

# APRIL, 1897.

Results of Observations taken during the Mont	th	Mean for the last 14 years.
Mean Reading of the Barometerinches	29.990	29 947
Highest ,, on the 29th ,,	BU·828	30·251
Lowest ,, on the 24th ,,	<b>2</b> 9· <b>5</b> 97	29.542
Range of Barometer Readings,	0.731	0.709
Highest Reading of a Max. Therm. on the 24th	<b>7</b> 8·8	76.8
Lowest Reading of a Min. Therm. on the 3rd	47.0	47.9
Range of Thermometer Readings	31.8	28.4
Greatest Range in 24 hours on the 18th	<b>18</b> ·9	21.8
Mean of all the Highest Readings	66.6	67.2
Mean of all the Lowest Readings	54.8	54.1
Mean Daily Range	11.8	18.1
Mean Temperature (deduced from Max. & Min.)	59.7	59.7
Mean Temperature (deduced from Dry Bulb)	58.9	59.4
Adopted Mean Temperature	59.8	59.6
Mean Temperature of Evaporation	55· <b>0</b>	55.5
Mean Temperature of Dew Point	51·5	52·1
Mean elastic force of Vapour inches	0.381	0.890
Mean weight of Vapour in a cub. ft.of air grains	4.2	4.4
Mean additional weight required for saturation,,	1.4	1.8
Mean degree of Humidity	77	78
Mean weight of a cubic foot of air grains	533·0	531.7
Fall of Raininches	1.847	0.921
Number of days on which Rain fell	9	6
Mean amount of Cloud (an overcast sky=10)	5.8	4.6
Total number of miles of Wind indicated	9535	8275
Mean Velocity of Wind per hourmiles	13.2	11.5

# MAY, 1897.

Results of observations taken during the Month.		Mean for t last 14 years
Mean Reading of the Barometer inches 29	903	29-987
Highest ,, on the 7th ,, 30	086	30 · 181
Lowest ,, on the 27th ,, 29	.527	29 -632
Range of Barometer Readings , 0	559	0.549
Highest Reading of a Max. Therm. on the 30th	79.3	81.7
Lowest Reading of a Min. Therm. on the 17th	50 1	53.5
Range of Thermometer Readings	29.2	28 2
Greatest Range in 24 hours on the 30th	22.0	23 5
Mean of all the Highest Readings	70.7	72.5
Mean of all the Lowest Readings	58.0	58.4
Mean Daily Range	12.7	14:1
Mean Temperature (deduced from Max. & Min.)	63.4	64 3
Mean Temperature (deduced from Dry Bulb)	62.3	63.8
Adopted Mean Temperature	62.9	64 1
Mean Temperature of Evaporation	58.7	60·1
Mean Temperature of Dew Point	55.1	56.5
Mean elastic force of Vapourinches	)· <b>434</b>	0.458
Mean weight of Vapour in a cub.ft.of air grains	4.9	5.0
Mean additional weight required for saturation,	1.5	1.7
Mean degree of Humidity	76	76
Mean weight of a cubic foot of air grains 5	27.1	526 9
•	411	0.664
Number of days on which Rain fell	8	3
Mean amount of Cloud (an overcast sky = 10)	5.3	4.0
• • • • • • • • • • • • • • • • • • • •	8953	7361
Mean Velocity of Wind per hour miles	12	9-9

JUNE, 1897.

Results of Observations taken during the Month.	Mean for the last 14 years.
Mean Reading of the Barometer inches 30.032	80.015
Highest ,, on the 27th 30·172	80.175
Lowest ,, on the 4th 29.819	29.803
Range of Barometer Readings 0.353	0 372
Highest Reading of a Max. Therm. on the 28th 92.8	90.8
Lowest Reading of a Min. Therm. on the 2nd 57.7	58.6
Range of Thermometer Readings 35.1	81.7
Greatest Range in 24 hours on the 28th 27.7	25.4
Mean of all the Highest Readings 80.5	80.6
Mean of all the Lowest Readings 63.8	64·8
Mean Daily Range	15.8
Mean Temperature (deduced from Max & Min) 71.4	71.9
Mean Temperature (deduced from Dry Bulb) 70.5	71.2
Adopted Mean Temperature 71-0	71.6
Mean Temperature of Evaporation 65.0	66.0
Mean Temperature of Dew Point 60.5	61.9
Mean elastic force of Vapour inches 0.528	0.554
Mean weight of Vapour in a cub.ft.of air grains 5.7	6.0
Mean additional weight required for saturation,, 2.6	2.4
Mean degree of Humidity 70	72
Mean weight of a cubic foot of airgrains 520.7	519.7
Fall of Rain inches 0.0	0.068
Number of days on which Rain fell	1
Mean amount of Cloud (an overcast sky=10) 2.4	$2\cdot 2$
Total number of miles of wind indicated 5989	6266
Mean Velocity of Wind per hourmiles 8.3	8.7

JULY, 1897.

Results of Observations taken during the Month.	Mean for the last 14 years
Mean Reading of the Barometer inches 29-949	30.008
Highest ,, on the 24th ,, 30·108	30.147
Lowest ,, on the 5th ,, 29.788	29 836
Range of Barometer Readings, 0.320	0.311
Highest Reading of a Max. Therm. on the 15th 97.0	97.9
Lowest Reading of a Min. Therm. on the 31st 66.3	64.6
Range of Thermometer Readings 30.7	33.3
Greatest Range in 24 hours on the 3rd 26 0	27.2
Mean of all the Highest Readings 88.2	87.0
Mean of all the Lowest Readings 71.5	69.7
Mean Daily Range 16.7	17.3
Mean Temperature (deduced from Max.& Min) 79.4	77.9
Mean Temperature (deduced from Dry Bulb) 77.4	77.0
Adopted Mean Temperature 78.4	77.5
Mean Temperature of Evaporation 71.5	70.4
Mean Temperature of Dew Point 67.0	65.7
Mean elastic force of Vapourinches 0-661	0.635
Mean weight of Vapour in a cubic ft. of air grains 7.1	6.8
Meanadditional weight required for saturation, 3.2	3.4
Mean degree of Humidity	67
Mean weight of a cubic foot of airgrains 511.5	513-4
Fall of Raininches 0.090	0.033
Number of days on which Rain fell 2	0.14
Mean amount of Cloud (an overcast sky=10) 2.0	0 9
Total number of miles of wind indicated 6363	5495
Mean Velocity of Wind per hourmiles 8.6	7.4

### AUGUST, 1897.

Results of Observations taken during the Month.		Mean for the last 14 years.
Mean Reading of the Barometerinches &	0.007	80-013
Highest ,, on the 13th ,, &	30·118	80·168
Lowest ,, on the 1st ,, 2	9 •888	29.861
Range of Barometer Readings,	0.230	0.802
Highest Reading of a Max. Therm. on the 25th	90.2	96.9
Lowest Reading of a Min. Therm.on the 2nd & 31st	66.2	65.8
Range of Thermometer Readings	24.0	31.6
Greatest Range in 24 hours on the 3rd	23.2	26.0
Mean of all the Highest Readings	86.8	87·1
Mean of all the Lowest Readings	70.5	70.8
Mean Daily Range	15.8	16.3
Mean Temperature(deduced from Max. & Min.)	77.6	78.2
Mean Temperature (deduced from Dry Bulb)	<b>76·4</b>	78-1
Adopted Mean Temperature	7 <b>7</b> -0	<b>78</b> ⋅ <b>2</b>
Mean Temperature of Evaporation	71-1	71.4
Mean Temperature of Dew Point	67.2	66.7
Mean elastic force of Vapour inches	0.666	0.655
Mean weight of Vapour in a cub.ft.of air grains	<b>7·2</b>	7.0
Mean additional weight required for saturation,,	2.7	<b>3</b> ∙ <b>4</b>
Mean degree of Humidity	73	68
Mean weight of a cubic foot of air grains	514.1	512.4
Fall of Raininches		0.103
Number of days on which Rain fell		1
Mean amount of Cloud (an overcast sky=10)	1.2	1.1
Total number of miles of Wind indicated	5121	5462
Mean Velocity of Wind per hour miles	6.9	<b>7</b> ·3

# SEPTEMBER, 1897.

Result of Observations taken during the Mont	h.	Mean for the last 14 years
Mean Reading of the Barometer inches	30.038	30.063
Highest ,, on the 25th ,,	30-343	30 250
Lowest ,, on the 20th ,,	29.727	29.841
Range of Barometer Readings,	0.616	0.409
Highest Reading of a Max. Therm. on the 14th	97.8	92.7
Lowest Reading of a Min. Therm. on the 19th	62.2	62.8
Range of Thermometer Readings	35.6	29.9
Greatest Range in 24 hours on the 15th	24.8	24.0
Mean of all the Highest Readings	84.3	83 4
Mean of all the Lowest Readings	69.5	68-9
Mean Daily Range	14.8	14.5
Mean Temperature (deduced from Max. & Min.)	76.0	75.3
Mean Temperature (deduced from Dry Bulb)	74.1	74.9
Adopted Mean Temperature	75.1	75-1
Mean Temperature of Evaporation	68.4	69.3
Mean Temperature of Dew Point	64.1	65.6
Mean elastic force of Vapourinches	0.598	0.625
Mean weight of Vapour in a cub. ft. of air grains	6.5	6.7
Mean additional weight required for saturation-	2.6	2.7
Mean degree of Humidity	71	72
Mean weight of a cubic foot of airgrains	517.0	516.8
Fall of Raininches	0 050	1.008
Number of days on which Rain fell	1	4
Mean amount of Cloud (an overcast sky=10)	2.4	2.4
Total number of miles of Wind indicated	6830	5599
Mean Velocity of Wind per hourmiles	9.5	7.7

## OCTOBER, 1897.

Results of Observations taken during the Month.	Mean for the last 14 years.
Mean Reading of the Barometerinches 30 069	80-046
Highest ,, on the 29th ,, 30.359	30.261
Lowest ,, on the 4th ,, 29.713	29.747
Range of Barometer Readings ,, 0.646	0.514
Highest Reading of a Max. Therm. on the 23rd 84.2	87.9
Lowest Reading of a Min. Therm. on the 13th 53.3	55.9
Range of Thermometer Readings 30.9	32 0
Greatest Range in 24 hours on the 13th 17.3	198
Mean of all the Highest Readings 72:3	76·9
Mean of all the Lowest Readings 62:0	64.6
Mean Daily Range 10.3	12.3
Mean Temperature (deduced from Max.& Min.) 67.1	69.9
Mean Temperature (deduced from Dry Bulb) 66.3	69.0
Adopted Mean Temperature	69.4
Mean Temperature of Evaporation 60.8	64.8
Mean Temperature of Dew Point 57.1	61.2
Mean elastic force of Vapourinches 0.467	0.546
Mean weight of Vapour in a cub. ft. of air grains 5.2	5.9
Mean additional weight required for saturation,, 1.7	1.7
Mean degree of Humidity 75	77
Mean weight of a cubic foot of air grains 529.0	528.0
Fall of Raininches 2.867	2.767
Number of days on which Rain fell 9	7
Mean amount of Cloud (an overcast sky=10) 5.2	4.3
Total number of miles of Wind indicated 8041	6634
Mean Velocity of Wind per hourmiles 10.8	8.9

# NOVEMBER, 1897.

Results of Observations taken during t	the Month Mean for the last 14 years.
Mean Reading of the Barometer	inches 30·247 30·067
Highest ,, on the 12th	h ,, 30·452   30·815
Lowest ,, on the 29t	h ,, 29·820 29·706
Range of Barometer Readings	,, 0.632 0.609
Highest Reading of a Max. Therm.on th	ne 15th 72·1 77·2
Lowest Reading of a Min. Therm. on th	he 28th 50·2 50·0
Range of Thermometer Readings	21.9 27.2
Greatest Range in 24 hours on the 2nd	19.6 18.2
Mean of all the Highest Readings	67.0 68.9
Mean of all the Lowest Readings	55.9 57.8
Mean Daily Range	114 114
Mean Temperature (deduced from Max	& Min) 60·4 62·5
Mean Temperature (deduced from Dry	Bulb) 58.3 61.9
Adopted Mean Temperature	59.4 62.2
Mean Temperature of Evaporation	55.4 57.6
Mean Temperature of Dew Point	52.1 54.2
Mean elastic force of Vapour	inches 0.389 0.421
Mean weight of Vapour in a cub. ft. of air	rgrains 4.4 4.8
Mean additional weight required for satur	ration,, 1.2 1.8
Mean degree of Humidity	78 79
Mean weight of a cubic foot of air	<b>I</b>
Fall of rain	inches 1-687 3-416
Number of Days on which rain fell	11 11
Mean amount of Cloud (an overcast sk	
Total number of miles of Wind indicate	
Mean Velocity of Wind per hour	. miles 9·2 9·3

# DECEMBER, 1898.

Results of Observations taken during the Month.	Mean for the last 14 years
Mean Reading of the Barometerinches 30.170	30.036
Highest ,, on the 27th ,, 30.596	30.380
Lowest ,, on the 4th ,, 29.611	29.574
Range of Barometer Readings, 0.985	0.606
Highest Reading of a Max Therm. on the 4th 66.5	68.7
Lowest Reading of a Min. Therm. on the 20th 45.6	43.7
Range of Thermometer Readings 20.9	25.0
Greatest Range in 24 hours on the 7th 16.9	17.6
Mean of all the Highest Readings 60.7	61.9
Mean of all the Lowest Readings 51.6	52.3
Mean Daily Range 9.1	9.6
Mean Temperature (deduced from Max. & Min.) 55.5	56.4
Mean Temperature (deduced from Dry Bulb) 55.1	56.1
Adopted Mean Temperature 55.3	56.2
Mean Temperature of Evaporation 55.1	51.9
Mean Temperature of Dew Point 480	48.7
Mean elastic force of Vapour inches 0.335	0.344
Mean weight of Vapour in a cub.ft.of air grains 8.8	3.9
Mean additional weight required for saturation,, 1.0	1.1
Mean degree of Humidity 79	79
Mean weight of a cubic foot of air grains 541.4	538-3
Fall of Raininches 8.970	4.198
Number of Days on which rain fell 20	14
Mean amount of Cloud (an overcast sky=10) 6.8	5.8
Total number of miles of Wind indicated 8166	8286
Mean Velocity of Wind per hourmiles 11.0	11.1

# Summary of Observations FOR 1897.

Results of Observations taken during the Year.	Mean for the last 14 years.
Mean Reading of the Barometerinches 30 058	30.022
Highest ,, on December 27th ,. 30.596	30.494
Lowest ,, on January 22nd ,, 29 423	29.381
Range of Barometer Readings, 1.173	1.113
Highest Reading of Max. Therm.on Sept. 14th 97.8	99.7
Lowest Reading of a Min. Therm. on Jan. 31st 39.4	40.3
Range of Thermometer Readings 58.4	59.4
Greatest Range in 24 hours on June 28th 27.7	28.9
Mean of all the Highest Readings 71.8	72.5
Mean of all the Lowest Readings 59.1	59.3
Mean Daily Range 12 7	13-2
Mean Temperature(deduced from Max.& Min.) 64.7	65.0
Mean Temperature (deduced from dry bulb) 637	64·5
Adopted Mean Temperature 64-2	64.7
Mean Temperature of Evaporation 59·1	<b>59</b> ·8
Mean Temperature of Dew Point 55 6	56 1
Mean elastic force of Vapourinches 0.456	0.456
Mean weight of Vapour in a cub. ft. of air grains 5.0	5∙1
Mean additional weight required for saturation,, 1.7	1.8
Mean degree of Humidity 75	76
Mean weight of a cubic foot of air grains 529.4	<b>527·8</b>
Fall of raininches 14.216	19.701
Number of days on which rain fell 81	77
Mean amount of Cloud (an overcast sky=10) 4.3	3.8
Total number of miles of wind indicated 91655	84351
Mean Velocity of Wind per hour miles 10.5	9.6

### SINCE MAY, 1883.

The Mariana and another height of the Degeneter was in
The Maximum yearly mean height of the Barometer was in
1897, and was
** '*
The greatest monthly range of the Barometer was in
January, 1886, and was 1.201
The least ,, ,, in August, 1883, and was 0.188
The highest reading of the Barometer was on January 26th,
1887, and was 30 627
The lowest ,, ,, on January 17th, 1886, and was 29.155
Extreme range inches 1.472
The highest temperature was on August 11th, 1896, and was 104.8
The lowest ,, ,, February 19th, 1895 34.2
The highest mean temperature of a month, was in August,
1885, and was 83.2
The lowest , , , , February, 1891, 49 5
The greatest monthly mean weight of vapour a cubic foot of air
The least , January and February, 1891, and was grs 3.0
The highest observed Dew point was on August 30th,
1885, and was
The lowest ,, ,, February 19th, 1895, and was 27.9
The greatest fall of rain in a month, was in December, 1889,
and was inches 8 952
The greatest number of days on which rain fell in one month
The greatest fall of rain in a year was in 1889 and was inches 26.044
The smallest ,, ,, ,, 1895 ,, ,, 11.384
The greatest number of rainy days in a year was in 1894 and was 90
The least ,, ,, ,, 1888 59
The highest temperature registered in sunshine was on the
15th July, 1897, and was 159-7
The lowest temperature registered on ground was on the
19th February, 1895, and was
The highest observed sea temperature was on the 5th August,
1887, and was 85.0
FRE Lawrence 100F and man Mr. F
The lowest ,, ,, 30th January, 1895, and was 55.5  The smallest mean amount of cloud observed in one month
/ Towns 1004 and was 7.0
The greatest ,, ,, in January, 1894, and was 7.2

#### NOTES FOR THE SEPARATE MONTHS.

#### JANUARY.

The Dew-point ranged between  $37.6^{\circ}$  on the 6th, and  $54.6^{\circ}$  on the 16th.

In Sunshine, the highest reading was 124.3° on the 19th.\*

On Ground, the lowest reading was 32.3° on the 6th.\*

The Sea has fallen to 56.8°, averaging 59.0°.

Thunderstorms passed on the 19th.

Lightning was seen on the 4th, 12th. 13th, and 22nd.

Hail fell on the 23rd.

Total Rainfall since last June 12:655 inches; the average of 14 years, 15:201 inches.

\* No readings on 23rd and subsequent days. Unprecedentedly severe hailstorm at 1.5 a.m. on 23rd. Hailstones of dense ice, reaching in size to that of a hen's egg, fell for several minutes. Much damage was done to skylights and windows of Westerly aspect.

#### FEBRUARY.

The Dew-Point ranged between 38.8° on the 9th and 54.2° on the 23rd.

- \*In Sunshine, the highest reading was 136.5° on the 25th.
- \*On Ground, the lowest reading was .. on the ...

The Sea has risen to 60.1, averaging 59.1.

Thunderstorms passed on the 9th.

Total Rainfall since last June, 13:147 inches; the average of 14 years, 17:845 inches.

\* No readings from 1st to 20th inclusive.

#### MARCH.

The Dew-point ranged between  $38\cdot4^{\circ}$  on the 9th, and  $57\cdot7^{\circ}$  on the 30th.

In Sunshine, the highest reading was 154.1° on the 27th.

On Ground, the lowest reading was 41.0° on the 9th.

The Sea has risen to 62.3°, averaging 60.8°.

Thunderstorms passed on the 8th.

Lightning was seen on the 6th, 7th, 9th, and 81st.

Total Rainfall since last June 13.898 inches; the average of 14 years, 18.884 inches.

#### APRIL.

The Dew-point ranged between 40.6° on the 3rd, and 59.1° on the 28th.

In Sunshine, the highest reading was 145.5° on the 19th.

On Ground, the lowest reading was 44.0° on the 13th.

The Sea has risen to 62.5°, averaging 61.7°.

I hunderstorms passed on the 3rd and 10th.

Lightning was seen on the 5th, 6th, 9th, 18th, and 28th.

Total Rainfall since last June 15.745 inches; the average of 14 years, 19.305 inches.

#### MAY.

The Dew-point ranged between 44.8° on the 8th and 62.6° on the 31st.

In Sunshine, the highest reading was  $150 \cdot 0^{\circ}$  on the 5th

On Ground, the lowest reading was 45.5° on the 17th.

The Sea has risen to 67.8°, averaging 66.0°.

Thunderstorms passed on the 4th and 24th.

Lightning was seen on the 28th.

Hail fell on the 24th.

Total Rainfall since last June 17:156 inches; the average of 14 years, 19:969 inches.

Slight earthquake shocks were felt throughout the island, about 11-45 p.m. on the 27th, lasting three or four seconds. No damage is reported.

#### JUNE.

The Dew-point ranged between 53'1° on the 13th and 691° on the 29th.

In Sunshine, the highest reading was 154.4° on the 7th.

On Ground, the lowest reading was 52 3° on the 2nd.

The Sea has risen to 76.0°, averaging 71.0°.

Lightning was seen on the 6th, 7th and 8th.

#### TULY.

The Dew-point ranged between 72.3° on the 7th, and 58.4° on the 28th.

In Sunshine, the highest reading was 159.7° on the 15th.

On Ground, the lowest reading was 62.4° on the 31st.

The Sea has risen to 82·1°, averaging 80·0.

Thunderstorms passed on the 5th.

Lightning was seen on the 6th.

#### AUGUST.

The Dew-point ranged between 59.3° on the 1st, and 71.9° on the 5th.

In Sunshine the highest reading was 157.9° on the 6th.

On Ground the lowest reading was 61.8° on the 2nd.

The Sea has averaged 80.0°.

Lightning was seen on the 4th, 16th, and 20th.

#### SEPTEMBER.

The Dew-point ranged between 73.9° on the 11th, and 50.6° on the 21st.

In Sunshine the highest reading was 156.4° on the 14th.

On Ground, the lowest reading was 56 7° on the 19th.

The Sea has fallen to 75.0°, averaging 78.0°.

Thunderstorms passed on the 20th and 28th.

Lightning was seen on the 18th, 26th, 27th, 29th and 30th

Total Rainfall since last June 0 142 inches; the average of 14 years 1 144 inches.

#### OCTOBER.

The Dew-Point ranged between 69.8° on the 2nd and 44.7° on the 26th and 27th.

In Sunshine, the highest reading was 151 1° on the 2nd.

On Ground, the lowest reading was 47.7° on the 18th.

The Sea has fallen to 67.0°, averaging 69.5.

Thunderstorms passed on the 3rd, and 6th.

Lightning was seen on the 2nd. 4th, 14th, 15th, 17th, 20th, 21st, 22nd, and 23rd.

Hail fell on the 6th.

Total Rainfall since last June 3.009 inches; the average of 14 years, 3.911 inches.

#### NOVEMBER.

The Dew-point ranged between 60.7° on the 4th, and 41.8° on the 28th.

In Sunshine, the highest reading was 138.6° on the 14th.

On Ground, the lowest reading was 44.5° on the 10th.

The Sea has fallen to 65.0°, averaging 66.0°.

Thunderstorms passed on the 20th, 22nd, 26th.

Lightning was seen on the 21st, and 80th.

Hail fell on the 26th and 30th.

Total Rainfall since last June 4:696 inches; the average of 14 years, 7:827 inches.

#### DECEMBER.

The Dew-point ranged between  $39.9^{\circ}$  on the 1st, and  $55.0^{\circ}$  on the 16th.

In Sunshine, the highest reading was 130.2° on the 20th.

On Ground, the lowest reading was 40.8° on the 20th.

The Sea has fallen to 60.0°, averaging 62.0.

Lightning was seen on the 1st, 4th, 7th, and 8th.

Total Rainfall since last June, 8 666 inches; the average of 14 years, 11 520 inches.

#### NOTES FOR THE YEAR.

The Dew-point ranged between 37.6° on the 6th January, and 78.9° on the 11th September.

In Sunshine, the highest reading was 159.7° on the 15th July.

\*On Ground, the lowest reading was 32.3° on the 6th January.

The Sea has ranged from 56.8° in January to 82.1° in July.

Thunderstorms passed on 15 days.

Lightning was seen on 41 days.

Hail fell on 5 days.

\* No readings of the minimum temperature on the ground were taken from January 23rd to February 20th inclusive.

#### CORRIGENDA.

In the Summary of Observations for the year 1896 (page 74) the mean temperature of evaporation was given 69.6, should be 59.6.

In the table of Maxima and Minima (page 75) the lowest mean temperature of a month (February 1891) was given 49.8, should be 49.5.

J. F. DOBSON, S.J.

. |-